

This document is a copy of an official work that is published by the Government of Canada. This reproduction has not been produced in affiliation with, or with the endorsement of the Government of Canada.

Canadian Data Report of
Fisheries and Aquatic Sciences 1145

2004

CCGS *W. E. RICKER* GULF OF ALASKA SALMON SURVEY,
OCTOBER 8-27, 2003

by

D. W. Welch, J. F. T. Morris, M. E. Thiess, M. Trudel, A. R. Ladouceur,
M. C. Jacobs, T. B. Zubkowski, and H. R. MacLean

Fisheries and Oceans Canada
Science Branch, Pacific Region
Pacific Biological Station
Nanaimo, BC V9T 6N7

© Her Majesty the Queen in Right of Canada, 2004
Cat. No. Fs 97-13/1145E ISSN 0706-6465

Correct citation for this publication:

Welch, D. W., J. F. T. Morris, M. E. Thiess, M. Trudel, A. R. Ladouceur, M. C. Jacobs, T. B. Zubkowski, and H. R. MacLean. 2004. *CCGS W.E. Ricker* Gulf of Alaska salmon survey, October 8-27, 2003. Can. Data Rep. Fish. Aquat. Sci. 1145:116p.

LIST OF TABLES

Table 1. Tow positions and catch summaries of Pacific salmon for the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.....	10
Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.....	14
Table 3. Physical oceanographic data collected on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.....	80
Table 4. Zooplankton data from bongo tows collected on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.....	87
Table 5. Coded Wire Tag (CWT) data collected on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.....	96

LIST OF FIGURES

Figure 1. Fishing stations on the CCGS W. E. Ricker survey to the Gulf of Alaska from October 8 - 27, 2003.....	97
Figure 2. Oceanographic stations on the CCGS W. E. Ricker survey to the Gulf of Alaska from October 8 - 27, 2003.....	98
Figure 3. Plankton stations on the CCGS W. E. Ricker survey to the Gulf of Alaska from.....	99
Figure 4. Distribution of juvenile (age 0.0) pink salmon catches. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).....	100
Figure 5. Distribution of adult (age 0.1) pink salmon catches. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).....	101
Figure 6. Distribution of juvenile (age 0.0) chum salmon catches. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).....	102
Figure 7. Distribution of adult chum salmon catches. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).....	103
Figure 8. Distribution of juvenile (age X.0) sockeye salmon catches. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).....	104
Figure 9. Distribution of adult sockeye salmon catches. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).....	105
Figure 10. Distribution of juvenile (age X.0) coho salmon catches. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).....	106
Figure 11. Distribution of adult (age X.1) coho salmon catches. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).....	107
Figure 12. Distribution of catches of chinook salmon less than 100mm. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).....	108
Figure 13. Distribution of catches of chinook salmon from 100 to 199mm. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).....	109

Figure 14. Distribution of catches of chinook salmon from 200 to 299mm. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+)	110
Figure 15. Distribution of catches of chinook salmon from 300 to 349 mm. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+)	111
Figure 16. Distribution of catches of chinook salmon from 350 to 399mm. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+)	112
Figure 17. Distribution of catches of chinook salmon from 400 to 499mm. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+)	113
Figure 18. Distribution of of chinook salmon greater than or equal to 500mm. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+)	114
Figure 19. Distribution of catches of chinook from all size classes. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+)	115
Figure 20. Size distribution (fork length; mm) of Pacific salmon caught on the CCGS W. E. Ricker survey to the Gulf of Alaska from October 8-27, 2003.....	116

ABSTRACT

Welch, D. W., J. F. T. Morris, M. E. Thiess, M. Trudel, A. R. Ladouceur, M. C. Jacobs, T. B. Zubkowski, and H. R. MacLean. 2004. CCGS *W.E. Ricker* Gulf of Alaska salmon survey, October 8-27, 2003. Can. Data Rep. Fish. Aquat. Sci. 1145: 116 p.

The Highseas Salmon program of Fisheries and Oceans Canada conducted a survey of Pacific salmon in the Gulf of Alaska during October 8-27, 2003. The objectives of the surveys were to (1) evaluate the distribution and ecology of juvenile Pacific salmon (*Oncorhynchus spp.*) during their first year in the ocean, (2) describe the ambient oceanographic conditions, and (3) quantify the biomass of zooplankton, an important prey for Pacific salmon at sea. Fish, oceanographic, and zooplankton sampling was conducted at stations spanning the area from Barkley Sound on the west coast of Vancouver Island in British Columbia (48.86° N) to Sumner Strait in Southeast Alaska (56.46° N).

A total of 3381 Pacific salmon were caught on the survey. Of these, 1652 were juvenile pink salmon (*O. gorbuscha*), 498 were juvenile chum salmon (*O. keta*), 165 were juvenile sockeye salmon (*O. nerka*) and 531 were juvenile coho salmon (*O. kisutch*) in their first fall in the ocean and 880 were chinook salmon (*O. tshawytscha*) under 350 mm in fork length.

Juvenile pink, chum, sockeye, and coho were caught on the shelf throughout the survey area from the west coast of Vancouver Island to Southeast Alaska, and along the inside passages on the central coast of British Columbia and Southeast Alaska.

Juvenile chinook from 100 to 199 mm in fork length were caught primarily inside the inlets and close to the beach along the shelf off the west coast of Vancouver Island. The distributions of chinook over 200 mm in fork length were more wide-spread over the area of the survey. These larger chinook were caught both inside the inlets and close to the beach along the shelf off the west coast of Vancouver Island, and along the inside passages on the central coast of British Columbia and Southeast Alaska.

Juvenile pink, chum, sockeye, and coho were significantly greater in size from Vancouver Island to Southeast Alaska.

Seven age 0.0, CWT chinook that had been released from west coast Vancouver Island hatcheries in the spring of 2003, were recaptured not far from the release sites in the inlets on the west coast of Vancouver Island. These ocean – type, age 0.0 chinook averaged 168 mm and ranged from 138 to 185 mm in fork length.

RESUME

Welch, D. W., J. F. T. Morris, M. E. Thiess, M. Trudel, A. R. Ladouceur, M. C. Jacobs, T. B. Zubkowski, and H. R. MacLean. 2004. CCGS *W.E. Ricker* Gulf of Alaska salmon survey, October 8-27, 2003. Can. Data Rep. Fish. Aquat. Sci. 1145: 116 p.

Le programme canadien des Saumons en Haute Mer de Pêches de Océans Canada a réalisé une étude sur les saumons du Pacifique dans le Golfe de l'Alaska du 8 au 27 octobre 2003. Les objectifs de cette étude était de (1) évaluer la distribution et l'écologie des saumons du Pacifique (*Oncorhynchus* spp.) juvéniles durant leur première année en mer, (2) décrire les conditions océanographiques ambiantes, et (3) quantifier la biomasse de zooplancton, une proie importante des saumons du Pacifique dans l'océan. Nous avons mesuré les conditions océanographiques et échantillonné le zooplancton et les poissons à des stations situées entre la côte ouest de l'Île de Vancouver (48.86° N) et le détroit de Sumner dans le Sud-Est de l'Alaska (56.46° N).

Un total de 3381 saumons du Pacifique ont été capturés durant cette étude. De ces poissons, 1652 étaient des saumons juvéniles roses (*O. gotbuscha*), 498 étaient des saumons juvéniles kétas (*O. keta*), 165 étaient des saumons juvéniles rouges (*O. nerka*), et 531 étaient des saumons juvéniles cohos (*O. kisutch*) durant leur première année en mer et 880 saumons quinnats (*O. tshawytscha*) ayant une longueur à la fourche inférieure à 350 mm.

Les saumons roses, kétas, rouges et cohos juvéniles ont été capturés sur le plateau continental sur toute l'aire échantillonnée entre la côte ouest de l'Île de Vancouver et le Sud-Est de l'Alaska, ainsi que dans les eaux intérieures de la côte centrale de la Colombie-Britannique et du Sud-Est de l'Alaska.

Les saumons quinnats juvéniles ayant une longueur à la fourche entre 100 et 199 mm ont été principalement capturés le long du rivage sur la côte ouest de l'Île de Vancouver. La distribution des saumons quinnats ayant une longueur à la fourche supérieure à 200mm couvrait une plus grande étendue sur l'aire échantillonnée. Ces saumons quinnats ont été capturés dans les fjords et près du rivage de la côte ouest de l'Île de Vancouver, ainsi que dans les eaux intérieures de la côte centrale de la Colombie-Britannique et du Sud-Est de l'Alaska.

La taille des saumons roses, kétas, rouges, et cohos juvéniles était significativement plus grande dans le Sud-Est de l'Alaska que sur la côte ouest de l'Île de Vancouver.

Sept saumons quinnats marqués à l'aide d'un CWT ont été capturés sur la côte ouest de l'Île de Vancouver. Ces poissons étaient d'âge 0.0 et avaient été relâchés au printemps 2003 par des piscicultures situées près des sites de capture. Ces saumons

quinnats de type océan (âge 0.0) avaient une longueur à la fourche entre 138 et 185 mm et mesuraient en moyenne 168 mm.

INTRODUCTION

The Highseas Program of Fisheries and Oceans Canada has conducted annual Pacific salmon surveys in the Gulf of Alaska since 1995⁽¹⁻¹⁸⁾. The main objectives of these surveys were to collect information on (1) the distribution and ecology of Pacific salmon (*Oncorhynchus spp.*) during their ocean phase, (2) the ambient oceanographic conditions, and (3) the distribution and biomass of zooplankton.

This report documents the data collected for the survey completed during October 8-27, 2003. The survey design comprised fish, oceanographic and zooplankton sampling along transects spanning the area from the west coast of Vancouver Island to Southeast Alaska.

MATERIALS AND METHODS

General Survey Information

Figures 1, 2, and 3 show the fishing, oceanographic and zooplankton stations, respectively, completed by the CCGS *W.E. Ricker* on the October 8-27, 2003 survey. A total of 95 fishing stations, 98 oceanographic stations, and 97 zooplankton stations were completed.

The survey conducted scientific operations off the west coast of Vancouver Island, in Queen Charlotte Sound, in the inside channels on the central coast of British Columbia, in Hecate Strait, in Dixon Entrance, in the inside channels of Southeast Alaska, and on the shelf off Southeast Alaska. Two cross-shelf transects were completed: one starting from a position within the Sea Otter Group in Queen Charlotte Sound and running through Triangle Island to the offshore; and a second running through a point just south of Forrester Island in Southeast Alaska.

Fishing Gear and Fishing Operations

The survey was conducted on the CCGS *W.E. Ricker*, a stern trawler 58 m in length which is powered by a 2,500 H.P. model AH 40 Akasaka diesel engine.

The CCGS *W.E. Ricker* towed a mid-water trawl, originally manufactured by Cantrawl Nets Ltd., Richmond, BC, and later modified to a model 240 trawl by the fishing crew. The trawl has a heavy-duty front end of hexagonal web made from 3/8 in. (9.5 mm) and 5/16 in. (7.9 mm) Tenex rope, and a tapered body made-up of 64 in. (163 cm), 32 in. (81.3 cm), 16 in. (40.6 cm), 8 in. (20.3 cm) and 4 in. (10.2 cm) polypropylene sections, an intermediate section of 3 in. (7.6 cm) polypropylene, and a codend of 1.5 in. (3.8 cm) knotted nylon lined with 0.25 in. mesh (64 mm). The trawl has three 40 m bridles of 5/8 in. (1.6 cm) wire rope per side that are attached with a single hook-up to 5

m Jet doors. Typically, 100-150 m of 1.25 in. (3.2 cm) warp was paid out to tow the trawl at the surface.

The CCGS *W.E. Ricker* was able to tow the trawl at the surface at 5 knots (2.6 m s⁻¹) in good sea conditions, and this typically achieved a mouth opening of approximately 28 m wide by 16 m deep as measured acoustically by a Scanmar trawl eye mounted on the headrope. In rough weather, the trawl was towed at headrope depths down to 15 m.

Oceanographic Sampling

At oceanographic stations, the scientific crew (1) conducted CTD (conductivity-temperature-depth) casts, (2) collected surface seawater samples with a Niskin bottle for nitrate, phosphate, silicate, and salinity, and (3) filtered surface seawater on GF/F glass fibre filter disks for chlorophyll a.

Nitrate, phosphate, and silicate samples were collected in acid-washed glass test tubes, and the glass fiber disks were folded and placed in polypropylene scintillation vials. All these samples were stored frozen.

CTD casts were conducted to 250 m or within 5 m of the bottom with a Seabird SBE 911+ probe. Several calibration samples from selected CTD casts were collected over the course of the survey with Niskin bottles at depths where the salinities were stable.

Zooplankton Sampling

Vertical bongo tows to approximately 150 m or within 10 m of the bottom were conducted with two 57 cm diameter, 253 µm Nitex nets. One of the nets was equipped with a flowmeter.

Zooplankton collected from the net with the flowmeter were preserved in 10% formalin and sent to the zooplankton laboratory at the Institute of Ocean Sciences, Fisheries and Oceans Canada (Sidney, BC) for species classification and enumeration. Zooplankton taken from the net without flowmeter were sorted into four size fractions by successively sieving through 8.0, 1.7, 1.0, and 0.25 mm screens. Each size fraction was weighed wet, dried at 60°C for 48 hours, re-weighed, and stored in plastic bags for future stable isotope, bomb calorimetry, and proximate analyses.

RESULTS

Salmon Catch Data

Table 1 reports information on trawl tows and a summary of Pacific salmon catches for this survey. Tow information includes: station ID, transect name, sampling region, date and time, start latitude (°N) and longitude (°W), heading (°T; degrees true),

and bottom depth (m). Station ID numbers consisted of the Pacific Biological Station cruise designation (“HS200336”, where HS stands for High Seas), followed by a tow number (e.g., “HS200336-IVI01” for a tow #1 inside the inlets on the west coast of Vancouver Island, British Columbia). The station ID number serves as the primary key in the High Seas salmon database that links fishing tow information with the oceanographic and zooplankton tables.

For each tow, catch totals are provided for all chinook salmon (*O. tshawytscha*) (“CK”) that includes all ages and size classes, and separately for juveniles and adults of chum salmon (*O. keta*) (“CM”), coho salmon (*O. kisutch*) (“CO”), pink salmon (*O. gorbuscha*) (“PK”), and sockeye salmon (*O. nerka*) (“SE”). In this report, “juveniles” are defined as fish in their first fall in the ocean (age X.0+), while “adults” include all older age groups (age X.1+ or older). Age separation was determined based on examination of size distributions (fork length) which showed non-overlapping size modes for chum, coho, pink, and sockeye salmon. Chinook salmon were not divided into juveniles and adults based on size since there is considerable overlap among size modes that represent the multiple age groups.

The abbreviations for the regions in Tables 1, 3, and 4, and the CWT recovery regions in Table 5 are:

ISEA	Inside channels of Southeast Alaska
SEA	Southeast Alaska
DE	Dixon Entrance
HS	Hecate Strait
IBC	Inside channels on the central coast of British Columbia
QCSD	Queen Charlotte Sound
VI	West coast Vancouver Island
IVI	Inlets on the west coast of Vancouver Island

Biological Data

Table 2 reports the detailed biological data collected from each Pacific salmon caught during the survey. Individual salmon were assigned a fish number which consisted of the cruise identifier (e.g., “HS200336”), followed hierarchically by tow number, species code, and sample number. For example, “HS200336-DE01-124-001” refers to tow number DE01 or tow #1 in Dixon Entrance, species code “124” for chinook salmon, and the sample number “001” (within tow and species). We used the following codes from Fisheries and Oceans’ Salmon Stock Assessment database: 108, pink salmon; 112, chum salmon; 115, coho salmon; 118, sockeye salmon; and 124, chinook salmon.

Biological data collected for each salmon includes (when available): species common name, fork length (mm), whole body weight (g wet), sex, stomach content weight (g wet), % water (based on the ratio of dry to wet whole body weight), coded wire

tag number (CWT; if present), pit tag number (if present), and observed fin clip (if present).

Catch Distributions

Juvenile pink (age 0.0) and juvenile chum (age 0.0) were consistently caught within the range of 1-1000 fish per tow, and juvenile sockeye (age X.) were consistently caught within the range of 1-100 fish per tow on the shelf from the northern tip of Vancouver Island to the inside passages of Southeast Alaska (Figure 4, 5, and 8). Juvenile pink, but neither juvenile chum nor juvenile sockeye, were also caught within the range of 1-100 fish per tow on the shelf off Southeast Alaska. Juvenile pink, chum, and sockeye were occasionally caught on the shelf and in the inlets on the west coast of Vancouver Island within the range of 1-10 fish per tow.

Juvenile coho (age X.0) were consistently caught on the shelf within the range of 1-1000 fish per tow on the shelf from the west coast of Vancouver Island to Southeast Alaska, and along the inside passages on the central coast of British Columbia and Southeast Alaska (Figure 10).

Juvenile chinook from 100 to 199 mm in fork length were caught within the range of 1-1000 fish per tow primarily in southern regions including the shelf and inlets on the west coast of Vancouver Island and in Fitz Hugh Sound (Figure 13).

Juvenile chinook from 200 to 299 mm in fork length were caught within the range of 1-100 fish per tow on the shelf and inlets on the west coast of Vancouver Island, and along the inside passages on the central coast of British Columbia and Southeast Alaska (Figure 14). None were caught in Dixon Entrance and on the shelf off Southeast Alaska.

Chinook within the size classes 300 to 349 mm, 350 to 399 mm, 400 to 499 mm, and greater than 500 mm in fork length were occasionally caught within the range of 1-100 fish per tow on the shelf from the west coast of Vancouver Island to Southeast Alaska, and along the inside passages on the central coast of British Columbia and Southeast Alaska (Figures 15,16,17, and 18).

Adult chum and adult coho were mostly caught on the shelf and in the inlets on the west coast of Vancouver Island within the range of 1-100 fish per tow (Figures 7 and 11).

Size Comparisons of Juvenile Salmon Among Regions

Figure 20 shows the length frequencies for each species of salmon caught on the cruise.

Juvenile pink (age 0.0) increased significantly in size from south to north ($F=44.5$, $p<0.001$). Juvenile pink averaged 202 mm in fork length off the west coast of Vancouver Island, 205 mm in Hecate Strait, 209 mm in the inside passages on the central coast of British Columbia, 206 mm in Dixon Entrance, and 224 mm inside Southeast Alaska.

Juvenile chum (age 0.0) increased significantly in size from south to north ($F = 24.37$, $p<0.001$). Juvenile chum averaged 216 mm in Queen Charlotte Sound, 224 mm in Hecate Strait, 242 mm in the inside passages on the central coast of British Columbia, 227 mm in Dixon Entrance, and 233 mm on the shelf off Southeast Alaska.

Juvenile sockeye (age X.0) increased slightly but significantly in size from south to north ($F = 31.77$, $p<0.001$). Juvenile sockeye averaged 185 mm in Hecate Strait, 209 mm in the inside passages on the central coast of British Columbia, and 211 mm inside Southeast Alaska.

Juvenile coho (age X.0) increased significantly in size from south to north ($F = 21.1$, $p<0.001$). Juvenile coho averaged 268 mm in the inlets on the west coast of Vancouver Island, 284 mm on the shelf off the west coast of Vancouver Island, 300 mm in the inside passages on the central coast of British Columbia, 294 mm in Dixon Entrance, 302 mm inside Southeast Alaska, and 318 mm on the shelf off Southeast Alaska.

It was not possible to make a regional comparison of sizes of juvenile chinook for specific ocean age classes due to the considerable overlap among size modes that represent multiple age groups.

CWT Recoveries

Table 5 reports the details on the coded wire tag (CWT) salmon caught during the survey. Reported information includes: the coded wire tag number, the assigned fish number, species common name, the date and region of recovery, the fork length (mm) at capture, the release area, the name of the agency and hatchery that released the tagged fish, the brood year, and dates of first and second hatchery releases.

The abbreviations for release agencies in Table 5 are:

CDFD	Canadian Department of Fisheries and Oceans
FWS	U.S. Fisheries and Wildlife Service
SUQ	Suquamish Tribe, Washington
SSRA	Southern Southeast Regional Aquaculture Assn., Alaska
WDFW	Washington Department of Fish and Wildlife

The abbreviations for release areas in Table 5 are:

JNST	Johnstone Strait, B.C.
NWC	Coastal Washington, North
SEAK	Southeast Alaska
SPS	Puget Sound South
UPCR	Upper Columbia River
WCVI	west coast Vancouver Island, B.C.

Ten CWT chinook were recovered on the fall, 2003 survey. Of these, seven were ocean-type, 0.0 age chinook that were recovered within the inlets on the west coast of Vancouver Island, and that had been released from west coast Vancouver Island hatcheries in the spring of 2003. These age 0.0 chinook averaged 168 mm in fork length, and ranged from 138 to 185 mm.

Three CWT chinook were stream-type, age 1.0 chinook that were recovered along the inside passageways of Southeast Alaska and the central coast of British Columbia, and that had been released from hatcheries in Southeast Alaska, Johnstone Strait, and the upper Columbia River in Washington State in the spring of 2003. These age 1.0 chinook ranged from 265 to 312 mm in fork length.

Two CWT coho were recovered along the inside passageways of the central coast of British Columbia. These were age 1.0 coho that had been released in Puget Sound and coastal Washington State in the spring of 2003. They measured 350 and 390 mm in fork length.

Oceanographic Data

Table 3 reports the physical oceanographic data collected during the survey, including the station ID number, transect, region, the date and time in UTC, the latitude ($^{\circ}$ N) and longitude ($^{\circ}$ W), sea surface temperature (SST; $^{\circ}$ C), and salinity (SSS; ppt) taken from the CTD files, sea surface salinities (ppt) determined from the sample bottles that were used to calibrate the CTD probe, nitrate, silicate and phosphate concentrations ($\mu\text{mol L}^{-1}$), and chlorophyll a ($\mu\text{g L}^{-1}$).

The CTD files are available through the website of the Canadian Department of Fisheries and Oceans, Ocean Science and Productivity division (OSAP) at:

http://www-sci.pac.dfo-mpo.gc.ca/osap/data/default_e.htm

Zooplankton Data

Table 4 reports the zooplankton data by station collected by the Bongo tows, including the station ID number, transect, region, latitude ($^{\circ}$ N) and longitude ($^{\circ}$ W), bottom depth (m), the date and time, target depth (m), tow duration, wire angle (degrees), and volume of ocean water sampled in cubic meters that is calculated from the flow meter readings. Also shown are the dry weights (g) of zooplankton which were standardised to 1,000 cubic meters sampled for the 8.0, 1.7, 1.0, and 0.25 mm size fractions as well as for the total sample.

REFERENCES

- 1) Welch, D. W., J. F. T. Morris, E. Demers, and H. R. Carlson. 2002. *F.V. Anita* J. Gulf of Alaska salmon survey, March 25 - April 9, 1995. Can. Data Rep. Fish. Aquat. Sci. 1097: 19 p.
- 2) Welch, D. W., J. F. T. Morris, E. Demers, and H. R. Carlson. 2002. *CCGS W.E. Ricker* Gulf of Alaska salmon survey, October 2-20, 1995. Can. Data Rep. Fish. Aquat. Sci. 1098: 23 p.
- 3) Welch, D. W., J. F. T. Morris, E. Demers, and B. L. Wing. 2002. *F.V. Columbia* Gulf of Alaska salmon survey, October 7 - November 10, 1995. Can. Data Rep. Fish. Aquat. Sci. 1099: 112 p.
- 4) Welch D. W., J. F. T. Morris, E. Demers, and J.P. Eveson. 2002. *CCGS W.E. Ricker* Gulf of Alaska salmon survey, October, 1996. Can. Data Rep. Fish. Aquat. Sci. 1100: 64 p.
- 5) Welch, D. W., J. F. T. Morris, and E. Demers. 2002. *CCGS W.E. Ricker* Gulf of Alaska salmon survey, March - April, 1997. Can. Data Rep. Fish. Aquat. Sci. 1101: 19 p.
- 6) Welch, D. W., J. F. T. Morris, and E. Demers. 2002. *CCGS W.E. Ricker* Gulf of Alaska salmon survey, November - December, 1997. Can. Data Rep. Fish. Aquat. Sci. 1102: 45 p.
- 7) Welch, D. W., J. F. T. Morris, A. R. Ladouceur, S. Tucker, and E. Demers. 2002. *CCGS W.E. Ricker* Gulf of Alaska salmon surveys, 1998. Can. Data Rep. Fish. Aquat. Sci. 1103: 188 p.
- 8) Welch, D. W., J. F. T. Morris, A. R. Ladouceur, S. Tucker, and E. Demers. 2002. *CCGS W.E. Ricker* Gulf of Alaska salmon surveys, 1999. Can. Data Rep. Fish. Aquat. Sci. 1104: 113p.
- 9) Welch, D. W., J. F. T. Morris, M. E. Thiess, M. Trudel, and D. J. Anderson. 2003. *CCGS W.E. Ricker* Gulf of Alaska salmon survey, June 27 to July 6, 2000. Can. Data Rep. Fish. Aquat. Sci. 1125: 110 p.
- 10) Welch, D. W., J. F. T. Morris, M. E. Thiess, M. Trudel, A. R. Ladouceur, M. C. Jacobs, T. B. Zubkowski, E. Demers, and J. E. Zamon. 2004. *CCGS W.E. Ricker* Gulf of Alaska salmon survey, June 14-24, 2001. Can. Data Rep. Fish. Aquat. Sci. 1135: 86 p.

- 11) Welch, D. W., J. F. T. Morris, M. E. Thiess, M. Trudel, A. R. Ladouceur, T. B. Zubkowski, H. R. MacLean, M. C. Jacobs, and P. M. Winchell. 2004. CCGS *W.E. Ricker* Gulf of Alaska salmon survey, October 9 to November 5, 2001. Can. Data Rep. Fish. Aquat. Sci. 1136: 145 p.
- 12) Welch, D. W., J. F. T. Morris, M. E. Thiess, M. Trudel, A. R. Ladouceur, M. C. Jacobs, T. B. Zubkowski, and H. R. MacLean. 2004. CCGS *W.E. Ricker* Gulf of Alaska salmon survey, August 15-26, 2002. Can. Data Rep. Fish. Aquat. Sci. 1137: 121 p.
- 13) Welch, D. W., J. F. T. Morris, M. E. Thiess, M. Trudel, A. R. Ladouceur, T. B. Zubkowski, M. C. Jacobs, P. M. Winchell, and H. R. MacLean. 2004. CCGS *W.E. Ricker* Gulf of Alaska salmon survey, October 17 to November 9, 2002. Can. Data Rep. Fish. Aquat. Sci. 1138: 122 p.
- 14) Welch, D. W., J. F. T. Morris, M. E. Thiess, M. Trudel, A. R. Ladouceur, T. B. Zubkowski, M. C. Jacobs, P. M. Winchell, and H. R. MacLean. 2004. CCGS *W.E. Ricker* Gulf of Alaska salmon survey, February 14-26, 2003. Can. Data Rep. Fish. Aquat. Sci. 1139: 65 p.
- 15) Welch, D. W., J. F. T. Morris, M. E. Thiess, M. Trudel, J. E. Zamon, T. B. Zubkowski, A. R. Ladouceur, M. C. Jacobs, M. Robert, and M. Wyeth. 2004. CCGS *W.E. Ricker* Gulf of Alaska salmon survey, October 4-30, 2000. Can. Data Rep. Fish. Aquat. Sci. 1141: 205 p.
- 16) Welch, D. W., J. F. T. Morris, J. E. Zamon, M. E. Thiess, M. Trudel, A. R. Ladouceur, M. C. Jacobs, T. B. Zubkowski, E. Demers, and M. Robert. 2004. CCGS *W.E. Ricker* Gulf of Alaska salmon survey, March 9-24, 2001. Can. Data Rep. Fish. Aquat. Sci. 1142: 67 p.
- 17) Welch, D. W., J. F. T. Morris, M. E. Thiess, M. Trudel, A. R. Ladouceur, M. C. Jacobs, T. B. Zubkowski, P. M. Winchell, and H. R. MacLean. 2004. CCGS *W.E. Ricker* Gulf of Alaska salmon survey, February 27 to March 17, 2002. Can. Data Rep. Fish. Aquat. Sci. 1143: 56 p.
- 18) Welch, D. W., J. F. T. Morris, M. E. Thiess, M. Trudel, A. R. Ladouceur, T. B. Zubkowski, M. C. Jacobs, P. M. Winchell, and H. R. MacLean. 2004. CCGS *W.E. Ricker* Gulf of Alaska salmon survey, June 9-11, 2003. Data Rep. Fish. Aquat. Sci. 1144: 54 p.

Table 1. Tow positions and catch summaries of Pacific salmon for the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Station ID	Station Name	Region	Date	Time	Latitude (°N)	Longitude (°W)	Heading (°T)	SOG (kts)	Bottom Depth (m)	CK all	CM Juv	CM ad.	CO Juv	CO ad.	PK Juv	PK ad.	SE Juv	SE ad.
HS200336IVI01	TREVOR CH	IVI	09-Oct-03	10:39	48.865	125.121	48	5.54	131	1	0	2	1	0	0	0	0	0
HS200336IVI02	TREVOR CH	IVI	09-Oct-03	12:34	48.917	125.048	31	5.33	153	16	0	2	0	0	0	0	0	0
HS200336IVI03	IMPERIAL EAGLE CH	IVI	09-Oct-03	14:21	48.954	125.114	230	5.38	88	4	0	3	0	0	0	0	0	0
HS200336IVI04	IMPERIAL EAGLE CH	IVI	09-Oct-03	15:56	48.924	125.198	218	5.3	94	0	0	0	1	2	2	0	0	0
HS200336IVI05	IMPERIAL EAGLE CH	IVI	09-Oct-03	17:21	48.860	125.251	205	5.29	90	4	0	5	0	2	5	0	0	0
HS200336IVI06	HECATE CH	IVI	10-Oct-03	08:22	49.862	126.744	309	5.56	250	16	1	2	1	1	5	0	0	0
HS200336IVI07	ZEBALLOS INLET	IVI	10-Oct-03	10:50	49.893	126.783	342	5.18	159	8	0	9	1	1	2	0	0	0
HS200336IVI08	ESPERANZA INLET	IVI	10-Oct-03	12:47	49.869	126.844	253	5.82	231	5	0	6	0	0	0	0	0	0
HS200336IVI09	ESPERANZA INLET	IVI	10-Oct-03	14:18	49.856	126.929	245	5.46	240	76	0	16	2	1	0	0	0	0
HS200336VI01	OFF ESPERANZA	VI	10-Oct-03	15:50	49.787	127.083	263	5.23	45	23	0	3	14	0	0	0	0	0
HS200336VI02	OFF ESPERANZA	VI	10-Oct-03	17:04	49.787	127.208	274	5.83	35	1	0	2	34	1	0	0	0	0
HS200336VI10	TAHSISH INLET	IVI	11-Oct-03	07:55	50.103	127.123	235	5.9	165	6	0	19	0	2	0	0	1	0
HS200336VI11	KASHUTL INLET	IVI	11-Oct-03	09:42	50.086	127.252	178	5.53	184	4	0	2	1	0	0	0	0	0
HS200336VI12	KYUQUOT CH	IVI	11-Oct-03	11:11	50.044	127.253	111	4.71	254	1	0	8	1	0	0	0	0	0
HS200336VI13	KYUQUOT CH	IVI	11-Oct-03	12:49	50.011	127.174	241	5.21	110	0	0	9	1	1	0	0	0	0
HS200336VI14	KYUQUOT CH	IVI	11-Oct-03	13:54	49.979	127.249	57	5.78	144	5	0	4	2	0	0	0	0	0
HS200336VI15	QUATSINO SD	IVI	12-Oct-03	15:35	50.469	127.937	83	5.31	210	2	0	2	8	0	0	0	0	0
HS200336VI16	QUATSINO SD	IVI	12-Oct-03	16:57	50.483	127.849	82	5.09	172	2	0	1	11	0	0	0	0	0
HS200336VI17	QUATSINO SD	IVI	12-Oct-03	18:22	50.493	127.768	72	5.4	126	13	0	6	2	0	0	0	0	0
HS200336VI18	NEROUTSOS INLET	IVI	13-Oct-03	07:34	50.408	127.494	334	5.86	134	35	1	1	0	0	0	0	0	0
HS200336VI19	NEROUTSOS INLET	IVI	13-Oct-03	09:35	50.446	127.525	329	5.33	186	10	1	0	2	0	0	0	0	0
HS200336VI20	QUATSINO SD	IVI	13-Oct-03	11:21	50.496	127.706	264	5.68	112	5	0	2	7	0	0	0	0	0
HS200336VI04	OFF QUATSINO	VI	13-Oct-03	13:57	50.416	128.002	246	5.28	169	1	0	0	10	0	0	0	0	0
HS200336VI05	OFF QUATSINO	VI	13-Oct-03	15:14	50.405	128.102	302	5.42	72	0	1	1	9	0	0	0	0	0
HS200336VI06	OFF QUATSINO	VI	13-Oct-03	16:28	50.439	128.194	308	4.86	97	1	0	0	16	0	0	0	0	0
HS200336VI07	OFF QUATSINO	VI	13-Oct-03	18:12	50.473	128.297	322	5.05	120	0	0	0	6	0	0	0	0	0
HS200336IBC01	FITZ HUGH SD	IBC	15-Oct-03	14:25	51.723	127.925	352	5.45	330	0	30	0	2	0	16	0	0	0
HS200336IBC02	FITZ HUGH SD	IBC	15-Oct-03	16:33	51.832	127.933	0	5.28	307	5	42	0	7	0	15	0	4	0
HS200336IBC03	FITZ HUGH SD	IBC	15-Oct-03	18:41	51.924	127.946	189	5.95	344	120	0	0	224	0	1	0	1	0
HS200336IBC04	PRINCIPE CH	IBC	16-Oct-03	10:56	53.441	129.951	314	5.87	254	0	0	0	0	10	0	1	0	0

Table 1 - Page 1 of 4

Table 1. Tow positions and catch summaries of Pacific salmon for the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Station ID	Station Name	Region	Date	Time	Latitude (°N)	Longitude (°W)	Heading (°T)	SOG (kts)	Bottom Depth (m)	CK all	CM Juv	CM ad.	CO Juv	CO Ad.	PK Juv	PK Ad.	SE Juv	SE Ad.
HS200336IBC05	OGDEN CH	IBC	16-Oct-03	15:08	53.858	130.306	28	5.3	194	0	0	0	3	0	3	0	0	0
HS200336DE01	MCINTYRE B	DE	17-Oct-03	07:38	54.171	131.850	262	5.39	65	0	8	0	16	0	465	0	2	0
HS200336DE02	MCINTYRE B	DE	17-Oct-03	09:11	54.165	132.006	271	5.2	70	0	4	0	1	0	82	0	0	0
HS200336DE03	MCINTYRE B	DE	17-Oct-03	10:42	54.152	132.212	274	5.29	56	0	0	0	1	0	55	0	0	0
HS200336DE04	CAPE EPENSAW-DE	DE	17-Oct-03	12:29	54.164	132.436	283	5.85	78	0	7	0	0	0	117	0	1	0
HS200336DE05	KLASHWUN PT-DE	DE	17-Oct-03	14:00	54.181	132.583	273	4.64	92	0	1	0	8	0	30	0	1	0
HS200336DE06	NANKIVELL PT-DE	DE	17-Oct-03	15:32	54.178	132.736	275	4.09	56	0	1	0	10	0	5	0	0	0
HS200336DE07	SEATH PT-DE	DE	17-Oct-03	17:24	54.184	132.850	322	5.34	72	0	0	0	1	0	1	0	0	0
HS200336DE08	LANGARA I-DE	DE	17-Oct-03	18:20	54.238	132.918	322	4.65	147	0	0	0	0	0	0	0	0	0
HS200336FI01	FORRESTER IS	SEA	18-Oct-03	07:53	54.794	133.052	267	4.44	123	1	0	0	10	0	1	0	0	0
HS200336FI02	FORRESTER IS	SEA	18-Oct-03	09:36	54.781	133.197	251	4.7	194	0	0	0	0	0	1	0	0	0
HS200336FI03	FORRESTER IS	SEA	18-Oct-03	11:04	54.763	133.340	241	4.98	126	0	0	0	5	0	0	0	0	0
HS200336FI05	FORRESTER IS	SEA	18-Oct-03	13:22	54.740	133.588	263	4.89	191	0	0	0	9	0	0	0	0	0
HS200336FI06	FORRESTER IS	SEA	18-Oct-03	15:12	54.724	133.722	263	4.82	192	0	0	0	0	0	0	0	0	0
HS200336FI07	FORRESTER IS	SEA	18-Oct-03	16:52	54.711	133.854	205	3.98	222	0	0	0	0	0	0	0	0	0
HS200336FI08	FORRESTER IS	SEA	18-Oct-03	18:41	54.705	133.976	273	5.04	201	0	0	0	0	0	0	0	0	0
HS200336ISEA01	SUMNER ST	ISEA	19-Oct-03	08:50	55.898	134.026	25	5.84	245	0	0	0	0	0	18	0	0	0
HS200336ISEA02	SUMNER ST	ISEA	19-Oct-03	10:31	55.994	133.958	25	4.36	162	0	0	0	1	0	0	0	0	0
HS200336ISEA03	SUMNER ST	ISEA	19-Oct-03	12:23	56.059	133.902	38	4.39	131	0	0	0	0	0	0	0	0	0
HS200336ISEA04	SUMNER ST	ISEA	19-Oct-03	14:28	56.159	133.726	347	5.55	268	3	0	0	0	0	0	0	0	0
HS200336ISEA05	SUMNER ST	ISEA	19-Oct-03	16:26	56.283	133.797	2	5.05	303	2	0	0	0	0	0	0	0	0
HS200336ISEA06	SUMNER ST	ISEA	19-Oct-03	18:43	56.378	133.582	96	4.28	376	2	0	0	0	0	0	0	0	0
HS200336ISEA07	SUMNER ST	ISEA	20-Oct-03	07:42	56.364	133.406	96	5.36	385	8	0	0	0	0	0	0	0	0
HS200336ISEA08	SUMNER ST	ISEA	20-Oct-03	10:23	56.462	133.017	66	4.95	140	6	1	0	7	0	16	0	3	0
HS200336ISEA09	STIKINE ST	ISEA	20-Oct-03	11:22	56.486	132.891	98	4.29	127	0	0	0	1	0	4	0	2	0
HS200336ISEA10	STIKINE ST	ISEA	20-Oct-03	14:07	56.440	132.643	98	4.55	163	2	0	1	1	0	2	0	0	0
HS200336ISEA11	STIKINE ST	ISEA	20-Oct-03	15:40	56.405	132.581	189	3.89	270	1	3	0	1	0	14	0	4	0
HS200336ISEA12	STIKINE ST	ISEA	20-Oct-03	17:59	56.320	132.605	210	4.67	308	2	3	0	2	0	8	0	1	0
HS200336ISEA13	CLARENCE ST	ISEA	21-Oct-03	07:15	56.027	132.713	145	3.65	354	11	1	0	0	0	0	0	0	0
HS200336ISEA14	CLARENCE ST	ISEA	21-Oct-03	08:33	55.976	132.612	134	3.28	331	2	0	0	0	0	0	0	0	0

Table 1 - Page 2 of 4

Table 1. Tow positions and catch summaries of Pacific salmon for the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Station ID	Station Name	Region	Date	Time	Latitude (°N)	Longitude (°W)	Heading (°T)	SOG (kts)	Bottom Depth (m)	CK all	CM Juv	CM ad.	CO Juv	CO Ad.	PK Juv	PK Ad.	SE Juv	SE Ad.
HS200336ISEA15	CLARENCE ST	ISEA	21-Oct-03	10:05	55.913	132.493	150	3.06	457	3	6	0	2	0	35	0	3	0
HS200336ISEA16	CLARENCE ST	ISEA	21-Oct-03	14:05	55.694	132.293	333	7.01	596	0	9	0	0	0	6	0	0	0
HS200336ISEA17	CLARENCE ST	ISEA	21-Oct-03	14:59	55.778	132.372	331	6.17	594	0	3	0	0	0	14	0	2	0
HS200336ISEA18	CLARENCE ST	ISEA	21-Oct-03	15:49	55.856	132.451	329	7.01	436	0	0	0	3	0	28	0	2	0
HS200336ISEA19	CLARENCE ST	ISEA	21-Oct-03	18:35	55.811	132.428	151	3.96	570	0	10	0	1	0	32	0	0	0
HS200336ISEA20	CLARENCE ST	ISEA	22-Oct-03	07:47	55.172	131.873	176	4.45	455	0	1	0	0	0	7	0	1	0
HS200336ISEA21	CLARENCE ST	ISEA	22-Oct-03	09:49	55.061	131.941	185	4.82	576	0	1	0	1	0	5	0	2	0
HS200336ISEA22	CLARENCE ST	ISEA	22-Oct-03	12:30	54.805	131.914	182	5.89	420	0	1	0	1	0	0	0	0	0
HS200336ISEA23	CLARENCE ST	ISEA	22-Oct-03	14:36	54.624	132.082	279	6.19	160	0	0	0	0	0	4	0	0	0
HS200336ISEA24	CAPE CHACON-DE	ISEA	22-Oct-03	16:11	54.652	132.268	288	5.54	122	0	2	0	0	0	11	0	3	0
HS200336ISEA25	PT MARSH-DE	ISEA	22-Oct-03	18:11	54.664	132.498	254	5.14	193	0	5	0	33	0	66	0	5	0
HS200336HS01	BROWNING E	HS	23-Oct-03	07:28	53.860	130.965	130	4.83	88	0	150	0	0	0	370	0	72	0
HS200336HS02	BROWNING E	HS	23-Oct-03	09:18	53.790	130.789	108	4.56	146	0	8	0	0	0	14	0	2	0
HS200336HS03	BROWNING E	HS	23-Oct-03	11:00	53.740	130.604	124	4.72	96	0	4	0	0	0	7	0	1	0
HS200336IBC06	PRINCIPE CH	IBC	23-Oct-03	12:50	53.659	130.447	123	4.23	136	0	1	0	0	0	1	0	0	0
HS200336IBC07	PRINCIPE CH	IBC	23-Oct-03	16:22	53.449	129.968	138	5.2	319	1	7	0	1	0	20	0	1	0
HS200336IBC08	PRINCIPE CH	IBC	23-Oct-03	18:17	53.350	129.799	128	5.89	178	2	15	0	6	0	7	0	4	0
HS200336IBC09	WHALE CH	IBC	24-Oct-03	07:40	53.108	129.114	358	5.65	506	3	0	0	16	0	0	0	0	0
HS200336IBC10	WHALE CH	IBC	24-Oct-03	09:51	53.245	129.098	351	4.74	475	0	0	0	0	0	0	0	0	0
HS200336IBC11	WRIGHT SD	IBC	24-Oct-03	12:10	53.343	129.207	275	6.04	505	3	10	0	5	0	53	0	26	0
HS200336IBC12	SQUALLY CH	IBC	24-Oct-03	14:32	53.247	129.439	170	5.37	477	0	7	1	0	0	21	1	5	0
HS200336IBC13	SQUALLY CH	IBC	24-Oct-03	16:23	53.137	129.387	154	4.55	537	0	1	0	0	0	2	0	0	0
HS200336IBC14	CAMPANIA SD	IBC	24-Oct-03	18:26	53.004	129.260	183	4.33	367	3	2	1	19	0	0	0	0	0
HS200336IBC15	ESTEVAN SD	IBC	25-Oct-03	07:40	53.168	129.633	150	4.44	164	2	14	0	0	0	6	0	0	0
HS200336IBC16	ESTEVAN SD	IBC	25-Oct-03	09:27	53.079	129.539	137	3.1	150	0	13	0	1	0	15	0	0	0
HS200336IBC17	CAMANO SD	IBC	25-Oct-03	12:22	52.935	129.382	126	5.1	219	0	3	0	0	0	11	0	0	0
HS200336IBC18	LAREDO CH	IBC	25-Oct-03	13:59	52.874	129.253	146	5.39	232	0	25	0	0	0	14	0	0	0
HS200336IBC19	LAREDO CH	IBC	25-Oct-03	15:53	52.768	129.127	139	4.96	218	0	44	0	0	0	19	0	3	0
HS200336T01	TRIANGLE ISLAND	QCSD	26-Oct-03	07:33	51.271	128.340	245	4.49	88	0	48	0	1	0	3	0	11	0
HS200336T02	TRIANGLE ISLAND	QCSD	26-Oct-03	09:29	51.204	128.468	239	4.72	204	0	1	0	0	0	0	1	0	0

Table 1 - Page 3 of 4

Table 1. Tow positions and catch summaries of Pacific salmon for the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Station ID	Station Name	Region	Date	Time	Latitude ("N)	Longitude ("W)	Heading ("T)	SOG (kts)	Bottom Depth (m)	CK all	CM Juv	CM ad.	CO Juv	CO Ad.	PK Juv	PK Ad.	SE Juv	SE Ad.
HS200336T03	TRIANGLE ISLAND	QCSD	26-Oct-03	11:11	51.137	128.595	236	4.66	150	0	0	0	0	0	0	0	0	
HS200336T04	TRIANGLE ISLAND	QCSD	26-Oct-03	12:53	51.053	128.741	230	5.56	77	0	0	0	0	0	1	0	0	
HS200336T05	TRIANGLE ISLAND	QCSD	26-Oct-03	14:21	50.988	128.885	228	5.97	78	0	2	0	1	0	1	0	0	
HS200336T06	TRIANGLE ISLAND	QCSD	26-Oct-03	15:43	50.920	129.020	263	5.65	96	0	0	0	0	0	0	0	0	
HS200336T07	TRIANGLE ISLAND	VI	26-Oct-03	18:05	50.809	129.238	241	4.43	126	0	0	0	0	0	0	0	0	
									Totals	421	498	107	531	11	1652	1	165	0
															Overall total		3386	

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-FI01-124-001	CHINOOK	344	521					
HS200336-IBC02-124-001	CHINOOK	259	203					
HS200336-IBC02-124-002	CHINOOK	222	129					
HS200336-IBC02-124-003	CHINOOK	147	34					
HS200336-IBC02-124-004	CHINOOK	280	292					
HS200336-IBC02-124-005	CHINOOK	295	373					
HS200336-IBC03-124-001	CHINOOK	268	259					
HS200336-IBC03-124-002	CHINOOK	268	254					
HS200336-IBC03-124-003	CHINOOK	236	164					
HS200336-IBC03-124-004	CHINOOK	280	277					
HS200336-IBC03-124-005	CHINOOK	257	200					
HS200336-IBC03-124-006	CHINOOK	330	433					
HS200336-IBC03-124-007	CHINOOK	300	347					
HS200336-IBC03-124-008	CHINOOK	277	262					
HS200336-IBC03-124-009	CHINOOK	312	408			1.0	T183945	AD
HS200336-IBC03-124-010	CHINOOK	311	380					
HS200336-IBC03-124-011	CHINOOK	284	297			1.0	T631550	AD
HS200336-IBC03-124-012	CHINOOK	293	343					
HS200336-IBC03-124-013	CHINOOK	288	343					
HS200336-IBC03-124-014	CHINOOK	283	317					
HS200336-IBC03-124-015	CHINOOK	278	283					
HS200336-IBC03-124-016	CHINOOK	221	133					
HS200336-IBC03-124-017	CHINOOK	275	290					
HS200336-IBC03-124-018	CHINOOK	308	355					
HS200336-IBC03-124-019	CHINOOK	299	343					
HS200336-IBC03-124-020	CHINOOK	350	517					
HS200336-IBC03-124-021	CHINOOK	266	254					
HS200336-IBC03-124-022	CHINOOK	295	307					
HS200336-IBC03-124-023	CHINOOK	275	268					
HS200336-IBC03-124-024	CHINOOK	353						
HS200336-IBC03-124-025	CHINOOK	309						
HS200336-IBC03-124-026	CHINOOK	345						
HS200336-IBC03-124-027	CHINOOK	300						
HS200336-IBC03-124-028	CHINOOK	300						
HS200336-IBC03-124-029	CHINOOK	285						
HS200336-IBC03-124-030	CHINOOK	280						
HS200336-IBC03-124-031	CHINOOK	268						
HS200336-IBC03-124-032	CHINOOK	324						
HS200336-IBC03-124-033	CHINOOK	290						

Table 2 - Page 1 of 66

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IBC03-124-034	CHINOOK	290						
HS200336-IBC03-124-035	CHINOOK	278						
HS200336-IBC03-124-036	CHINOOK	291						
HS200336-IBC03-124-037	CHINOOK	224						
HS200336-IBC03-124-038	CHINOOK	205						
HS200336-IBC03-124-039	CHINOOK	276						
HS200336-IBC03-124-040	CHINOOK	282						
HS200336-IBC03-124-041	CHINOOK	365						
HS200336-IBC03-124-042	CHINOOK	285						
HS200336-IBC03-124-043	CHINOOK	308						
HS200336-IBC03-124-044	CHINOOK	310						
HS200336-IBC03-124-045	CHINOOK	277						
HS200336-IBC03-124-046	CHINOOK	319						
HS200336-IBC03-124-047	CHINOOK	291						
HS200336-IBC03-124-048	CHINOOK	261						
HS200336-IBC03-124-049	CHINOOK	194						
HS200336-IBC03-124-050	CHINOOK	275						
HS200336-IBC03-124-051	CHINOOK	292						
HS200336-IBC03-124-052	CHINOOK	313						AD
HS200336-IBC03-124-053	CHINOOK	326						
HS200336-IBC03-124-054	CHINOOK	299						
HS200336-IBC03-124-055	CHINOOK	256						
HS200336-IBC03-124-056	CHINOOK	220						
HS200336-IBC03-124-057	CHINOOK	271						
HS200336-IBC03-124-058	CHINOOK	289						
HS200336-IBC03-124-059	CHINOOK	299						
HS200336-IBC03-124-060	CHINOOK	325						
HS200336-IBC03-124-061	CHINOOK	281						
HS200336-IBC03-124-062	CHINOOK	192						
HS200336-IBC03-124-063	CHINOOK	306						
HS200336-IBC03-124-064	CHINOOK	260						
HS200336-IBC03-124-065	CHINOOK	297						
HS200336-IBC03-124-066	CHINOOK	206						
HS200336-IBC03-124-067	CHINOOK	312						
HS200336-IBC03-124-068	CHINOOK	295						
HS200336-IBC03-124-069	CHINOOK	224						
HS200336-IBC03-124-070	CHINOOK	290						
HS200336-IBC03-124-071	CHINOOK	268						
HS200336-IBC03-124-072	CHINOOK	212						

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IBC03-124-073	CHINOOK	268						
HS200336-IBC03-124-074	CHINOOK	323						
HS200336-IBC03-124-075	CHINOOK	342						
HS200336-IBC03-124-076	CHINOOK	295						
HS200336-IBC03-124-077	CHINOOK	276						
HS200336-IBC03-124-078	CHINOOK	241						
HS200336-IBC03-124-079	CHINOOK	328						
HS200336-IBC03-124-080	CHINOOK	303						
HS200336-IBC03-124-081	CHINOOK	261						
HS200336-IBC03-124-082	CHINOOK	294						
HS200336-IBC03-124-083	CHINOOK	321						
HS200336-IBC03-124-084	CHINOOK	294						
HS200336-IBC03-124-085	CHINOOK	280						
HS200336-IBC03-124-086	CHINOOK	296						
HS200336-IBC03-124-087	CHINOOK	319						
HS200336-IBC03-124-088	CHINOOK	326						
HS200336-IBC03-124-089	CHINOOK	298						
HS200336-IBC03-124-090	CHINOOK	357						
HS200336-IBC03-124-091	CHINOOK	306						
HS200336-IBC03-124-092	CHINOOK	281						
HS200336-IBC03-124-093	CHINOOK	306						
HS200336-IBC03-124-094	CHINOOK	270						
HS200336-IBC03-124-095	CHINOOK	291						
HS200336-IBC03-124-096	CHINOOK	278						
HS200336-IBC03-124-097	CHINOOK	237						
HS200336-IBC03-124-098	CHINOOK	267						
HS200336-IBC03-124-099	CHINOOK	269						
HS200336-IBC03-124-100	CHINOOK	273						
HS200336-IBC03-124-101	CHINOOK	290						
HS200336-IBC03-124-102	CHINOOK	268						
HS200336-IBC03-124-103	CHINOOK	285						
HS200336-IBC03-124-104	CHINOOK	420						
HS200336-IBC03-124-105	CHINOOK	309						
HS200336-IBC03-124-106	CHINOOK	350						
HS200336-IBC03-124-107	CHINOOK	310						
HS200336-IBC03-124-108	CHINOOK	310						
HS200336-IBC03-124-109	CHINOOK	345						
HS200336-IBC03-124-110	CHINOOK	283						
HS200336-IBC03-124-111	CHINOOK	341						

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IBC03-124-112	CHINOOK	299						
HS200336-IBC03-124-113	CHINOOK	321						
HS200336-IBC03-124-114	CHINOOK	235						
HS200336-IBC03-124-115	CHINOOK	403						
HS200336-IBC03-124-116	CHINOOK	563	2330					
HS200336-IBC03-124-117	CHINOOK	590	2530					
HS200336-IBC03-124-118	CHINOOK	504	2640					
HS200336-IBC03-124-119	CHINOOK	372	700					
HS200336-IBC03-124-120	CHINOOK	412	920					
HS200336-IBC07-124-001	CHINOOK	237	184					
HS200336-IBC08-124-001	CHINOOK	241	163					
HS200336-IBC08-124-002	CHINOOK	298	325					
HS200336-IBC09-124-001	CHINOOK	264	233					
HS200336-IBC09-124-002	CHINOOK	580	2880	F				
HS200336-IBC09-124-003	CHINOOK	493	1760	M				
HS200336-IBC11-124-001	CHINOOK	225	126					
HS200336-IBC11-124-002	CHINOOK	227	141					
HS200336-IBC11-124-003	CHINOOK	261	232					
HS200336-IBC14-124-001	CHINOOK	479	1559	F				
HS200336-IBC14-124-002	CHINOOK	507	1910	F				
HS200336-IBC14-124-003	CHINOOK	595						
HS200336-IBC15-124-001	CHINOOK	280	275					
HS200336-IBC15-124-002	CHINOOK	558	2390	M				
HS200336-ISEA04-124-001	CHINOOK	276	293					
HS200336-ISEA04-124-002	CHINOOK	246	206					
HS200336-ISEA04-124-003	CHINOOK	325	483					
HS200336-ISEA05-124-001	CHINOOK	256	226					
HS200336-ISEA05-124-002	CHINOOK	250	212					
HS200336-ISEA06-124-001	CHINOOK	301	365					
HS200336-ISEA06-124-002	CHINOOK	211	117					
HS200336-ISEA07-124-001	CHINOOK	265	226			1.0	T040747	AD
HS200336-ISEA07-124-002	CHINOOK	268	242					
HS200336-ISEA07-124-003	CHINOOK	268	250					
HS200336-ISEA07-124-004	CHINOOK	241	169					
HS200336-ISEA07-124-005	CHINOOK	244	179					
HS200336-ISEA07-124-006	CHINOOK	280	276					
HS200336-ISEA07-124-007	CHINOOK	261	238					
HS200336-ISEA07-124-008	CHINOOK	222	143					
HS200336-ISEA08-124-001	CHINOOK	212	113					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-ISEA08-124-002	CHINOOK	223	141					
HS200336-ISEA08-124-003	CHINOOK	189	84					
HS200336-ISEA08-124-004	CHINOOK	193	88					
HS200336-ISEA08-124-005	CHINOOK	165	49					
HS200336-ISEA08-124-006	CHINOOK	183	77					
HS200336-ISEA10-124-001	CHINOOK	286	272					
HS200336-ISEA10-124-002	CHINOOK	232	158					
HS200336-ISEA11-124-001	CHINOOK	284	269					
HS200336-ISEA12-124-001	CHINOOK	271	259					
HS200336-ISEA12-124-002	CHINOOK	252	189					
HS200336-ISEA13-124-001	CHINOOK	298	318					
HS200336-ISEA13-124-002	CHINOOK	330	453					
HS200336-ISEA13-124-003	CHINOOK	288	268					
HS200336-ISEA13-124-004	CHINOOK	275	272					
HS200336-ISEA13-124-005	CHINOOK	445	1146	F				
HS200336-ISEA13-124-006	CHINOOK	460	1255	F				
HS200336-ISEA13-124-007	CHINOOK	445	1098	M				
HS200336-ISEA13-124-008	CHINOOK	378	602	M				
HS200336-ISEA13-124-009	CHINOOK	372	636	F				
HS200336-ISEA13-124-010	CHINOOK	428	992	F				
HS200336-ISEA13-124-011	CHINOOK	420	915	M				
HS200336-ISEA14-124-001	CHINOOK	505	1760	F				
HS200336-ISEA14-124-002	CHINOOK	468	1335	F				
HS200336-ISEA15-124-001	CHINOOK	273	245					
HS200336-ISEA15-124-002	CHINOOK	290	307					
HS200336-ISEA15-124-003	CHINOOK	271	237					
HS200336-IVI01-124-001	CHINOOK	171	55					
HS200336-IVI02-124-001	CHINOOK	174	57					
HS200336-IVI02-124-002	CHINOOK	167	47					
HS200336-IVI02-124-003	CHINOOK	147	34					
HS200336-IVI02-124-004	CHINOOK	168	54					
HS200336-IVI02-124-005	CHINOOK	146	37					
HS200336-IVI02-124-006	CHINOOK	134	28					
HS200336-IVI02-124-007	CHINOOK	166	54					
HS200336-IVI02-124-008	CHINOOK	144	32					
HS200336-IVI02-124-009	CHINOOK	175	59					
HS200336-IVI02-124-010	CHINOOK	189	87					
HS200336-IVI02-124-011	CHINOOK	160	48					
HS200336-IVI02-124-012	CHINOOK	172	61					

Table 2 - Page 5 of 66

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IVI02-124-013	CHINOOK	143	32					
HS200336-IVI02-124-014	CHINOOK	151	38					
HS200336-IVI02-124-015	CHINOOK	158	45					
HS200336-IVI02-124-016	CHINOOK	177	66					
HS200336-IVI03-124-001	CHINOOK	175	61					
HS200336-IVI03-124-002	CHINOOK	167	49					
HS200336-IVI03-124-003	CHINOOK	152	35					
HS200336-IVI03-124-004	CHINOOK	130	23					
HS200336-IVI05-124-001	CHINOOK	148	40					
HS200336-IVI05-124-002	CHINOOK	144	32					
HS200336-IVI05-124-003	CHINOOK	124	19					
HS200336-IVI05-124-004	CHINOOK	222	128					
HS200336-IVI06-124-001	CHINOOK	163	49		0.0	T185410	AD	
HS200336-IVI06-124-002	CHINOOK	138	27		0.0	T182334	AD	
HS200336-IVI06-124-003	CHINOOK	136	29					
HS200336-IVI06-124-004	CHINOOK	152	39					
HS200336-IVI06-124-005	CHINOOK	166	49					
HS200336-IVI06-124-006	CHINOOK	129	25					
HS200336-IVI06-124-007	CHINOOK	128	24					
HS200336-IVI06-124-008	CHINOOK	134	29					
HS200336-IVI06-124-009	CHINOOK	135	29					
HS200336-IVI06-124-010	CHINOOK	148	38					
HS200336-IVI06-124-012	CHINOOK	149	38					
HS200336-IVI06-124-013	CHINOOK	145	33					
HS200336-IVI06-124-014	CHINOOK	144	34					
HS200336-IVI06-124-015	CHINOOK	153	39					
HS200336-IVI06-124-016	CHINOOK	151	40					
HS200336-IVI06-124-017	CHINOOK	109	14					
HS200336-IVI07-124-001	CHINOOK	142	31					
HS200336-IVI07-124-002	CHINOOK	126	21					
HS200336-IVI07-124-003	CHINOOK	136	28					
HS200336-IVI07-124-004	CHINOOK	138	31					
HS200336-IVI07-124-005	CHINOOK	142	32					
HS200336-IVI07-124-006	CHINOOK	138	24					
HS200336-IVI07-124-007	CHINOOK	141	35					
HS200336-IVI07-124-008	CHINOOK	131	27					
HS200336-IVI08-124-001	CHINOOK	156	45					
HS200336-IVI08-124-002	CHINOOK	155	42					
HS200336-IVI08-124-003	CHINOOK	161	46					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IVI08-124-004	CHINOOK	159	44					
HS200336-IVI08-124-005	CHINOOK	172	59					
HS200336-IVI09-124-001	CHINOOK	164	53					
HS200336-IVI09-124-002	CHINOOK	194	84					
HS200336-IVI09-124-003	CHINOOK	234	169					
HS200336-IVI09-124-004	CHINOOK	185	73			0.0	T185410	AD
HS200336-IVI09-124-005	CHINOOK	175	57					
HS200336-IVI09-124-006	CHINOOK	171	58					
HS200336-IVI09-124-007	CHINOOK	165	49					
HS200336-IVI09-124-008	CHINOOK	171	55					
HS200336-IVI09-124-009	CHINOOK	184	76					
HS200336-IVI09-124-010	CHINOOK	208	102					
HS200336-IVI09-124-011	CHINOOK	165	40			0.0	T185410	AD
HS200336-IVI09-124-012	CHINOOK	180	64					
HS200336-IVI09-124-013	CHINOOK	164	45					
HS200336-IVI09-124-014	CHINOOK	173	59					
HS200336-IVI09-124-015	CHINOOK	175	61					
HS200336-IVI09-124-016	CHINOOK	164	53			0.0	T185136	AD
HS200336-IVI09-124-017	CHINOOK	194						
HS200336-IVI09-124-018	CHINOOK	176						
HS200336-IVI09-124-019	CHINOOK	184						
HS200336-IVI09-124-020	CHINOOK	173						
HS200336-IVI09-124-021	CHINOOK	175						
HS200336-IVI09-124-022	CHINOOK	169						
HS200336-IVI09-124-023	CHINOOK	183						
HS200336-IVI09-124-024	CHINOOK	155						
HS200336-IVI09-124-025	CHINOOK	196						
HS200336-IVI09-124-026	CHINOOK	202						
HS200336-IVI09-124-027	CHINOOK	163						
HS200336-IVI09-124-028	CHINOOK	171						
HS200336-IVI09-124-029	CHINOOK	167						
HS200336-IVI09-124-030	CHINOOK	176						
HS200336-IVI09-124-031	CHINOOK	227						
HS200336-IVI09-124-032	CHINOOK	191						
HS200336-IVI09-124-033	CHINOOK	159						
HS200336-IVI09-124-034	CHINOOK	179						
HS200336-IVI09-124-035	CHINOOK	171						
HS200336-IVI09-124-036	CHINOOK	174						
HS200336-IVI09-124-037	CHINOOK	182						

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IVI09-124-038	CHINOOK	174						
HS200336-IVI09-124-039	CHINOOK	190						
HS200336-IVI09-124-040	CHINOOK	171						
HS200336-IVI09-124-041	CHINOOK	167						
HS200336-IVI09-124-042	CHINOOK	138						
HS200336-IVI09-124-043	CHINOOK	168						
HS200336-IVI09-124-044	CHINOOK	176						
HS200336-IVI09-124-045	CHINOOK	164						
HS200336-IVI09-124-046	CHINOOK	210						
HS200336-IVI09-124-047	CHINOOK	153						
HS200336-IVI09-124-048	CHINOOK	170						
HS200336-IVI09-124-049	CHINOOK	174						
HS200336-IVI09-124-050	CHINOOK	226						
HS200336-IVI09-124-051	CHINOOK	176						
HS200336-IVI09-124-052	CHINOOK	185						
HS200336-IVI09-124-053	CHINOOK	172						
HS200336-IVI09-124-054	CHINOOK	168						
HS200336-IVI09-124-055	CHINOOK	153						
HS200336-IVI09-124-056	CHINOOK	174						
HS200336-IVI09-124-057	CHINOOK	147						
HS200336-IVI09-124-058	CHINOOK	162						
HS200336-IVI09-124-059	CHINOOK	156						
HS200336-IVI09-124-060	CHINOOK	165						
HS200336-IVI09-124-061	CHINOOK	187						
HS200336-IVI09-124-062	CHINOOK	160						
HS200336-IVI09-124-063	CHINOOK	155						
HS200336-IVI09-124-064	CHINOOK	160						
HS200336-IVI09-124-065	CHINOOK	160						
HS200336-IVI09-124-066	CHINOOK	165						
HS200336-IVI09-124-067	CHINOOK	160						
HS200336-IVI09-124-068	CHINOOK	158						
HS200336-IVI09-124-069	CHINOOK	171						
HS200336-IVI09-124-070	CHINOOK	152						
HS200336-IVI09-124-071	CHINOOK	175						
HS200336-IVI09-124-072	CHINOOK	160						
HS200336-IVI09-124-073	CHINOOK	165						
HS200336-IVI09-124-074	CHINOOK	160						
HS200336-IVI09-124-075	CHINOOK	175						
HS200336-IVI09-124-076	CHINOOK	165						

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IVI10-124-001	CHINOOK	205	98					
HS200336-IVI10-124-002	CHINOOK	176	64					
HS200336-IVI10-124-003	CHINOOK	203	100					
HS200336-IVI10-124-004	CHINOOK	193	87					
HS200336-IVI10-124-005	CHINOOK	188	76					
HS200336-IVI10-124-006	CHINOOK	183	70					
HS200336-IVI11-124-001	CHINOOK	346	460					
HS200336-IVI11-124-002	CHINOOK	242	195					
HS200336-IVI11-124-003	CHINOOK	204	100					
HS200336-IVI11-124-004	CHINOOK	188	80					
HS200336-IVI12-124-001	CHINOOK	215	123					
HS200336-IVI14-124-001	CHINOOK	194	83					
HS200336-IVI14-124-002	CHINOOK	232	165					
HS200336-IVI14-124-003	CHINOOK	208	102					
HS200336-IVI14-124-004	CHINOOK	224	147					
HS200336-IVI14-124-005	CHINOOK	164	48					
HS200336-IVI15-124-001	CHINOOK	249	202					
HS200336-IVI15-124-002	CHINOOK	227	133					
HS200336-IVI16-124-001	CHINOOK	196	99					
HS200336-IVI16-124-002	CHINOOK	175	60					
HS200336-IVI17-124-001	CHINOOK	248	185					
HS200336-IVI17-124-002	CHINOOK	201	97					
HS200336-IVI17-124-003	CHINOOK	218	124					
HS200336-IVI17-124-004	CHINOOK	260	222					
HS200336-IVI17-124-005	CHINOOK	251	183					
HS200336-IVI17-124-006	CHINOOK	187	75					
HS200336-IVI17-124-007	CHINOOK	259	222					
HS200336-IVI17-124-008	CHINOOK	202	96					
HS200336-IVI17-124-009	CHINOOK	184	63		0.0	T184721	AD	
HS200336-IVI17-124-010	CHINOOK	164	45					
HS200336-IVI17-124-011	CHINOOK	173	64					
HS200336-IVI17-124-012	CHINOOK	391	736					AD
HS200336-IVI17-124-013	CHINOOK	532	1952					
HS200336-IVI18-124-001	CHINOOK	180	67		0.0	T184721	AD	
HS200336-IVI18-124-002	CHINOOK	189	81					
HS200336-IVI18-124-003	CHINOOK	171	59					
HS200336-IVI18-124-004	CHINOOK	182	72					
HS200336-IVI18-124-005	CHINOOK	179	68					
HS200336-IVI18-124-006	CHINOOK	159	46					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IVI18-124-007	CHINOOK	145	30					
HS200336-IVI18-124-008	CHINOOK	180	64					
HS200336-IVI18-124-009	CHINOOK	162	48					
HS200336-IVI18-124-010	CHINOOK	167	55					
HS200336-IVI18-124-011	CHINOOK	211	115					
HS200336-IVI18-124-012	CHINOOK	215	109					
HS200336-IVI18-124-013	CHINOOK	183	80					
HS200336-IVI18-124-014	CHINOOK	181	71					
HS200336-IVI18-124-015	CHINOOK	180	69					
HS200336-IVI18-124-016	CHINOOK	159	48					
HS200336-IVI18-124-017	CHINOOK	166	54					
HS200336-IVI18-124-018	CHINOOK	169	58					
HS200336-IVI18-124-019	CHINOOK	158	43					
HS200336-IVI18-124-020	CHINOOK	162	48					
HS200336-IVI18-124-021	CHINOOK	153	40					
HS200336-IVI18-124-022	CHINOOK	151	41					
HS200336-IVI18-124-023	CHINOOK	175	61					
HS200336-IVI18-124-024	CHINOOK	186	73					
HS200336-IVI18-124-025	CHINOOK	159	47					
HS200336-IVI18-124-026	CHINOOK	165	53					
HS200336-IVI18-124-027	CHINOOK	157	45					
HS200336-IVI18-124-028	CHINOOK	147	36					
HS200336-IVI18-124-029	CHINOOK	197	90					
HS200336-IVI18-124-030	CHINOOK	185	84					
HS200336-IVI18-124-031	CHINOOK	162						
HS200336-IVI18-124-032	CHINOOK	178						
HS200336-IVI18-124-033	CHINOOK	165						
HS200336-IVI18-124-034	CHINOOK	178						
HS200336-IVI18-124-035	CHINOOK	158						
HS200336-IVI19-124-001	CHINOOK	196	96					
HS200336-IVI19-124-002	CHINOOK	175	64					
HS200336-IVI19-124-003	CHINOOK	182	70					
HS200336-IVI19-124-004	CHINOOK	160	47					
HS200336-IVI19-124-005	CHINOOK	161	48					
HS200336-IVI19-124-006	CHINOOK	168	56					
HS200336-IVI19-124-007	CHINOOK	176	65					
HS200336-IVI19-124-008	CHINOOK	178	57					
HS200336-IVI19-124-009	CHINOOK	165	49					
HS200336-IVI19-124-010	CHINOOK	146	37					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IVI20-124-001	CHINOOK	233	175					
HS200336-IVI20-124-002	CHINOOK	211	114					
HS200336-IVI20-124-003	CHINOOK	156	43					
HS200336-IVI20-124-004	CHINOOK	157	46					
HS200336-IVI20-124-005	CHINOOK	194	91					
HS200336-VI01-124-001	CHINOOK	222	125					
HS200336-VI01-124-002	CHINOOK	222	132					
HS200336-VI01-124-003	CHINOOK	228	148					
HS200336-VI01-124-004	CHINOOK	213	114					
HS200336-VI01-124-005	CHINOOK	221	142					
HS200336-VI01-124-006	CHINOOK	257	182					
HS200336-VI01-124-007	CHINOOK	231	166					
HS200336-VI01-124-008	CHINOOK	242	172					
HS200336-VI01-124-009	CHINOOK	240	190					
HS200336-VI01-124-010	CHINOOK	214	119					
HS200336-VI01-124-011	CHINOOK	226	137					
HS200336-VI01-124-012	CHINOOK	217	119					
HS200336-VI01-124-013	CHINOOK	200	104					
HS200336-VI01-124-014	CHINOOK	185	80					
HS200336-VI01-124-015	CHINOOK	178	76					
HS200336-VI01-124-016	CHINOOK	209	117					
HS200336-VI01-124-017	CHINOOK	215	115					
HS200336-VI01-124-018	CHINOOK	203	110					
HS200336-VI01-124-019	CHINOOK	206	101					
HS200336-VI01-124-020	CHINOOK	211	124					
HS200336-VI01-124-021	CHINOOK	399	734				AD	
HS200336-VI01-124-022	CHINOOK	373	647				AD	
HS200336-VI01-124-023	CHINOOK	453	1225					
HS200336-VI02-124-001	CHINOOK	233	153					
HS200336-VI04-124-001	CHINOOK	232	146					
HS200336-VI06-124-001	CHINOOK	491	1370	F				
HS200336-DE01-112-001	CHUM	251	172					
HS200336-DE01-112-002	CHUM	235	127					
HS200336-DE01-112-003	CHUM	231	134					
HS200336-DE01-112-004	CHUM	240	152					
HS200336-DE01-112-005	CHUM	245	161					
HS200336-DE01-112-006	CHUM	238	145					
HS200336-DE01-112-007	CHUM	245	161					
HS200336-DE01-112-008	CHUM	241	156					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-DE02-112-001	CHUM	242	141					
HS200336-DE02-112-002	CHUM	220	118					
HS200336-DE02-112-003	CHUM	213	108					
HS200336-DE02-112-004	CHUM	191	72					
HS200336-DE04-112-001	CHUM	202	92					
HS200336-DE04-112-002	CHUM	236	132					
HS200336-DE04-112-003	CHUM	216	107					
HS200336-DE04-112-004	CHUM	214	101					
HS200336-DE04-112-005	CHUM	228	132					
HS200336-DE04-112-006	CHUM	219	109					
HS200336-DE04-112-007	CHUM	216	101					
HS200336-DE05-112-001	CHUM	202	91					
HS200336-DE06-112-001	CHUM	237	153					
HS200336-HS01-112-001	CHUM	225	133					
HS200336-HS01-112-002	CHUM	215	102					
HS200336-HS01-112-003	CHUM	211	101					
HS200336-HS01-112-004	CHUM	216	109					
HS200336-HS01-112-005	CHUM	234	127					
HS200336-HS01-112-006	CHUM	240	150					
HS200336-HS01-112-007	CHUM	225	120					
HS200336-HS01-112-008	CHUM	224	103					
HS200336-HS01-112-009	CHUM	222	114					
HS200336-HS01-112-010	CHUM	218	107					
HS200336-HS01-112-011	CHUM	238	154					
HS200336-HS01-112-012	CHUM	226	118					
HS200336-HS01-112-013	CHUM	236	137					
HS200336-HS01-112-014	CHUM	233	126					
HS200336-HS01-112-015	CHUM	223	111					
HS200336-HS02-112-001	CHUM	214	103					
HS200336-HS02-112-002	CHUM	237	150					
HS200336-HS02-112-003	CHUM	234	139					
HS200336-HS02-112-004	CHUM	226	116					
HS200336-HS02-112-005	CHUM	238	137					
HS200336-HS02-112-006	CHUM	225	119					
HS200336-HS02-112-007	CHUM	232	126					
HS200336-HS02-112-008	CHUM	215	109					
HS200336-HS03-112-001	CHUM	221	121					
HS200336-HS03-112-002	CHUM	222	112					
HS200336-HS03-112-003	CHUM	194	80					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-HS03-112-004	CHUM	211	97					
HS200336-IBC01-112-001	CHUM	236	147					
HS200336-IBC01-112-002	CHUM	242	166					
HS200336-IBC01-112-003	CHUM	245	168					
HS200336-IBC01-112-004	CHUM	244	174					
HS200336-IBC01-112-005	CHUM	241	151					
HS200336-IBC01-112-006	CHUM	255	178					
HS200336-IBC01-112-007	CHUM	224	134					
HS200336-IBC01-112-008	CHUM	212	99					
HS200336-IBC01-112-009	CHUM	255	193					
HS200336-IBC01-112-010	CHUM	222	112					
HS200336-IBC01-112-011	CHUM	238	155					
HS200336-IBC01-112-012	CHUM	214	114					
HS200336-IBC01-112-013	CHUM	278	256					
HS200336-IBC01-112-014	CHUM	240	157					
HS200336-IBC01-112-015	CHUM	243	159					
HS200336-IBC01-112-016	CHUM	215						
HS200336-IBC01-112-017	CHUM	220						
HS200336-IBC01-112-018	CHUM	245						
HS200336-IBC01-112-019	CHUM	258						
HS200336-IBC01-112-020	CHUM	254						
HS200336-IBC01-112-021	CHUM	225						
HS200336-IBC01-112-022	CHUM	252						
HS200336-IBC01-112-023	CHUM	246						
HS200336-IBC01-112-024	CHUM	265						
HS200336-IBC01-112-025	CHUM	240						
HS200336-IBC01-112-026	CHUM	235						
HS200336-IBC01-112-027	CHUM	244						
HS200336-IBC01-112-028	CHUM	228						
HS200336-IBC01-112-029	CHUM	260						
HS200336-IBC01-112-030	CHUM	187						
HS200336-IBC02-112-001	CHUM	245	165					
HS200336-IBC02-112-002	CHUM	258	196					
HS200336-IBC02-112-003	CHUM	257	190					
HS200336-IBC02-112-004	CHUM	228	131					
HS200336-IBC02-112-005	CHUM	250	181					
HS200336-IBC02-112-006	CHUM	261	220					
HS200336-IBC02-112-007	CHUM	264	216					
HS200336-IBC02-112-008	CHUM	234	147					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IBC02-112-009	CHUM	240	160					
HS200336-IBC02-112-010	CHUM	251	183					
HS200336-IBC02-112-011	CHUM	250	190					
HS200336-IBC02-112-012	CHUM	246	171					
HS200336-IBC02-112-013	CHUM	254	187					
HS200336-IBC02-112-014	CHUM	248	185					
HS200336-IBC02-112-015	CHUM	257	189					
HS200336-IBC02-112-016	CHUM	260						
HS200336-IBC02-112-017	CHUM	236						
HS200336-IBC02-112-018	CHUM	263						
HS200336-IBC02-112-019	CHUM	268						
HS200336-IBC02-112-020	CHUM	224						
HS200336-IBC02-112-021	CHUM	251						
HS200336-IBC02-112-022	CHUM	214						
HS200336-IBC02-112-023	CHUM	243						
HS200336-IBC02-112-024	CHUM	264						
HS200336-IBC02-112-025	CHUM	256						
HS200336-IBC02-112-026	CHUM	247						
HS200336-IBC02-112-027	CHUM	254						
HS200336-IBC02-112-028	CHUM	246						
HS200336-IBC02-112-029	CHUM	232						
HS200336-IBC02-112-030	CHUM	244						
HS200336-IBC02-112-031	CHUM	223						
HS200336-IBC02-112-032	CHUM	244						
HS200336-IBC02-112-033	CHUM	236						
HS200336-IBC02-112-034	CHUM	244						
HS200336-IBC02-112-035	CHUM	246						
HS200336-IBC02-112-036	CHUM	254						
HS200336-IBC02-112-037	CHUM	212						
HS200336-IBC02-112-038	CHUM	216						
HS200336-IBC02-112-039	CHUM	251						
HS200336-IBC02-112-040	CHUM	264						
HS200336-IBC02-112-041	CHUM	261						
HS200336-IBC02-112-042	CHUM	229						
HS200336-IBC06-112-001	CHUM	204	83					
HS200336-IBC07-112-001	CHUM	243	174					
HS200336-IBC07-112-002	CHUM	212	107					
HS200336-IBC07-112-003	CHUM	222	110					
HS200336-IBC07-112-004	CHUM	225	115					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IBC07-112-005	CHUM	250	166					
HS200336-IBC07-112-006	CHUM	262	196					
HS200336-IBC07-112-007	CHUM	232	137					
HS200336-IBC08-112-001	CHUM	265	241					
HS200336-IBC08-112-002	CHUM	264	196					
HS200336-IBC08-112-003	CHUM	253	206					
HS200336-IBC08-112-004	CHUM	177	60					
HS200336-IBC08-112-005	CHUM	261	218					
HS200336-IBC08-112-006	CHUM	271	238					
HS200336-IBC08-112-007	CHUM	248	194					
HS200336-IBC08-112-008	CHUM	278	266					
HS200336-IBC08-112-009	CHUM	268	235					
HS200336-IBC08-112-010	CHUM	259	210					
HS200336-IBC08-112-011	CHUM	260	199					
HS200336-IBC08-112-012	CHUM	190	71					
HS200336-IBC08-112-013	CHUM	236	162					
HS200336-IBC08-112-014	CHUM	260	196					
HS200336-IBC08-112-015	CHUM	211	101					
HS200336-IBC11-112-001	CHUM	210	95					
HS200336-IBC11-112-002	CHUM	219	108					
HS200336-IBC11-112-003	CHUM	265	192					
HS200336-IBC11-112-004	CHUM	220	106					
HS200336-IBC11-112-005	CHUM	217	104					
HS200336-IBC11-112-006	CHUM	211	104					
HS200336-IBC11-112-007	CHUM	216	99					
HS200336-IBC11-112-008	CHUM	230	126					
HS200336-IBC11-112-009	CHUM	198	80					
HS200336-IBC11-112-010	CHUM	212	92					
HS200336-IBC12-112-001	CHUM	238	147					
HS200336-IBC12-112-002	CHUM	256	200					
HS200336-IBC12-112-003	CHUM	205	85					
HS200336-IBC12-112-004	CHUM	226	128					
HS200336-IBC12-112-005	CHUM	215	104					
HS200336-IBC12-112-006	CHUM	230	121					
HS200336-IBC12-112-007	CHUM	220	105					
HS200336-IBC12-112-008	CHUM	396	816	M				
HS200336-IBC13-112-001	CHUM	216	115					
HS200336-IBC14-112-001	CHUM	244	167					
HS200336-IBC14-112-002	CHUM	255	186					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IBC14-112-003	CHUM	475	1157					
HS200336-IBC15-112-001	CHUM	255	185					
HS200336-IBC15-112-002	CHUM	256	169					
HS200336-IBC15-112-003	CHUM	250	175					
HS200336-IBC15-112-004	CHUM	260	188					
HS200336-IBC15-112-005	CHUM	260	188					
HS200336-IBC15-112-006	CHUM	254	178					
HS200336-IBC15-112-007	CHUM	249	165					
HS200336-IBC15-112-008	CHUM	248	159					
HS200336-IBC15-112-009	CHUM	252	167					
HS200336-IBC15-112-010	CHUM	248	169					
HS200336-IBC15-112-011	CHUM	248	163					
HS200336-IBC15-112-012	CHUM	270	255					
HS200336-IBC15-112-013	CHUM	240	141					
HS200336-IBC15-112-014	CHUM	250	162					
HS200336-IBC16-112-001	CHUM	238	127					
HS200336-IBC16-112-002	CHUM	250	168					
HS200336-IBC16-112-003	CHUM	250	165					
HS200336-IBC16-112-004	CHUM	226	118					
HS200336-IBC16-112-005	CHUM	276	227					
HS200336-IBC16-112-006	CHUM	230	130					
HS200336-IBC16-112-007	CHUM	231	132					
HS200336-IBC16-112-008	CHUM	250	170					
HS200336-IBC16-112-009	CHUM	244	163					
HS200336-IBC16-112-010	CHUM	246	176					
HS200336-IBC16-112-011	CHUM	242	151					
HS200336-IBC16-112-012	CHUM	220	102					
HS200336-IBC16-112-013	CHUM	247	162					
HS200336-IBC17-112-001	CHUM	262	197					
HS200336-IBC17-112-002	CHUM	252	192					
HS200336-IBC17-112-003	CHUM	244	173					
HS200336-IBC18-112-001	CHUM	270	229					
HS200336-IBC18-112-002	CHUM	247	154					
HS200336-IBC18-112-003	CHUM	258	195					
HS200336-IBC18-112-004	CHUM	254	204					
HS200336-IBC18-112-005	CHUM	244	167					
HS200336-IBC18-112-006	CHUM	245	182					
HS200336-IBC18-112-007	CHUM	246	164					
HS200336-IBC18-112-008	CHUM	231	140					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IBC18-112-009	CHUM	285	268					
HS200336-IBC18-112-010	CHUM	245	162					
HS200336-IBC18-112-011	CHUM	233	137					
HS200336-IBC18-112-012	CHUM	248	172					
HS200336-IBC18-112-013	CHUM	230	141					
HS200336-IBC18-112-014	CHUM	242	161					
HS200336-IBC18-112-015	CHUM	243	173					
HS200336-IBC18-112-016	CHUM	242						
HS200336-IBC18-112-017	CHUM	245						
HS200336-IBC18-112-018	CHUM	266						
HS200336-IBC18-112-019	CHUM	259						
HS200336-IBC18-112-020	CHUM	241						
HS200336-IBC18-112-021	CHUM	222						
HS200336-IBC18-112-022	CHUM	220						
HS200336-IBC18-112-023	CHUM	241						
HS200336-IBC18-112-024	CHUM	236						
HS200336-IBC18-112-025	CHUM	236						
HS200336-IBC19-112-001	CHUM	241	157					
HS200336-IBC19-112-002	CHUM	252	188					
HS200336-IBC19-112-003	CHUM	249	173					
HS200336-IBC19-112-004	CHUM	250	192					
HS200336-IBC19-112-005	CHUM	256	191					
HS200336-IBC19-112-006	CHUM	253	200					
HS200336-IBC19-112-007	CHUM	235	154					
HS200336-IBC19-112-008	CHUM	260	213					
HS200336-IBC19-112-009	CHUM	252	183					
HS200336-IBC19-112-010	CHUM	218	113					
HS200336-IBC19-112-011	CHUM	257	194					
HS200336-IBC19-112-012	CHUM	236	150					
HS200336-IBC19-112-013	CHUM	238	161					
HS200336-IBC19-112-014	CHUM	245	166					
HS200336-IBC19-112-015	CHUM	221	122					
HS200336-IBC19-112-016	CHUM	242						
HS200336-IBC19-112-017	CHUM	233						
HS200336-IBC19-112-018	CHUM	268						
HS200336-IBC19-112-019	CHUM	247						
HS200336-IBC19-112-020	CHUM	247						
HS200336-IBC19-112-021	CHUM	225						
HS200336-IBC19-112-022	CHUM	248						

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IBC19-112-023	CHUM	243						
HS200336-IBC19-112-024	CHUM	224						
HS200336-IBC19-112-025	CHUM	240						
HS200336-IBC19-112-026	CHUM	215						
HS200336-IBC19-112-027	CHUM	227						
HS200336-IBC19-112-028	CHUM	233						
HS200336-IBC19-112-029	CHUM	213						
HS200336-IBC19-112-030	CHUM	223						
HS200336-IBC19-112-031	CHUM	248						
HS200336-IBC19-112-032	CHUM	233						
HS200336-IBC19-112-033	CHUM	256						
HS200336-IBC19-112-034	CHUM	247						
HS200336-IBC19-112-035	CHUM	236						
HS200336-IBC19-112-036	CHUM	237						
HS200336-IBC19-112-037	CHUM	240						
HS200336-IBC19-112-038	CHUM	218						
HS200336-IBC19-112-039	CHUM	225						
HS200336-IBC19-112-040	CHUM	247						
HS200336-IBC19-112-041	CHUM	278						
HS200336-IBC19-112-042	CHUM	240						
HS200336-IBC19-112-043	CHUM	259						
HS200336-IBC19-112-044	CHUM	217						
HS200336-ISEA08-112-001	CHUM	224	113					
HS200336-ISEA10-112-001	CHUM	630	2448	F				
HS200336-ISEA11-112-001	CHUM	220	108					
HS200336-ISEA11-112-002	CHUM	236	133					
HS200336-ISEA11-112-003	CHUM	208	89					
HS200336-ISEA12-112-001	CHUM	247	162					
HS200336-ISEA12-112-002	CHUM	209	98					
HS200336-ISEA12-112-003	CHUM	219	113					
HS200336-ISEA13-112-001	CHUM	242	145					
HS200336-ISEA15-112-001	CHUM	203	123					
HS200336-ISEA15-112-002	CHUM	233	132					
HS200336-ISEA15-112-003	CHUM	232	142					
HS200336-ISEA15-112-004	CHUM	220	112					
HS200336-ISEA15-112-005	CHUM	259	191					
HS200336-ISEA15-112-006	CHUM	226	123					
HS200336-ISEA16-112-001	CHUM	244	160					
HS200336-ISEA16-112-002	CHUM	244	167					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-ISEA16-112-003	CHUM	198	80					
HS200336-ISEA16-112-004	CHUM	233	139					
HS200336-ISEA16-112-005	CHUM	211	101					
HS200336-ISEA16-112-006	CHUM	212	101					
HS200336-ISEA16-112-007	CHUM	251	167					
HS200336-ISEA16-112-008	CHUM	233	113					
HS200336-ISEA16-112-009	CHUM	229	135					
HS200336-ISEA17-112-001	CHUM	231	129					
HS200336-ISEA17-112-002	CHUM	255	171					
HS200336-ISEA17-112-003	CHUM	230	135					
HS200336-ISEA19-112-001	CHUM	224	132					
HS200336-ISEA19-112-002	CHUM	246	170					
HS200336-ISEA19-112-003	CHUM	238	143					
HS200336-ISEA19-112-004	CHUM	234	143					
HS200336-ISEA19-112-005	CHUM	236	155					
HS200336-ISEA19-112-006	CHUM	227	120					
HS200336-ISEA19-112-007	CHUM	231	131					
HS200336-ISEA19-112-008	CHUM	220	123					
HS200336-ISEA19-112-009	CHUM	241	151					
HS200336-ISEA19-112-010	CHUM	256	191					
HS200336-ISEA20-112-001	CHUM	266	187					
HS200336-ISEA21-112-001	CHUM	206	88					
HS200336-ISEA22-112-001	CHUM	248	149					
HS200336-ISEA24-112-001	CHUM	271	234					
HS200336-ISEA24-112-002	CHUM	251	185					
HS200336-ISEA25-112-001	CHUM	235	148					
HS200336-ISEA25-112-002	CHUM	256	195					
HS200336-ISEA25-112-003	CHUM	201	87					
HS200336-ISEA25-112-004	CHUM	245	170					
HS200336-ISEA25-112-005	CHUM	214	102					
HS200336-IVI01-112-001	CHUM	763	5480	M				
HS200336-IVI01-112-002	CHUM	678	3440	F				
HS200336-IVI02-112-001	CHUM	724	4610					
HS200336-IVI02-112-002	CHUM	703	3960					
HS200336-IVI03-112-001	CHUM	760	4560					
HS200336-IVI03-112-002	CHUM	713	4820					
HS200336-IVI03-112-003	CHUM	600	2330					
HS200336-IVI05-112-001	CHUM	778	5650	M				
HS200336-IVI05-112-002	CHUM	734	4860	M				

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IVI05-112-003	CHUM	680	3320	F				
HS200336-IVI05-112-004	CHUM	695	3870	F				
HS200336-IVI05-112-005	CHUM	635	2870	F				
HS200336-IVI06-112-001	CHUM	653	3060	M				
HS200336-IVI06-112-002	CHUM	635	3090	F				
HS200336-IVI06-112-003	CHUM	155	30					
HS200336-IVI07-112-001	CHUM	667	3580	F				
HS200336-IVI07-112-002	CHUM	713	4680	F				
HS200336-IVI07-112-003	CHUM	616	2710	M				
HS200336-IVI07-112-004	CHUM	823	6740	M				
HS200336-IVI07-112-005	CHUM	636	3030	M				
HS200336-IVI07-112-006	CHUM	700	3930	M				
HS200336-IVI07-112-007	CHUM	614	2570	F				
HS200336-IVI07-112-008	CHUM	769	4840	M				
HS200336-IVI07-112-009	CHUM	708	3240	M				
HS200336-IVI08-112-001	CHUM	668	2940	F				
HS200336-IVI08-112-002	CHUM	625	2890	M				
HS200336-IVI08-112-003	CHUM	655	3200	F				
HS200336-IVI08-112-004	CHUM	693	3400	M				
HS200336-IVI08-112-005	CHUM	713	3950	M				
HS200336-IVI08-112-006	CHUM	712	3920	F				
HS200336-IVI09-112-001	CHUM	658	3650	F				
HS200336-IVI09-112-002	CHUM	688	3690	M				
HS200336-IVI09-112-003	CHUM	725	4780	F				
HS200336-IVI09-112-004	CHUM	655	3400	M				
HS200336-IVI09-112-005	CHUM	677	3680	M				
HS200336-IVI09-112-006	CHUM	625	3090	M				
HS200336-IVI09-112-007	CHUM	639	2980	M				
HS200336-IVI09-112-008	CHUM	680	3480	F				
HS200336-IVI09-112-009	CHUM	633	2940	F				
HS200336-IVI09-112-010	CHUM	657	3310	M				
HS200336-IVI09-112-011	CHUM	652	3390	F				
HS200336-IVI09-112-012	CHUM	623	2710	M				
HS200336-IVI09-112-013	CHUM	623	2920	F				
HS200336-IVI09-112-014	CHUM	182	50					
HS200336-IVI09-112-015	CHUM	171	45					
HS200336-IVI09-112-016	CHUM	622	2800	F				
HS200336-IVI10-112-001	CHUM	753	4920	M				
HS200336-IVI10-112-002	CHUM	670	3430	M				

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IVI10-112-003	CHUM	778	5050	M				
HS200336-IVI10-112-004	CHUM	710	3940	M				
HS200336-IVI10-112-005	CHUM	702	3580	M				
HS200336-IVI10-112-006	CHUM	662	3220	M				
HS200336-IVI10-112-007	CHUM	673	3140	F				
HS200336-IVI10-112-008	CHUM	676	3510	F				
HS200336-IVI10-112-009	CHUM	678	3530	F				
HS200336-IVI10-112-010	CHUM	760	5000	M				
HS200336-IVI10-112-011	CHUM	694	3630	F				
HS200336-IVI10-112-012	CHUM	739	4720	F				
HS200336-IVI10-112-013	CHUM	708	3790	M				
HS200336-IVI10-112-014	CHUM	658	3210	F				
HS200336-IVI10-112-015	CHUM	626	2900	F				
HS200336-IVI10-112-016	CHUM	712	4060	F				
HS200336-IVI10-112-017	CHUM	674	3410	F				
HS200336-IVI10-112-018	CHUM	617	2800	M				
HS200336-IVI10-112-019	CHUM	692	4160	M				
HS200336-IVI11-112-001	CHUM	610	2660	F				
HS200336-IVI11-112-002	CHUM	671	3500	F				
HS200336-IVI12-112-001	CHUM	580	3260	M				
HS200336-IVI12-112-002	CHUM	664	4200	M				
HS200336-IVI12-112-003	CHUM	661	4190	M				
HS200336-IVI12-112-004	CHUM	681	4750	M				
HS200336-IVI12-112-005	CHUM	641	3620	M				
HS200336-IVI12-112-006	CHUM	613	3670	F				
HS200336-IVI12-112-007	CHUM	655	3430	F				
HS200336-IVI12-112-008	CHUM	644	3280	F				
HS200336-IVI13-112-001	CHUM	716	4540	M				
HS200336-IVI13-112-002	CHUM	667	3330	M				
HS200336-IVI13-112-003	CHUM	763	5610	F				
HS200336-IVI13-112-004	CHUM	649	3250	F				
HS200336-IVI13-112-005	CHUM	606	2490	F				
HS200336-IVI13-112-006	CHUM	662	3260	M				
HS200336-IVI13-112-007	CHUM	644	3220	M				
HS200336-IVI13-112-008	CHUM	627	2650	M				
HS200336-IVI13-112-009	CHUM	682	3870	F				
HS200336-IVI14-112-001	CHUM	607	2580	M				
HS200336-IVI14-112-002	CHUM	647	3140	F				
HS200336-IVI14-112-003	CHUM	591	2360	M				

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IVI14-112-004	CHUM	615	2730	F				
HS200336-IVI15-112-001	CHUM	644	2910	M				
HS200336-IVI15-112-002	CHUM	693	3490	M				
HS200336-IVI16-112-001	CHUM	693	2770	M				
HS200336-IVI17-112-001	CHUM	628	2500	F				
HS200336-IVI17-112-002	CHUM	602	2480	F				
HS200336-IVI17-112-003	CHUM	654	3100	F				
HS200336-IVI17-112-004	CHUM	662	3050	F				
HS200336-IVI17-112-005	CHUM	625	2780	F				
HS200336-IVI17-112-006	CHUM	720	4880	F				
HS200336-IVI18-112-001	CHUM	215	93					
HS200336-IVI18-112-002	CHUM	648	3380					
HS200336-IVI19-112-001	CHUM	206	89					
HS200336-IVI20-112-001	CHUM	658	2990	M				
HS200336-IVI20-112-002	CHUM	663	3110	M				
HS200336-T01-112-001	CHUM	250	158					
HS200336-T01-112-002	CHUM	255	174					
HS200336-T01-112-003	CHUM	269	215					
HS200336-T01-112-004	CHUM	230	120					
HS200336-T01-112-005	CHUM	200	72					
HS200336-T01-112-006	CHUM	200	71					
HS200336-T01-112-007	CHUM	232	123					
HS200336-T01-112-008	CHUM	241	146					
HS200336-T01-112-009	CHUM	197	75					
HS200336-T01-112-010	CHUM	190	69					
HS200336-T01-112-011	CHUM	200	78					
HS200336-T01-112-012	CHUM	203	79					
HS200336-T01-112-013	CHUM	209	93					
HS200336-T01-112-014	CHUM	219	105					
HS200336-T01-112-015	CHUM	261	180					
HS200336-T01-112-016	CHUM	232						
HS200336-T01-112-017	CHUM	250						
HS200336-T01-112-018	CHUM	245						
HS200336-T01-112-019	CHUM	207						
HS200336-T01-112-020	CHUM	190						
HS200336-T01-112-021	CHUM	191						
HS200336-T01-112-022	CHUM	195						
HS200336-T01-112-023	CHUM	247						
HS200336-T01-112-024	CHUM	189						

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-T01-112-025	CHUM	221						
HS200336-T01-112-026	CHUM	194						
HS200336-T01-112-027	CHUM	253						
HS200336-T01-112-028	CHUM	200						
HS200336-T01-112-029	CHUM	249						
HS200336-T01-112-030	CHUM	197						
HS200336-T01-112-031	CHUM	211						
HS200336-T01-112-032	CHUM	209						
HS200336-T01-112-033	CHUM	211						
HS200336-T01-112-034	CHUM	219						
HS200336-T01-112-035	CHUM	203						
HS200336-T01-112-036	CHUM	201						
HS200336-T01-112-037	CHUM	236						
HS200336-T01-112-038	CHUM	227						
HS200336-T01-112-039	CHUM	184						
HS200336-T01-112-040	CHUM	234						
HS200336-T01-112-041	CHUM	225						
HS200336-T01-112-042	CHUM	190						
HS200336-T01-112-043	CHUM	205						
HS200336-T01-112-044	CHUM	201						
HS200336-T01-112-045	CHUM	188						
HS200336-T01-112-046	CHUM	220						
HS200336-T01-112-047	CHUM	199						
HS200336-T01-112-048	CHUM	202						
HS200336-T02-112-001	CHUM	229	121					
HS200336-T05-112-001	CHUM	206	103					
HS200336-T05-112-002	CHUM	216	109					
HS200336-VI01-112-001	CHUM	645	3030	M				
HS200336-VI01-112-002	CHUM	651	3280	M				
HS200336-VI01-112-003	CHUM	635	2620	M				
HS200336-VI02-112-001	CHUM	676	3800	F				
HS200336-VI02-112-002	CHUM	665	3350	M				
HS200336-VI05-112-001	CHUM	214	98					
HS200336-VI05-112-002	CHUM	799	6410	M				
HS200336-DE01-115-001	COHO	316	392					
HS200336-DE01-115-002	COHO	295	281					
HS200336-DE01-115-003	COHO	285	298					
HS200336-DE01-115-004	COHO	312	368					AD
HS200336-DE01-115-005	COHO	268	202					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-DE01-115-006	COHO	302	307					
HS200336-DE01-115-007	COHO	284	256					
HS200336-DE01-115-008	COHO	305	341					
HS200336-DE01-115-009	COHO	285	270					
HS200336-DE01-115-010	COHO	281	289					
HS200336-DE01-115-011	COHO	327	452					
HS200336-DE01-115-012	COHO	281	283					
HS200336-DE01-115-013	COHO	315	335				AD	
HS200336-DE01-115-014	COHO	284	259					
HS200336-DE01-115-015	COHO	280	245					
HS200336-DE01-115-016	COHO	285	274					
HS200336-DE02-115-001	COHO	267	220					
HS200336-DE03-115-001	COHO	296	303					
HS200336-DE05-115-001	COHO	303	288					
HS200336-DE05-115-002	COHO	296	302					
HS200336-DE05-115-003	COHO	288	252					
HS200336-DE05-115-004	COHO	296	292					
HS200336-DE05-115-005	COHO	283	241					
HS200336-DE05-115-006	COHO	308	332					
HS200336-DE05-115-007	COHO	291	261					
HS200336-DE05-115-008	COHO	313	368					
HS200336-DE06-115-001	COHO	282	275					
HS200336-DE06-115-002	COHO	275	236					
HS200336-DE06-115-003	COHO	313	353					
HS200336-DE06-115-004	COHO	237	130					
HS200336-DE06-115-005	COHO	306	314					
HS200336-DE06-115-006	COHO	308	354					
HS200336-DE06-115-007	COHO	316	372					
HS200336-DE06-115-008	COHO	286	259					
HS200336-DE06-115-009	COHO	315	375					
HS200336-DE06-115-010	COHO	302	314					
HS200336-DE07-115-001	COHO	308	339					
HS200336-FI01-115-001	COHO	324	389					
HS200336-FI01-115-002	COHO	338	461					
HS200336-FI01-115-003	COHO	342	494					
HS200336-FI01-115-004	COHO	316	384					
HS200336-FI01-115-005	COHO	345	472					
HS200336-FI01-115-006	COHO	320	360					
HS200336-FI01-115-007	COHO	315	353					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-FI01-115-008	COHO	345	466					
HS200336-FI01-115-009	COHO	321	377					
HS200336-FI01-115-010	COHO	303	321					
HS200336-FI03-115-001	COHO	278	276					
HS200336-FI03-115-002	COHO	306	337					
HS200336-FI03-115-003	COHO	330	435					
HS200336-FI03-115-004	COHO	315	372					
HS200336-FI03-115-005	COHO	302	325					
HS200336-FI05-115-001	COHO	369	562					
HS200336-FI05-115-002	COHO	304	344					
HS200336-FI05-115-003	COHO	359	552					
HS200336-FI05-115-004	COHO	314	386					
HS200336-FI05-115-005	COHO	335	429					
HS200336-FI05-115-006	COHO	313	376					
HS200336-FI05-115-007	COHO	287	282					
HS200336-FI05-115-008	COHO	271	229					
HS200336-FI05-115-009	COHO	281	283					
HS200336-IBC01-115-001	COHO	272	246				AD	
HS200336-IBC01-115-002	COHO	288	274					
HS200336-IBC02-115-001	COHO	285	279					
HS200336-IBC02-115-002	COHO	284	261					
HS200336-IBC02-115-003	COHO	290	277				AD	
HS200336-IBC02-115-004	COHO	347	517					
HS200336-IBC02-115-005	COHO	244	166				AD	
HS200336-IBC02-115-006	COHO	308	376					
HS200336-IBC02-115-007	COHO	301	336					
HS200336-IBC03-115-001	COHO	350	559			1.0	T210401	AD
HS200336-IBC03-115-002	COHO	290	322					
HS200336-IBC03-115-003	COHO	286	286					
HS200336-IBC03-115-004	COHO	315	356					
HS200336-IBC03-115-005	COHO	310	348					
HS200336-IBC03-115-006	COHO	292	291					
HS200336-IBC03-115-007	COHO	300	315				T185326	AD
HS200336-IBC03-115-008	COHO	320	415					
HS200336-IBC03-115-009	COHO	305	329					
HS200336-IBC03-115-010	COHO	320	431					
HS200336-IBC03-115-011	COHO	287	315					
HS200336-IBC03-115-012	COHO	293	317					
HS200336-IBC03-115-013	COHO	300	318				AD	

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IBC03-115-014	COHO	285	292					
HS200336-IBC03-115-015	COHO	330	416					AD
HS200336-IBC03-115-016	COHO	309	410					
HS200336-IBC03-115-017	COHO	293	315					
HS200336-IBC03-115-018	COHO	304	314					
HS200336-IBC03-115-019	COHO	273	262					
HS200336-IBC03-115-020	COHO	300	318					
HS200336-IBC03-115-021	COHO	315	411					
HS200336-IBC03-115-022	COHO	304	371					
HS200336-IBC03-115-023	COHO	298	333					
HS200336-IBC03-115-024	COHO	288	301					
HS200336-IBC03-115-025	COHO	333	496					
HS200336-IBC03-115-026	COHO	312	362					
HS200336-IBC03-115-027	COHO	284	297					
HS200336-IBC03-115-028	COHO	303						AD
HS200336-IBC03-115-029	COHO	260						
HS200336-IBC03-115-030	COHO	282						
HS200336-IBC03-115-031	COHO	303						
HS200336-IBC03-115-032	COHO	320						
HS200336-IBC03-115-033	COHO	301						
HS200336-IBC03-115-034	COHO	309						
HS200336-IBC03-115-035	COHO	299						
HS200336-IBC03-115-036	COHO	322						
HS200336-IBC03-115-037	COHO	295						
HS200336-IBC03-115-038	COHO	284						
HS200336-IBC03-115-039	COHO	290						
HS200336-IBC03-115-040	COHO	260						
HS200336-IBC03-115-041	COHO	312						
HS200336-IBC03-115-042	COHO	326						AD
HS200336-IBC03-115-043	COHO	319						
HS200336-IBC03-115-044	COHO	307						
HS200336-IBC03-115-045	COHO	261						
HS200336-IBC03-115-046	COHO	307						
HS200336-IBC03-115-047	COHO	285						
HS200336-IBC03-115-048	COHO	281						
HS200336-IBC03-115-049	COHO	301						AD
HS200336-IBC03-115-050	COHO	267						
HS200336-IBC03-115-051	COHO	284						
HS200336-IBC03-115-052	COHO	315						

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IBC03-115-053	COHO	311						
HS200336-IBC03-115-054	COHO	316						
HS200336-IBC03-115-055	COHO	278						
HS200336-IBC03-115-056	COHO	319						
HS200336-IBC03-115-057	COHO	295						
HS200336-IBC03-115-058	COHO	315						
HS200336-IBC03-115-059	COHO	328						
HS200336-IBC03-115-060	COHO	312						
HS200336-IBC03-115-061	COHO	302						
HS200336-IBC03-115-062	COHO	278						
HS200336-IBC03-115-063	COHO	280						
HS200336-IBC03-115-064	COHO	302						
HS200336-IBC03-115-065	COHO	310						
HS200336-IBC03-115-066	COHO	314					AD	
HS200336-IBC03-115-067	COHO	304						
HS200336-IBC03-115-068	COHO	294						
HS200336-IBC03-115-069	COHO	296						
HS200336-IBC03-115-070	COHO	287						
HS200336-IBC03-115-071	COHO	300						
HS200336-IBC03-115-072	COHO	287						
HS200336-IBC03-115-073	COHO	283						
HS200336-IBC03-115-074	COHO	295						
HS200336-IBC03-115-075	COHO	320						
HS200336-IBC03-115-076	COHO	308						
HS200336-IBC03-115-077	COHO	288						
HS200336-IBC03-115-078	COHO	285						
HS200336-IBC03-115-079	COHO	293						
HS200336-IBC03-115-080	COHO	299						
HS200336-IBC03-115-081	COHO	299					AD	
HS200336-IBC03-115-082	COHO	272						
HS200336-IBC03-115-083	COHO	295						
HS200336-IBC03-115-084	COHO	304						
HS200336-IBC03-115-085	COHO	300						
HS200336-IBC03-115-086	COHO	275						
HS200336-IBC03-115-087	COHO	289						
HS200336-IBC03-115-088	COHO	275						
HS200336-IBC03-115-089	COHO	290					AD	
HS200336-IBC03-115-090	COHO	315						
HS200336-IBC03-115-091	COHO	295						

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IBC03-115-092	COHO	277						
HS200336-IBC03-115-093	COHO	303						
HS200336-IBC03-115-094	COHO	311						AD
HS200336-IBC03-115-095	COHO	295						
HS200336-IBC03-115-096	COHO	286						
HS200336-IBC03-115-097	COHO	285						
HS200336-IBC03-115-098	COHO	302						
HS200336-IBC03-115-099	COHO	341						AD
HS200336-IBC03-115-100	COHO	315						
HS200336-IBC03-115-101	COHO	297						
HS200336-IBC03-115-102	COHO	285						
HS200336-IBC03-115-103	COHO	287						
HS200336-IBC03-115-104	COHO	316						
HS200336-IBC03-115-105	COHO	285						
HS200336-IBC03-115-106	COHO	305						AD
HS200336-IBC03-115-107	COHO	295						
HS200336-IBC03-115-108	COHO	287						
HS200336-IBC03-115-109	COHO	316						
HS200336-IBC03-115-110	COHO	299						
HS200336-IBC03-115-111	COHO	330						
HS200336-IBC03-115-112	COHO	295						
HS200336-IBC03-115-113	COHO	301						
HS200336-IBC03-115-114	COHO	299						
HS200336-IBC03-115-115	COHO	320						
HS200336-IBC03-115-116	COHO	296						
HS200336-IBC03-115-117	COHO	270						
HS200336-IBC03-115-118	COHO	310						
HS200336-IBC03-115-119	COHO	305						
HS200336-IBC03-115-120	COHO	295						
HS200336-IBC03-115-121	COHO	287						
HS200336-IBC03-115-122	COHO	291						
HS200336-IBC03-115-123	COHO	320						
HS200336-IBC03-115-124	COHO	336						
HS200336-IBC03-115-125	COHO	307						
HS200336-IBC03-115-126	COHO	270						
HS200336-IBC03-115-127	COHO	252						
HS200336-IBC03-115-128	COHO	306						
HS200336-IBC03-115-129	COHO	293						
HS200336-IBC03-115-130	COHO	293						

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IBC03-115-131	COHO	278						
HS200336-IBC03-115-132	COHO	285						
HS200336-IBC03-115-133	COHO	290						
HS200336-IBC03-115-134	COHO	271						
HS200336-IBC03-115-135	COHO	300						
HS200336-IBC03-115-136	COHO	287						
HS200336-IBC03-115-137	COHO	260						
HS200336-IBC03-115-138	COHO	320						
HS200336-IBC03-115-139	COHO	304					AD	
HS200336-IBC03-115-140	COHO	275						
HS200336-IBC03-115-141	COHO	286						
HS200336-IBC03-115-142	COHO	326						
HS200336-IBC03-115-143	COHO	273						
HS200336-IBC03-115-144	COHO	274					AD	
HS200336-IBC03-115-145	COHO	285						
HS200336-IBC03-115-146	COHO	310						
HS200336-IBC03-115-147	COHO	319					AD	
HS200336-IBC03-115-148	COHO	326					AD	
HS200336-IBC03-115-149	COHO	308					AD	
HS200336-IBC03-115-150	COHO	312						
HS200336-IBC03-115-151	COHO	293						
HS200336-IBC03-115-152	COHO	285					AD	
HS200336-IBC03-115-153	COHO	280						
HS200336-IBC03-115-154	COHO	300						
HS200336-IBC03-115-155	COHO	270						
HS200336-IBC03-115-156	COHO	285						
HS200336-IBC03-115-157	COHO	297						
HS200336-IBC03-115-158	COHO	282						
HS200336-IBC03-115-159	COHO	306					AD	
HS200336-IBC03-115-160	COHO	297						
HS200336-IBC03-115-161	COHO	265						
HS200336-IBC03-115-162	COHO	312						
HS200336-IBC03-115-163	COHO	300					AD	
HS200336-IBC03-115-164	COHO	317					AD	
HS200336-IBC03-115-165	COHO	258						
HS200336-IBC03-115-166	COHO	295						
HS200336-IBC03-115-167	COHO	290						
HS200336-IBC03-115-168	COHO	299						
HS200336-IBC03-115-169	COHO	279						

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IBC03-115-170	COHO	290						AD
HS200336-IBC03-115-171	COHO	295						
HS200336-IBC03-115-172	COHO	318						
HS200336-IBC03-115-173	COHO	304						
HS200336-IBC03-115-174	COHO	316						
HS200336-IBC03-115-175	COHO	307						
HS200336-IBC03-115-176	COHO	314						
HS200336-IBC03-115-177	COHO	334						
HS200336-IBC03-115-178	COHO	305						
HS200336-IBC03-115-179	COHO	262						
HS200336-IBC03-115-180	COHO	286						AD
HS200336-IBC03-115-181	COHO	272						
HS200336-IBC03-115-182	COHO	309						AD
HS200336-IBC03-115-183	COHO	288						
HS200336-IBC03-115-184	COHO	281						
HS200336-IBC03-115-185	COHO	292						
HS200336-IBC03-115-186	COHO	286						
HS200336-IBC03-115-187	COHO	274						
HS200336-IBC03-115-188	COHO	315						
HS200336-IBC03-115-189	COHO	312						
HS200336-IBC03-115-190	COHO	292						
HS200336-IBC03-115-191	COHO	275						
HS200336-IBC03-115-192	COHO	277						
HS200336-IBC03-115-193	COHO	283						
HS200336-IBC03-115-194	COHO	278						AD
HS200336-IBC03-115-195	COHO	276						
HS200336-IBC03-115-196	COHO	290						
HS200336-IBC03-115-197	COHO	285						
HS200336-IBC03-115-198	COHO	278						AD
HS200336-IBC03-115-199	COHO	320						AD
HS200336-IBC03-115-200	COHO	320						
HS200336-IBC03-115-201	COHO	303						
HS200336-IBC03-115-202	COHO	279						
HS200336-IBC03-115-203	COHO	270						
HS200336-IBC03-115-204	COHO	279						
HS200336-IBC03-115-205	COHO	295						
HS200336-IBC03-115-206	COHO	284						
HS200336-IBC03-115-207	COHO	300						
HS200336-IBC03-115-208	COHO	295						AD

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IBC03-115-209	COHO	302						AD
HS200336-IBC03-115-210	COHO	310						
HS200336-IBC03-115-211	COHO	302						AD
HS200336-IBC03-115-212	COHO	330						
HS200336-IBC03-115-213	COHO	324						
HS200336-IBC03-115-214	COHO	299						
HS200336-IBC03-115-215	COHO	297						
HS200336-IBC03-115-216	COHO	267						
HS200336-IBC03-115-217	COHO	275						
HS200336-IBC03-115-218	COHO	254						
HS200336-IBC03-115-219	COHO	262						
HS200336-IBC03-115-220	COHO	308						
HS200336-IBC03-115-221	COHO	303						
HS200336-IBC03-115-222	COHO	278						
HS200336-IBC03-115-223	COHO	282						
HS200336-IBC03-115-224	COHO	300						
HS200336-IBC05-115-001	COHO	291	319					
HS200336-IBC05-115-002	COHO	304	345					
HS200336-IBC05-115-003	COHO	281	272					
HS200336-IBC07-115-001	COHO	291	312					
HS200336-IBC08-115-001	COHO	220	125					
HS200336-IBC08-115-002	COHO	306	368					
HS200336-IBC08-115-003	COHO	232	138					
HS200336-IBC08-115-004	COHO	282	304					
HS200336-IBC08-115-005	COHO	328	439					
HS200336-IBC08-115-006	COHO	260	207					
HS200336-IBC09-115-001	COHO	289	304					
HS200336-IBC09-115-002	COHO	321	405					
HS200336-IBC09-115-003	COHO	345	498					
HS200336-IBC09-115-004	COHO	334	482					
HS200336-IBC09-115-005	COHO	351	539					
HS200336-IBC09-115-006	COHO	300	373					
HS200336-IBC09-115-007	COHO	331	447					
HS200336-IBC09-115-008	COHO	345	504					
HS200336-IBC09-115-009	COHO	354	592					
HS200336-IBC09-115-010	COHO	332	476					
HS200336-IBC09-115-011	COHO	304	369					AD
HS200336-IBC09-115-012	COHO	332	479					
HS200336-IBC09-115-013	COHO	339	484					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IBC09-115-014	COHO	289	289					
HS200336-IBC09-115-015	COHO	351	582					
HS200336-IBC09-115-016	COHO	399	854					
HS200336-IBC11-115-001	COHO	300	338					
HS200336-IBC11-115-002	COHO	264	239					
HS200336-IBC11-115-003	COHO	255	189					
HS200336-IBC11-115-004	COHO	245	169					
HS200336-IBC11-115-005	COHO	278	250					
HS200336-IBC14-115-001	COHO	377	714					
HS200336-IBC14-115-002	COHO	348	536				AD	
HS200336-IBC14-115-003	COHO	327	465					
HS200336-IBC14-115-004	COHO	306	355					
HS200336-IBC14-115-005	COHO	390	757			1.0	T050284	AD
HS200336-IBC14-115-006	COHO	326	494					
HS200336-IBC14-115-007	COHO	341	553					
HS200336-IBC14-115-008	COHO	312	417					
HS200336-IBC14-115-009	COHO	340	459					
HS200336-IBC14-115-010	COHO	338	502					
HS200336-IBC14-115-011	COHO	342	509				AD	
HS200336-IBC14-115-012	COHO	312	385					
HS200336-IBC14-115-013	COHO	330	432					
HS200336-IBC14-115-014	COHO	328	473					
HS200336-IBC14-115-015	COHO	331	439					
HS200336-IBC14-115-016	COHO	345	545				AD	
HS200336-IBC14-115-017	COHO	320	379					
HS200336-IBC14-115-018	COHO	330	500					
HS200336-IBC14-115-019	COHO	337	468					
HS200336-IBC16-115-001	COHO	334	402					
HS200336-ISEA02-115-001	COHO	303	297					
HS200336-ISEA08-115-001	COHO	305	323					
HS200336-ISEA08-115-002	COHO	294	268					
HS200336-ISEA08-115-003	COHO	292	291					
HS200336-ISEA08-115-004	COHO	292	252				Y	AD
HS200336-ISEA08-115-005	COHO	280	229					
HS200336-ISEA08-115-006	COHO	275	241				AD	
HS200336-ISEA08-115-007	COHO	270	225					
HS200336-ISEA09-115-001	COHO	240	174					
HS200336-ISEA10-115-001	COHO	291	305					
HS200336-ISEA11-115-001	COHO	285	257					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-ISEA12-115-001	COHO	288	282					
HS200336-ISEA12-115-002	COHO	305	353					
HS200336-ISEA15-115-001	COHO	257	195					
HS200336-ISEA15-115-002	COHO	303	333				AD	
HS200336-ISEA18-115-001	COHO	280	238					
HS200336-ISEA18-115-002	COHO	281	260				AD	
HS200336-ISEA18-115-003	COHO	282	229				AD	
HS200336-ISEA19-115-001	COHO	282	233					
HS200336-ISEA21-115-001	COHO	297	308				AD	
HS200336-ISEA22-115-001	COHO	295	316					
HS200336-ISEA25-115-001	COHO	304	344					
HS200336-ISEA25-115-002	COHO	311	365					
HS200336-ISEA25-115-003	COHO	350	563				AD	
HS200336-ISEA25-115-004	COHO	337	458					
HS200336-ISEA25-115-005	COHO	302	344					
HS200336-ISEA25-115-006	COHO	325	394					
HS200336-ISEA25-115-007	COHO	301	326					
HS200336-ISEA25-115-008	COHO	320	415					
HS200336-ISEA25-115-009	COHO	294	326					
HS200336-ISEA25-115-010	COHO	336	537					
HS200336-ISEA25-115-011	COHO	313	396					
HS200336-ISEA25-115-012	COHO	308	365					
HS200336-ISEA25-115-013	COHO	315	371					
HS200336-ISEA25-115-014	COHO	301	329					
HS200336-ISEA25-115-015	COHO	330	467					
HS200336-ISEA25-115-016	COHO	311						
HS200336-ISEA25-115-017	COHO	323						
HS200336-ISEA25-115-018	COHO	301						
HS200336-ISEA25-115-019	COHO	312					AD	
HS200336-ISEA25-115-020	COHO	304						
HS200336-ISEA25-115-021	COHO	319						
HS200336-ISEA25-115-022	COHO	322						
HS200336-ISEA25-115-023	COHO	321						
HS200336-ISEA25-115-024	COHO	320						
HS200336-ISEA25-115-025	COHO	289						
HS200336-ISEA25-115-026	COHO	299						
HS200336-ISEA25-115-027	COHO	287						
HS200336-ISEA25-115-028	COHO	295						
HS200336-ISEA25-115-029	COHO	303						

Table 2 - Page 33 of 66

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-ISEA25-115-030	COHO	333						
HS200336-ISEA25-115-031	COHO	309						
HS200336-ISEA25-115-032	COHO	303						
HS200336-ISEA25-115-033	COHO	317						
HS200336-IVI01-115-001	COHO	233	144					
HS200336-IVI04-115-001	COHO	360	531					
HS200336-IVI04-115-002	COHO	581	2490					
HS200336-IVI04-115-003	COHO	598	2270					
HS200336-IVI05-115-001	COHO	428	997					
HS200336-IVI05-115-002	COHO	550	1880	M				
HS200336-IVI06-115-001	COHO	336	395					
HS200336-IVI06-115-002	COHO	650	3380	F				
HS200336-IVI07-115-001	COHO	350	638					
HS200336-IVI07-115-002	COHO	688	3590	F				
HS200336-IVI09-115-001	COHO	707	4500	F				
HS200336-IVI09-115-002	COHO	335	530					
HS200336-IVI09-115-003	COHO	238	171					
HS200336-IVI10-115-001	COHO	696	3830	F				
HS200336-IVI10-115-002	COHO	800	7560	M				
HS200336-IVI11-115-001	COHO	251	207					
HS200336-IVI12-115-001	COHO	275	266					
HS200336-IVI13-115-001	COHO	350	540					
HS200336-IVI13-115-002	COHO	766	5730	F				
HS200336-IVI14-115-001	COHO	286	323					
HS200336-IVI14-115-002	COHO	312	362					
HS200336-IVI15-115-001	COHO	264	222					
HS200336-IVI15-115-002	COHO	286	294					
HS200336-IVI15-115-003	COHO	200	97					
HS200336-IVI15-115-004	COHO	265	218					
HS200336-IVI15-115-005	COHO	220	123					
HS200336-IVI15-115-006	COHO	252	205					
HS200336-IVI15-115-007	COHO	256	205					
HS200336-IVI15-115-008	COHO	276	254					
HS200336-IVI16-115-001	COHO	253	220					
HS200336-IVI16-115-002	COHO	283	314					
HS200336-IVI16-115-003	COHO	265	253					
HS200336-IVI16-115-004	COHO	249	180					
HS200336-IVI16-115-005	COHO	240	192					
HS200336-IVI16-115-006	COHO	277	308					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IVI16-115-007	COHO	270	279					
HS200336-IVI16-115-008	COHO	286	291					
HS200336-IVI16-115-009	COHO	244	180					
HS200336-IVI16-115-010	COHO	285	294					
HS200336-IVI16-115-011	COHO	228	154					
HS200336-IVI17-115-001	COHO	250	183					
HS200336-IVI17-115-002	COHO	266	246					
HS200336-IVI19-115-001	COHO	282	294					
HS200336-IVI19-115-002	COHO	240	165					
HS200336-IVI20-115-001	COHO	274	251					
HS200336-IVI20-115-002	COHO	238	163					
HS200336-IVI20-115-003	COHO	252	184					
HS200336-IVI20-115-004	COHO	266	216					
HS200336-IVI20-115-005	COHO	261	214					
HS200336-IVI20-115-006	COHO	214	116					
HS200336-IVI20-115-007	COHO	240	168				AD	
HS200336-T01-115-001	COHO	226	127					
HS200336-T05-115-001	COHO	274	215					
HS200336-VI01-115-001	COHO	286	281				AD	
HS200336-VI01-115-002	COHO	304	327					
HS200336-VI01-115-003	COHO	306	383					
HS200336-VI01-115-004	COHO	261	226					
HS200336-VI01-115-005	COHO	271	223				AD	
HS200336-VI01-115-006	COHO	300	325				T631670	
HS200336-VI01-115-007	COHO	271	249					
HS200336-VI01-115-008	COHO	265	244					
HS200336-VI01-115-009	COHO	267	225					
HS200336-VI01-115-010	COHO	255	195					
HS200336-VI01-115-011	COHO	286	274					
HS200336-VI01-115-012	COHO	264	224					
HS200336-VI01-115-013	COHO	268	222					
HS200336-VI01-115-014	COHO	273	247					
HS200336-VI02-115-001	COHO	306	350					
HS200336-VI02-115-002	COHO	278	241					
HS200336-VI02-115-003	COHO	300	316					
HS200336-VI02-115-004	COHO	292	313					
HS200336-VI02-115-005	COHO	311	342					
HS200336-VI02-115-006	COHO	288	287					
HS200336-VI02-115-007	COHO	300	360					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-VI02-115-008	COHO	276	271					
HS200336-VI02-115-009	COHO	304	357					AD
HS200336-VI02-115-010	COHO	331	461					
HS200336-VI02-115-011	COHO	258	211					
HS200336-VI02-115-012	COHO	305	358					AD
HS200336-VI02-115-013	COHO	280	259					
HS200336-VI02-115-014	COHO	281	276					
HS200336-VI02-115-015	COHO	312	360					AD
HS200336-VI02-115-016	COHO	300						AD
HS200336-VI02-115-017	COHO	300						
HS200336-VI02-115-018	COHO	294						
HS200336-VI02-115-019	COHO	288						
HS200336-VI02-115-020	COHO	330						
HS200336-VI02-115-021	COHO	270						
HS200336-VI02-115-022	COHO	298						
HS200336-VI02-115-023	COHO	317						
HS200336-VI02-115-024	COHO	312						AD
HS200336-VI02-115-025	COHO	281						
HS200336-VI02-115-026	COHO	262						AD
HS200336-VI02-115-027	COHO	281						
HS200336-VI02-115-028	COHO	282						
HS200336-VI02-115-029	COHO	306						AD
HS200336-VI02-115-030	COHO	276						
HS200336-VI02-115-031	COHO	289						AD
HS200336-VI02-115-032	COHO	300						
HS200336-VI02-115-033	COHO	314						AD
HS200336-VI02-115-034	COHO	277						
HS200336-VI02-115-035	COHO	579	2180	F				AD
HS200336-VI04-115-001	COHO	281	280					
HS200336-VI04-115-002	COHO	250	178					
HS200336-VI04-115-003	COHO	257	196					
HS200336-VI04-115-004	COHO	276	253					
HS200336-VI04-115-005	COHO	291	285					
HS200336-VI04-115-006	COHO	261	208					
HS200336-VI04-115-007	COHO	300	342					
HS200336-VI04-115-008	COHO	283	271					
HS200336-VI04-115-009	COHO	235	149					AD
HS200336-VI04-115-010	COHO	226	135					
HS200336-VI05-115-001	COHO	306	329					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-VI05-115-002	COHO	261	207					AD
HS200336-VI05-115-003	COHO	278	260					AD
HS200336-VI05-115-004	COHO	330	406					AD
HS200336-VI05-115-005	COHO	275	242					AD
HS200336-VI05-115-006	COHO	284	258					AD
HS200336-VI05-115-007	COHO	295	273					AD
HS200336-VI05-115-008	COHO	279	232					AD
HS200336-VI05-115-009	COHO	290	290					AD
HS200336-VI06-115-001	COHO	299	322					
HS200336-VI06-115-002	COHO	253	196					
HS200336-VI06-115-003	COHO	264	241					
HS200336-VI06-115-004	COHO	248	172					
HS200336-VI06-115-005	COHO	246	157					AD
HS200336-VI06-115-006	COHO	288	282					AD
HS200336-VI06-115-007	COHO	265	215					
HS200336-VI06-115-008	COHO	274	242					AD
HS200336-VI06-115-009	COHO	301	284					AD
HS200336-VI06-115-010	COHO	300	297					
HS200336-VI06-115-011	COHO	282	243					AD
HS200336-VI06-115-012	COHO	272	209					
HS200336-VI06-115-013	COHO	244	188					
HS200336-VI06-115-014	COHO	288	272					
HS200336-VI06-115-015	COHO	302	328					
HS200336-VI06-115-016	COHO	334	436					AD
HS200336-VI07-115-001	COHO	277	254					AD
HS200336-VI07-115-002	COHO	309	370					
HS200336-VI07-115-003	COHO	295	312					
HS200336-VI07-115-004	COHO	264	198					
HS200336-VI07-115-005	COHO	274	240					
HS200336-VI07-115-006	COHO	280	265					
HS200336-DE01-108-001	PINK	238	149					
HS200336-DE01-108-002	PINK	215	100					
HS200336-DE01-108-003	PINK	203	79					
HS200336-DE01-108-004	PINK	217	95					
HS200336-DE01-108-005	PINK	218	100					
HS200336-DE01-108-006	PINK	262	200					
HS200336-DE01-108-007	PINK	231	141					
HS200336-DE01-108-008	PINK	234	128					
HS200336-DE01-108-009	PINK	252	149					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-DE01-108-010	PINK	216	112					
HS200336-DE01-108-011	PINK	228	125					
HS200336-DE01-108-012	PINK	185	59					
HS200336-DE01-108-013	PINK	220	111					
HS200336-DE01-108-014	PINK	198	75					
HS200336-DE01-108-015	PINK	238	158					
HS200336-DE01-108-016	PINK	223						
HS200336-DE01-108-017	PINK	216						
HS200336-DE01-108-018	PINK	224						
HS200336-DE01-108-019	PINK	213						
HS200336-DE01-108-020	PINK	215						
HS200336-DE01-108-021	PINK	190						
HS200336-DE01-108-022	PINK	235						
HS200336-DE01-108-023	PINK	226						
HS200336-DE01-108-024	PINK	205						
HS200336-DE01-108-025	PINK	224						
HS200336-DE01-108-026	PINK	216						
HS200336-DE01-108-027	PINK	191						
HS200336-DE01-108-028	PINK	230						
HS200336-DE01-108-029	PINK	206						
HS200336-DE01-108-030	PINK	220						
HS200336-DE01-108-031	PINK	246						
HS200336-DE01-108-032	PINK	233						
HS200336-DE01-108-033	PINK	236						
HS200336-DE01-108-034	PINK	231						
HS200336-DE01-108-035	PINK	209						
HS200336-DE01-108-036	PINK	226						
HS200336-DE01-108-037	PINK	231						
HS200336-DE01-108-038	PINK	204						
HS200336-DE01-108-039	PINK	220						
HS200336-DE01-108-040	PINK	221						
HS200336-DE01-108-041	PINK	209						
HS200336-DE01-108-042	PINK	220						
HS200336-DE01-108-043	PINK	213						
HS200336-DE01-108-044	PINK	205						
HS200336-DE01-108-045	PINK	199						
HS200336-DE01-108-046	PINK	223						
HS200336-DE01-108-047	PINK	230						
HS200336-DE01-108-048	PINK	232						

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-DE01-108-049	PINK	207						
HS200336-DE01-108-050	PINK	214						
HS200336-DE01-108-051	PINK	205						
HS200336-DE01-108-052	PINK	214						
HS200336-DE01-108-053	PINK	208						
HS200336-DE01-108-054	PINK	234						
HS200336-DE01-108-055	PINK	205						
HS200336-DE01-108-056	PINK	217						
HS200336-DE01-108-057	PINK	219						
HS200336-DE01-108-058	PINK	211						
HS200336-DE01-108-059	PINK	208						
HS200336-DE01-108-060	PINK	212						
HS200336-DE01-108-061	PINK	198						
HS200336-DE01-108-062	PINK	217						
HS200336-DE01-108-063	PINK	202						
HS200336-DE01-108-064	PINK	198						
HS200336-DE01-108-065	PINK	224						
HS200336-DE01-108-066	PINK	223						
HS200336-DE01-108-067	PINK	229						
HS200336-DE01-108-068	PINK	200						
HS200336-DE01-108-069	PINK	232						
HS200336-DE01-108-070	PINK	239						
HS200336-DE01-108-071	PINK	229						
HS200336-DE01-108-072	PINK	222						
HS200336-DE01-108-073	PINK	210						
HS200336-DE01-108-074	PINK	230						
HS200336-DE01-108-075	PINK	197						
HS200336-DE01-108-076	PINK	197						
HS200336-DE01-108-077	PINK	194						
HS200336-DE01-108-078	PINK	205						
HS200336-DE01-108-079	PINK	222						
HS200336-DE01-108-080	PINK	230						
HS200336-DE01-108-081	PINK	211						
HS200336-DE01-108-082	PINK	218						
HS200336-DE01-108-083	PINK	236						
HS200336-DE01-108-084	PINK	210						
HS200336-DE01-108-085	PINK	216						
HS200336-DE01-108-086	PINK	204						
HS200336-DE01-108-087	PINK	187						

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-DE01-108-088	PINK	207						
HS200336-DE01-108-089	PINK	230						
HS200336-DE01-108-090	PINK	224						
HS200336-DE01-108-091	PINK	215						
HS200336-DE01-108-092	PINK	248						
HS200336-DE01-108-093	PINK	228						
HS200336-DE01-108-094	PINK	224						
HS200336-DE01-108-095	PINK	226						
HS200336-DE01-108-096	PINK	205						
HS200336-DE01-108-097	PINK	226						
HS200336-DE01-108-098	PINK	222						
HS200336-DE01-108-099	PINK	183						
HS200336-DE01-108-100	PINK	206						
HS200336-DE01-108-101	PINK	215						
HS200336-DE01-108-102	PINK	240						
HS200336-DE01-108-103	PINK	211						
HS200336-DE01-108-104	PINK	234						
HS200336-DE01-108-105	PINK	216						
HS200336-DE01-108-106	PINK	216						
HS200336-DE01-108-107	PINK	254						
HS200336-DE01-108-108	PINK	236						
HS200336-DE01-108-109	PINK	221						
HS200336-DE01-108-110	PINK	218						
HS200336-DE01-108-111	PINK	233						
HS200336-DE01-108-112	PINK	238						
HS200336-DE01-108-113	PINK	252						
HS200336-DE01-108-114	PINK	245						
HS200336-DE01-108-115	PINK	240						
HS200336-DE02-108-001	PINK	213	91					
HS200336-DE02-108-002	PINK	186	58					
HS200336-DE02-108-003	PINK	219	112					
HS200336-DE02-108-004	PINK	218	95					
HS200336-DE02-108-005	PINK	216	104					
HS200336-DE02-108-006	PINK	207	93					
HS200336-DE02-108-007	PINK	229	112					
HS200336-DE02-108-008	PINK	203	85					
HS200336-DE02-108-009	PINK	218	96					
HS200336-DE02-108-010	PINK	196	69					
HS200336-DE02-108-011	PINK	183	55					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-DE02-108-012	PINK	231	118					
HS200336-DE02-108-013	PINK	213	88					
HS200336-DE02-108-014	PINK	190	68					
HS200336-DE02-108-015	PINK	202	87					
HS200336-DE02-108-016	PINK	223						
HS200336-DE02-108-017	PINK	204						
HS200336-DE02-108-018	PINK	176						
HS200336-DE02-108-019	PINK	204						
HS200336-DE02-108-020	PINK	179						
HS200336-DE02-108-021	PINK	206						
HS200336-DE02-108-022	PINK	213						
HS200336-DE02-108-023	PINK	208						
HS200336-DE02-108-024	PINK	200						
HS200336-DE02-108-025	PINK	222						
HS200336-DE02-108-026	PINK	202						
HS200336-DE02-108-027	PINK	210						
HS200336-DE02-108-028	PINK	215						
HS200336-DE02-108-029	PINK	211						
HS200336-DE02-108-030	PINK	198						
HS200336-DE02-108-031	PINK	201						
HS200336-DE02-108-032	PINK	208						
HS200336-DE02-108-033	PINK	211						
HS200336-DE02-108-034	PINK	215						
HS200336-DE02-108-035	PINK	187						
HS200336-DE02-108-036	PINK	220						
HS200336-DE02-108-037	PINK	181						
HS200336-DE02-108-038	PINK	212						
HS200336-DE02-108-039	PINK	190						
HS200336-DE02-108-040	PINK	224						
HS200336-DE02-108-041	PINK	187						
HS200336-DE02-108-042	PINK	200						
HS200336-DE02-108-043	PINK	218						
HS200336-DE02-108-044	PINK	219						
HS200336-DE02-108-045	PINK	237						
HS200336-DE02-108-046	PINK	218						
HS200336-DE02-108-047	PINK	198						
HS200336-DE02-108-048	PINK	200						
HS200336-DE02-108-049	PINK	211						
HS200336-DE02-108-050	PINK	204						

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-DE02-108-051	PINK	206						
HS200336-DE02-108-052	PINK	190						
HS200336-DE02-108-053	PINK	210						
HS200336-DE02-108-054	PINK	193						
HS200336-DE02-108-055	PINK	212						
HS200336-DE02-108-056	PINK	175						
HS200336-DE02-108-057	PINK	188						
HS200336-DE02-108-058	PINK	214						
HS200336-DE02-108-059	PINK	214						
HS200336-DE02-108-060	PINK	184						
HS200336-DE02-108-061	PINK	220						
HS200336-DE02-108-062	PINK	208						
HS200336-DE02-108-063	PINK	173						
HS200336-DE02-108-064	PINK	212						
HS200336-DE02-108-065	PINK	203						
HS200336-DE02-108-066	PINK	211						
HS200336-DE02-108-067	PINK	183						
HS200336-DE02-108-068	PINK	204						
HS200336-DE02-108-069	PINK	214						
HS200336-DE02-108-070	PINK	175						
HS200336-DE02-108-071	PINK	179						
HS200336-DE02-108-072	PINK	199						
HS200336-DE02-108-073	PINK	187						
HS200336-DE02-108-074	PINK	194						
HS200336-DE02-108-075	PINK	214						
HS200336-DE02-108-076	PINK	198						
HS200336-DE02-108-077	PINK	226						
HS200336-DE02-108-078	PINK	211						
HS200336-DE02-108-079	PINK	164						
HS200336-DE02-108-080	PINK	189						
HS200336-DE02-108-081	PINK	205						
HS200336-DE02-108-082	PINK	187						
HS200336-DE03-108-001	PINK	204	74					
HS200336-DE03-108-002	PINK	205	73					
HS200336-DE03-108-003	PINK	202	75					
HS200336-DE03-108-004	PINK	204	82					
HS200336-DE03-108-005	PINK	211	91					
HS200336-DE03-108-006	PINK	191	65					
HS200336-DE03-108-007	PINK	200	78					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-DE03-108-008	PINK	182	60					
HS200336-DE03-108-009	PINK	189	61					
HS200336-DE03-108-010	PINK	185	58					
HS200336-DE03-108-011	PINK	216	100					
HS200336-DE03-108-012	PINK	193	67					
HS200336-DE03-108-013	PINK	200	73					
HS200336-DE03-108-014	PINK	186	63					
HS200336-DE03-108-015	PINK	208	86					
HS200336-DE03-108-016	PINK	196						
HS200336-DE03-108-017	PINK	182						
HS200336-DE03-108-018	PINK	178						
HS200336-DE03-108-019	PINK	196						
HS200336-DE03-108-020	PINK	181						
HS200336-DE03-108-021	PINK	180						
HS200336-DE03-108-022	PINK	208						
HS200336-DE03-108-023	PINK	176						
HS200336-DE03-108-024	PINK	186						
HS200336-DE03-108-025	PINK	204						
HS200336-DE03-108-026	PINK	190						
HS200336-DE03-108-027	PINK	196						
HS200336-DE03-108-028	PINK	182						
HS200336-DE03-108-029	PINK	212						
HS200336-DE03-108-030	PINK	182						
HS200336-DE03-108-031	PINK	196						
HS200336-DE03-108-032	PINK	187						
HS200336-DE03-108-033	PINK	168						
HS200336-DE03-108-034	PINK	205						
HS200336-DE03-108-035	PINK	205						
HS200336-DE03-108-036	PINK	202						
HS200336-DE03-108-037	PINK	197						
HS200336-DE03-108-038	PINK	184						
HS200336-DE03-108-039	PINK	178						
HS200336-DE03-108-040	PINK	184						
HS200336-DE03-108-041	PINK	177						
HS200336-DE03-108-042	PINK	191						
HS200336-DE03-108-043	PINK	173						
HS200336-DE03-108-044	PINK	195						
HS200336-DE03-108-045	PINK	180						
HS200336-DE03-108-046	PINK	202						

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-DE03-108-047	PINK	194						
HS200336-DE03-108-048	PINK	178						
HS200336-DE03-108-049	PINK	184						
HS200336-DE03-108-050	PINK	202						
HS200336-DE03-108-051	PINK	174						
HS200336-DE03-108-052	PINK	187						
HS200336-DE03-108-053	PINK	171						
HS200336-DE03-108-054	PINK	188						
HS200336-DE03-108-055	PINK	155						
HS200336-DE04-108-001	PINK	191	65					
HS200336-DE04-108-002	PINK	208	83					
HS200336-DE04-108-003	PINK	192	71					
HS200336-DE04-108-004	PINK	214	92					
HS200336-DE04-108-005	PINK	208	82					
HS200336-DE04-108-006	PINK	194	69					
HS200336-DE04-108-007	PINK	188	60					
HS200336-DE04-108-008	PINK	211	87					
HS200336-DE04-108-009	PINK	217	98					
HS200336-DE04-108-010	PINK	187	65					
HS200336-DE04-108-011	PINK	213	91					
HS200336-DE04-108-012	PINK	188	67					
HS200336-DE04-108-013	PINK	215	89					
HS200336-DE04-108-014	PINK	181	53					
HS200336-DE04-108-015	PINK	195	69					
HS200336-DE04-108-016	PINK	202						
HS200336-DE04-108-017	PINK	195						
HS200336-DE04-108-018	PINK	200						
HS200336-DE04-108-019	PINK	198						
HS200336-DE04-108-020	PINK	217						
HS200336-DE04-108-021	PINK	186						
HS200336-DE04-108-022	PINK	216						
HS200336-DE04-108-023	PINK	215						
HS200336-DE04-108-024	PINK	208						
HS200336-DE04-108-025	PINK	189						
HS200336-DE04-108-026	PINK	212						
HS200336-DE04-108-027	PINK	206						
HS200336-DE04-108-028	PINK	222						
HS200336-DE04-108-029	PINK	203						
HS200336-DE04-108-030	PINK	173						

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-DE04-108-031	PINK	200						
HS200336-DE04-108-032	PINK	200						
HS200336-DE04-108-033	PINK	182						
HS200336-DE04-108-034	PINK	228						
HS200336-DE04-108-035	PINK	191						
HS200336-DE04-108-036	PINK	192						
HS200336-DE04-108-037	PINK	182						
HS200336-DE04-108-038	PINK	193						
HS200336-DE04-108-039	PINK	237						
HS200336-DE04-108-040	PINK	230						
HS200336-DE04-108-041	PINK	188						
HS200336-DE04-108-042	PINK	212						
HS200336-DE04-108-043	PINK	190						
HS200336-DE04-108-044	PINK	203						
HS200336-DE04-108-045	PINK	186						
HS200336-DE04-108-046	PINK	208						
HS200336-DE04-108-047	PINK	206						
HS200336-DE04-108-048	PINK	203						
HS200336-DE04-108-049	PINK	207						
HS200336-DE04-108-050	PINK	200						
HS200336-DE04-108-051	PINK	221						
HS200336-DE04-108-052	PINK	213						
HS200336-DE04-108-053	PINK	205						
HS200336-DE04-108-054	PINK	202						
HS200336-DE04-108-055	PINK	184						
HS200336-DE04-108-056	PINK	212						
HS200336-DE04-108-057	PINK	199						
HS200336-DE04-108-058	PINK	200						
HS200336-DE04-108-059	PINK	205						
HS200336-DE04-108-060	PINK	216						
HS200336-DE04-108-061	PINK	183						
HS200336-DE04-108-062	PINK	210						
HS200336-DE04-108-063	PINK	201						
HS200336-DE04-108-064	PINK	190						
HS200336-DE04-108-065	PINK	207						
HS200336-DE04-108-066	PINK	193						
HS200336-DE04-108-067	PINK	198						
HS200336-DE04-108-068	PINK	188						
HS200336-DE04-108-069	PINK	208						

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-DE04-108-070	PINK	193						
HS200336-DE04-108-071	PINK	210						
HS200336-DE04-108-072	PINK	200						
HS200336-DE04-108-073	PINK	198						
HS200336-DE04-108-074	PINK	198						
HS200336-DE04-108-075	PINK	191						
HS200336-DE04-108-076	PINK	178						
HS200336-DE04-108-077	PINK	206						
HS200336-DE04-108-078	PINK	202						
HS200336-DE04-108-079	PINK	188						
HS200336-DE04-108-080	PINK	202						
HS200336-DE04-108-081	PINK	215						
HS200336-DE04-108-082	PINK	296						
HS200336-DE04-108-083	PINK	188						
HS200336-DE04-108-084	PINK	183						
HS200336-DE04-108-085	PINK	188						
HS200336-DE04-108-086	PINK	207						
HS200336-DE04-108-087	PINK	181						
HS200336-DE04-108-088	PINK	195						
HS200336-DE04-108-089	PINK	202						
HS200336-DE04-108-090	PINK	196						
HS200336-DE04-108-091	PINK	204						
HS200336-DE04-108-092	PINK	197						
HS200336-DE04-108-093	PINK	200						
HS200336-DE04-108-094	PINK	194						
HS200336-DE04-108-095	PINK	180						
HS200336-DE04-108-096	PINK	198						
HS200336-DE04-108-097	PINK	218						
HS200336-DE04-108-098	PINK	199						
HS200336-DE04-108-099	PINK	218						
HS200336-DE04-108-100	PINK	198						
HS200336-DE04-108-101	PINK	175						
HS200336-DE04-108-102	PINK	192						
HS200336-DE04-108-103	PINK	226						
HS200336-DE04-108-104	PINK	195						
HS200336-DE04-108-105	PINK	208						
HS200336-DE04-108-106	PINK	222						
HS200336-DE04-108-107	PINK	188						
HS200336-DE04-108-108	PINK	201						

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-DE04-108-109	PINK	194						
HS200336-DE04-108-110	PINK	186						
HS200336-DE04-108-111	PINK	185						
HS200336-DE04-108-112	PINK	203						
HS200336-DE04-108-113	PINK	204						
HS200336-DE04-108-114	PINK	203						
HS200336-DE04-108-115	PINK	211						
HS200336-DE04-108-116	PINK	221						
HS200336-DE04-108-117	PINK	182						
HS200336-DE05-108-001	PINK	210	82					
HS200336-DE05-108-002	PINK	215	96					
HS200336-DE05-108-003	PINK	190	61					
HS200336-DE05-108-004	PINK	225	102					
HS200336-DE05-108-005	PINK	192	68					
HS200336-DE05-108-006	PINK	193	67					
HS200336-DE05-108-007	PINK	216	90					
HS200336-DE05-108-008	PINK	214	88					
HS200336-DE05-108-009	PINK	179	54					
HS200336-DE05-108-010	PINK	228	103					
HS200336-DE05-108-011	PINK	218	96					
HS200336-DE05-108-012	PINK	205	80					
HS200336-DE05-108-013	PINK	214	89					
HS200336-DE05-108-014	PINK	215	87					
HS200336-DE05-108-015	PINK	228	114					
HS200336-DE05-108-016	PINK	219						
HS200336-DE05-108-017	PINK	214						
HS200336-DE05-108-018	PINK	205						
HS200336-DE05-108-019	PINK	197						
HS200336-DE05-108-020	PINK	205						
HS200336-DE05-108-021	PINK	213						
HS200336-DE05-108-022	PINK	208						
HS200336-DE05-108-023	PINK	194						
HS200336-DE05-108-024	PINK	219						
HS200336-DE05-108-025	PINK	186						
HS200336-DE05-108-026	PINK	208						
HS200336-DE05-108-027	PINK	194						
HS200336-DE05-108-028	PINK	200						
HS200336-DE05-108-029	PINK	182						
HS200336-DE05-108-030	PINK	221						

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-DE06-108-001	PINK	215	99					
HS200336-DE06-108-002	PINK	259	173					
HS200336-DE06-108-003	PINK	237	124					
HS200336-DE06-108-004	PINK	207	81					
HS200336-DE06-108-005	PINK	238	124					
HS200336-DE07-108-001	PINK	229	114					
HS200336-FI01-108-001	PINK	268	213					
HS200336-FI02-108-001	PINK	248	145					
HS200336-HS01-108-001	PINK	201	74					
HS200336-HS01-108-002	PINK	211	107					
HS200336-HS01-108-003	PINK	218	95					
HS200336-HS01-108-004	PINK	204	82					
HS200336-HS01-108-005	PINK	231	111					
HS200336-HS01-108-006	PINK	214	84					
HS200336-HS01-108-007	PINK	219	97					
HS200336-HS01-108-008	PINK	211	90					
HS200336-HS01-108-009	PINK	200	72					
HS200336-HS01-108-010	PINK	212	93					
HS200336-HS01-108-011	PINK	201	78					
HS200336-HS01-108-012	PINK	192	66					
HS200336-HS01-108-013	PINK	198	74					
HS200336-HS01-108-014	PINK	209	89					
HS200336-HS01-108-015	PINK	188	64					
HS200336-HS01-108-016	PINK	205						
HS200336-HS01-108-017	PINK	215						
HS200336-HS01-108-018	PINK	197						
HS200336-HS01-108-019	PINK	196						
HS200336-HS01-108-020	PINK	215						
HS200336-HS01-108-021	PINK	199						
HS200336-HS01-108-022	PINK	199						
HS200336-HS01-108-023	PINK	214						
HS200336-HS01-108-024	PINK	203						
HS200336-HS01-108-025	PINK	195						
HS200336-HS01-108-026	PINK	195						
HS200336-HS01-108-027	PINK	223						
HS200336-HS01-108-028	PINK	201						
HS200336-HS01-108-029	PINK	212						
HS200336-HS01-108-030	PINK	202						
HS200336-HS01-108-031	PINK	207						

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-HS01-108-032	PINK	206						
HS200336-HS01-108-033	PINK	200						
HS200336-HS01-108-034	PINK	212						
HS200336-HS01-108-035	PINK	205						
HS200336-HS01-108-036	PINK	197						
HS200336-HS01-108-037	PINK	205						
HS200336-HS01-108-038	PINK	200						
HS200336-HS01-108-039	PINK	184						
HS200336-HS01-108-040	PINK	208						
HS200336-HS01-108-041	PINK	207						
HS200336-HS01-108-042	PINK	206						
HS200336-HS01-108-043	PINK	190						
HS200336-HS01-108-044	PINK	184						
HS200336-HS01-108-045	PINK	205						
HS200336-HS01-108-046	PINK	208						
HS200336-HS01-108-047	PINK	196						
HS200336-HS01-108-048	PINK	263						
HS200336-HS01-108-049	PINK	221						
HS200336-HS01-108-050	PINK	191						
HS200336-HS01-108-051	PINK	221						
HS200336-HS01-108-052	PINK	190						
HS200336-HS01-108-053	PINK	217						
HS200336-HS01-108-054	PINK	195						
HS200336-HS01-108-055	PINK	190						
HS200336-HS01-108-056	PINK	208						
HS200336-HS01-108-057	PINK	207						
HS200336-HS01-108-058	PINK	207						
HS200336-HS01-108-059	PINK	201						
HS200336-HS01-108-060	PINK	202						
HS200336-HS01-108-061	PINK	204						
HS200336-HS01-108-062	PINK	205						
HS200336-HS01-108-063	PINK	205						
HS200336-HS01-108-064	PINK	215						
HS200336-HS01-108-065	PINK	192						
HS200336-HS02-108-001	PINK	227	111					
HS200336-HS02-108-002	PINK	212	82					
HS200336-HS02-108-003	PINK	194	66					
HS200336-HS02-108-004	PINK	210	86					
HS200336-HS02-108-005	PINK	216	95					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-HS02-108-006	PINK	226	104					
HS200336-HS02-108-007	PINK	203	78					
HS200336-HS02-108-008	PINK	194	74					
HS200336-HS02-108-009	PINK	196	61					
HS200336-HS02-108-010	PINK	211	91					
HS200336-HS02-108-011	PINK	197	71					
HS200336-HS02-108-012	PINK	209	82					
HS200336-HS02-108-013	PINK	201	69					
HS200336-HS02-108-014	PINK	216	92					
HS200336-HS03-108-001	PINK	192	65					
HS200336-HS03-108-002	PINK	204	82					
HS200336-HS03-108-003	PINK	200	71					
HS200336-HS03-108-004	PINK	204	77					
HS200336-HS03-108-005	PINK	193	64					
HS200336-HS03-108-006	PINK	200	73					
HS200336-HS03-108-007	PINK	198	69					
HS200336-IBC01-108-001	PINK	197	68					
HS200336-IBC01-108-002	PINK	194	72					
HS200336-IBC01-108-003	PINK	222	116					
HS200336-IBC01-108-004	PINK	210	94					
HS200336-IBC01-108-005	PINK	200	77					
HS200336-IBC01-108-006	PINK	196	78					
HS200336-IBC01-108-007	PINK	220	106					
HS200336-IBC01-108-008	PINK	187	61					
HS200336-IBC01-108-009	PINK	211	83					
HS200336-IBC01-108-010	PINK	180	54					
HS200336-IBC01-108-011	PINK	195	77					
HS200336-IBC01-108-012	PINK	195	74					
HS200336-IBC01-108-013	PINK	174	49					
HS200336-IBC01-108-014	PINK	193	70					
HS200336-IBC01-108-015	PINK	202	79					
HS200336-IBC01-108-016	PINK	199						
HS200336-IBC02-108-001	PINK	194	65					
HS200336-IBC02-108-002	PINK	194	70					
HS200336-IBC02-108-003	PINK	220	104					
HS200336-IBC02-108-004	PINK	195	70					
HS200336-IBC02-108-005	PINK	166	48					
HS200336-IBC02-108-006	PINK	194	71					
HS200336-IBC02-108-007	PINK	206	83					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IBC02-108-008	PINK	225	114					
HS200336-IBC02-108-009	PINK	214	90					
HS200336-IBC02-108-010	PINK	201	77					
HS200336-IBC02-108-011	PINK	190	69					
HS200336-IBC02-108-012	PINK	205	83					
HS200336-IBC02-108-013	PINK	205	84					
HS200336-IBC02-108-014	PINK	189	66					
HS200336-IBC02-108-015	PINK	215	91					
HS200336-IBC03-108-001	PINK	211	91					
HS200336-IBC04-108-001	PINK	192	69					
HS200336-IBC04-108-002	PINK	200	82					
HS200336-IBC04-108-003	PINK	197	74					
HS200336-IBC04-108-004	PINK	191	71					
HS200336-IBC04-108-005	PINK	212	97					
HS200336-IBC04-108-006	PINK	190	59					
HS200336-IBC04-108-007	PINK	220	109					
HS200336-IBC04-108-008	PINK	192	73					
HS200336-IBC04-108-009	PINK	189	71					
HS200336-IBC04-108-010	PINK	193	71					
HS200336-IBC05-108-001	PINK	176	58					
HS200336-IBC05-108-002	PINK	195	69					
HS200336-IBC05-108-003	PINK	190	63					
HS200336-IBC06-108-001	PINK	198	72					
HS200336-IBC07-108-001	PINK	203	90					
HS200336-IBC07-108-002	PINK	201	86					
HS200336-IBC07-108-003	PINK	198	76					
HS200336-IBC07-108-004	PINK	193	71					
HS200336-IBC07-108-005	PINK	229	123					
HS200336-IBC07-108-006	PINK	205	92					
HS200336-IBC07-108-007	PINK	223	114					
HS200336-IBC07-108-008	PINK	211	88					
HS200336-IBC07-108-009	PINK	207	83					
HS200336-IBC07-108-010	PINK	209	91					
HS200336-IBC07-108-011	PINK	216	95					
HS200336-IBC07-108-012	PINK	188	66					
HS200336-IBC07-108-013	PINK	201	84					
HS200336-IBC07-108-014	PINK	220	101					
HS200336-IBC07-108-015	PINK	202	83					
HS200336-IBC07-108-016	PINK	202						

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IBC07-108-017	PINK	226						
HS200336-IBC07-108-018	PINK	193						
HS200336-IBC07-108-019	PINK	207						
HS200336-IBC07-108-020	PINK	195						
HS200336-IBC08-108-001	PINK	205	83					
HS200336-IBC08-108-002	PINK	240	137					
HS200336-IBC08-108-003	PINK	218	98					
HS200336-IBC08-108-004	PINK	205	90					
HS200336-IBC08-108-005	PINK	214	96					
HS200336-IBC08-108-006	PINK	222	108					
HS200336-IBC08-108-007	PINK	230	125					
HS200336-IBC11-108-001	PINK	246	152					
HS200336-IBC11-108-002	PINK	234	130					
HS200336-IBC11-108-003	PINK	210	92					
HS200336-IBC11-108-004	PINK	230	124					
HS200336-IBC11-108-005	PINK	197	73					
HS200336-IBC11-108-006	PINK	215	102					
HS200336-IBC11-108-007	PINK	204	91					
HS200336-IBC11-108-008	PINK	241	146					
HS200336-IBC11-108-009	PINK	214	92					
HS200336-IBC11-108-010	PINK	224	113					
HS200336-IBC11-108-011	PINK	224	111					
HS200336-IBC11-108-012	PINK	232	114					
HS200336-IBC11-108-013	PINK	213	97					
HS200336-IBC11-108-014	PINK	210	86					
HS200336-IBC11-108-015	PINK	216	108					
HS200336-IBC11-108-016	PINK	210						
HS200336-IBC11-108-017	PINK	225						
HS200336-IBC11-108-018	PINK	234						
HS200336-IBC11-108-019	PINK	234						
HS200336-IBC11-108-020	PINK	217						
HS200336-IBC11-108-021	PINK	227						
HS200336-IBC11-108-022	PINK	216						
HS200336-IBC11-108-023	PINK	209						
HS200336-IBC11-108-024	PINK	232						
HS200336-IBC11-108-025	PINK	196						
HS200336-IBC11-108-026	PINK	226						
HS200336-IBC11-108-027	PINK	211						
HS200336-IBC11-108-028	PINK	230						

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IBC11-108-029	PINK	228						
HS200336-IBC11-108-030	PINK	219						
HS200336-IBC11-108-031	PINK	216						
HS200336-IBC11-108-032	PINK	207						
HS200336-IBC11-108-033	PINK	210						
HS200336-IBC11-108-034	PINK	212						
HS200336-IBC11-108-035	PINK	220						
HS200336-IBC11-108-036	PINK	219						
HS200336-IBC11-108-037	PINK	258						
HS200336-IBC11-108-038	PINK	223						
HS200336-IBC11-108-039	PINK	250						
HS200336-IBC11-108-040	PINK	221						
HS200336-IBC11-108-041	PINK	227						
HS200336-IBC11-108-042	PINK	220						
HS200336-IBC11-108-043	PINK	236						
HS200336-IBC11-108-044	PINK	240						
HS200336-IBC11-108-045	PINK	237						
HS200336-IBC11-108-046	PINK	219						
HS200336-IBC11-108-047	PINK	210						
HS200336-IBC11-108-048	PINK	212						
HS200336-IBC11-108-049	PINK	224						
HS200336-IBC11-108-050	PINK	202						
HS200336-IBC11-108-051	PINK	226						
HS200336-IBC11-108-052	PINK	246						
HS200336-IBC11-108-053	PINK	213						
HS200336-IBC12-108-001	PINK	203	81					
HS200336-IBC12-108-002	PINK	222	136					
HS200336-IBC12-108-003	PINK	225	121					
HS200336-IBC12-108-004	PINK	222	115					
HS200336-IBC12-108-005	PINK	212	95					
HS200336-IBC12-108-006	PINK	213	97					
HS200336-IBC12-108-007	PINK	221	106					
HS200336-IBC12-108-008	PINK	194	67					
HS200336-IBC12-108-009	PINK	198	86					
HS200336-IBC12-108-010	PINK	215	96					
HS200336-IBC12-108-011	PINK	206	88					
HS200336-IBC12-108-012	PINK	223	122					
HS200336-IBC12-108-013	PINK	229	121					
HS200336-IBC12-108-014	PINK	191	70					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IBC12-108-015	PINK	220	128					
HS200336-IBC12-108-016	PINK	222						
HS200336-IBC12-108-017	PINK	213						
HS200336-IBC12-108-018	PINK	227						
HS200336-IBC12-108-019	PINK	213						
HS200336-IBC12-108-020	PINK	202						
HS200336-IBC12-108-021	PINK	220						
HS200336-IBC13-108-001	PINK	194	66					
HS200336-IBC13-108-002	PINK	235	141					
HS200336-IBC15-108-001	PINK	264	191					
HS200336-IBC15-108-002	PINK	201	71					
HS200336-IBC15-108-003	PINK	224	116					
HS200336-IBC15-108-004	PINK	221	101					
HS200336-IBC15-108-005	PINK	212	94					
HS200336-IBC15-108-006	PINK	213	86					
HS200336-IBC16-108-001	PINK	205	82					
HS200336-IBC16-108-002	PINK	215	91					
HS200336-IBC16-108-003	PINK	197	67					
HS200336-IBC16-108-004	PINK	182	56					
HS200336-IBC16-108-005	PINK	210	83					
HS200336-IBC16-108-006	PINK	195	61					
HS200336-IBC16-108-007	PINK	194	69					
HS200336-IBC16-108-008	PINK	199	65					
HS200336-IBC16-108-009	PINK	195	69					
HS200336-IBC16-108-010	PINK	200	73					
HS200336-IBC16-108-011	PINK	205	73					
HS200336-IBC16-108-012	PINK	187	62					
HS200336-IBC16-108-013	PINK	211	87					
HS200336-IBC16-108-014	PINK	200	75					
HS200336-IBC16-108-015	PINK	175	49					
HS200336-IBC17-108-001	PINK	205	90					
HS200336-IBC17-108-002	PINK	198	73					
HS200336-IBC17-108-003	PINK	192	66					
HS200336-IBC17-108-004	PINK	200	80					
HS200336-IBC17-108-005	PINK	200	77					
HS200336-IBC17-108-006	PINK	213	109					
HS200336-IBC17-108-007	PINK	202	74					
HS200336-IBC17-108-008	PINK	196	72					
HS200336-IBC17-108-009	PINK	203	86					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IBC17-108-010	PINK	231	119					
HS200336-IBC17-108-011	PINK	200	79					
HS200336-IBC18-108-001	PINK	190	58					
HS200336-IBC18-108-002	PINK	219	101					
HS200336-IBC18-108-003	PINK	208	82					
HS200336-IBC18-108-004	PINK	218	97					
HS200336-IBC18-108-005	PINK	184	58					
HS200336-IBC18-108-006	PINK	202	74					
HS200336-IBC18-108-007	PINK	233	119					
HS200336-IBC18-108-008	PINK	229	111					
HS200336-IBC18-108-009	PINK	234	126					
HS200336-IBC18-108-010	PINK	207	83					
HS200336-IBC18-108-011	PINK	210	88					
HS200336-IBC18-108-012	PINK	200	78					
HS200336-IBC18-108-013	PINK	200	76					
HS200336-IBC18-108-014	PINK	201	74					
HS200336-IBC19-108-001	PINK	235	123					
HS200336-IBC19-108-002	PINK	227	117					
HS200336-IBC19-108-003	PINK	209	85					
HS200336-IBC19-108-004	PINK	196	72					
HS200336-IBC19-108-005	PINK	204	71					
HS200336-IBC19-108-006	PINK	235	123					
HS200336-IBC19-108-007	PINK	213	93					
HS200336-IBC19-108-008	PINK	232	113					
HS200336-IBC19-108-009	PINK	214	107					
HS200336-IBC19-108-011	PINK	195	79					
HS200336-IBC19-108-012	PINK	180	54					
HS200336-IBC19-108-013	PINK	211	87					
HS200336-IBC19-108-014	PINK	200	71					
HS200336-IBC19-108-015	PINK	183	59					
HS200336-IBC19-108-016	PINK	192						
HS200336-IBC19-108-017	PINK	205						
HS200336-IBC19-108-018	PINK	213						
HS200336-IBC19-108-019	PINK	211						
HS200336-IBC19-108-020	PINK	205						
HS200336-ISEA01-108-001	PINK	241	146					
HS200336-ISEA01-108-002	PINK	224	112					
HS200336-ISEA01-108-003	PINK	216	102					
HS200336-ISEA01-108-004	PINK	235	141					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-ISEA01-108-005	PINK	224	122					
HS200336-ISEA01-108-006	PINK	228	118					
HS200336-ISEA01-108-007	PINK	205	87					
HS200336-ISEA01-108-008	PINK	211	93					
HS200336-ISEA01-108-009	PINK	248	150					
HS200336-ISEA01-108-010	PINK	225	118					
HS200336-ISEA01-108-011	PINK	216	95					
HS200336-ISEA01-108-012	PINK	216	100					
HS200336-ISEA01-108-013	PINK	210	95					
HS200336-ISEA01-108-014	PINK	222	112					
HS200336-ISEA01-108-015	PINK	226	120					
HS200336-ISEA01-108-016	PINK	226						
HS200336-ISEA01-108-017	PINK	205						
HS200336-ISEA01-108-018	PINK	208						
HS200336-ISEA08-108-001	PINK	173	53					
HS200336-ISEA08-108-002	PINK	205	75					
HS200336-ISEA08-108-003	PINK	209	88					
HS200336-ISEA08-108-004	PINK	213	95					
HS200336-ISEA08-108-005	PINK	202	79					
HS200336-ISEA08-108-006	PINK	200	77					
HS200336-ISEA08-108-007	PINK	210	93					
HS200336-ISEA08-108-008	PINK	215	107					
HS200336-ISEA08-108-009	PINK	179	59					
HS200336-ISEA08-108-010	PINK	197	72					
HS200336-ISEA08-108-011	PINK	200	81					
HS200336-ISEA08-108-012	PINK	220	92					
HS200336-ISEA08-108-013	PINK	175	47					
HS200336-ISEA08-108-014	PINK	208	82					
HS200336-ISEA08-108-015	PINK	202	77					
HS200336-ISEA08-108-016	PINK	181						
HS200336-ISEA09-108-001	PINK	193	67					
HS200336-ISEA09-108-002	PINK	201	81					
HS200336-ISEA09-108-003	PINK	197	76					
HS200336-ISEA09-108-004	PINK	216	92					
HS200336-ISEA10-108-001	PINK	198	80					
HS200336-ISEA10-108-002	PINK	209	86					
HS200336-ISEA11-108-001	PINK	193	68					
HS200336-ISEA11-108-002	PINK	197	71					
HS200336-ISEA11-108-003	PINK	196	72					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-ISEA11-108-004	PINK	194	70					
HS200336-ISEA11-108-005	PINK	197	77					
HS200336-ISEA11-108-006	PINK	185	60					
HS200336-ISEA11-108-007	PINK	211	89					
HS200336-ISEA11-108-008	PINK	216	95					
HS200336-ISEA11-108-009	PINK	198	79					
HS200336-ISEA11-108-010	PINK	208	88					
HS200336-ISEA11-108-011	PINK	194	69					
HS200336-ISEA11-108-012	PINK	214	90					
HS200336-ISEA11-108-013	PINK	199	80					
HS200336-ISEA11-108-014	PINK	199	71					
HS200336-ISEA12-108-001	PINK	203	80					
HS200336-ISEA12-108-002	PINK	200	80					
HS200336-ISEA12-108-003	PINK	210	87					
HS200336-ISEA12-108-004	PINK	193	71					
HS200336-ISEA12-108-005	PINK	202	78					
HS200336-ISEA12-108-006	PINK	194	71					
HS200336-ISEA12-108-007	PINK	176	55					
HS200336-ISEA12-108-008	PINK	202	83					
HS200336-ISEA15-108-001	PINK	238	137					
HS200336-ISEA15-108-002	PINK	215	94					
HS200336-ISEA15-108-003	PINK	195	71					
HS200336-ISEA15-108-004	PINK	207	82					
HS200336-ISEA15-108-005	PINK	181	55					
HS200336-ISEA15-108-006	PINK	220	105					
HS200336-ISEA15-108-007	PINK	223	101					
HS200336-ISEA15-108-008	PINK	217	97					
HS200336-ISEA15-108-009	PINK	219	98					
HS200336-ISEA15-108-010	PINK	207	87					
HS200336-ISEA15-108-011	PINK	204	81					
HS200336-ISEA15-108-012	PINK	211	81					
HS200336-ISEA15-108-013	PINK	213	93					
HS200336-ISEA15-108-014	PINK	223	105					
HS200336-ISEA15-108-015	PINK	209	87					
HS200336-ISEA15-108-016	PINK	200						
HS200336-ISEA15-108-017	PINK	202						
HS200336-ISEA15-108-018	PINK	220						
HS200336-ISEA15-108-019	PINK	213						
HS200336-ISEA15-108-020	PINK	208						

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-ISEA15-108-021	PINK	201						
HS200336-ISEA15-108-022	PINK	215						
HS200336-ISEA15-108-023	PINK	221						
HS200336-ISEA15-108-024	PINK	230						
HS200336-ISEA15-108-025	PINK	221						
HS200336-ISEA15-108-026	PINK	233						
HS200336-ISEA15-108-027	PINK	215						
HS200336-ISEA15-108-028	PINK	212						
HS200336-ISEA15-108-029	PINK	215						
HS200336-ISEA15-108-030	PINK	200						
HS200336-ISEA15-108-031	PINK	196						
HS200336-ISEA15-108-032	PINK	208						
HS200336-ISEA15-108-033	PINK	207						
HS200336-ISEA15-108-034	PINK	219						
HS200336-ISEA15-108-035	PINK	228						
HS200336-ISEA16-108-001	PINK	200	75					
HS200336-ISEA16-108-002	PINK	205	83					
HS200336-ISEA16-108-003	PINK	207	85					
HS200336-ISEA16-108-004	PINK	221	111					
HS200336-ISEA16-108-005	PINK	236	122					
HS200336-ISEA16-108-006	PINK	216	95					
HS200336-ISEA17-108-001	PINK	196	74					
HS200336-ISEA17-108-002	PINK	211	86					
HS200336-ISEA17-108-003	PINK	207	86					
HS200336-ISEA17-108-004	PINK	213	85					
HS200336-ISEA17-108-005	PINK	237	129					
HS200336-ISEA17-108-006	PINK	217	106					
HS200336-ISEA17-108-007	PINK	205	79					
HS200336-ISEA17-108-008	PINK	232	119					
HS200336-ISEA17-108-009	PINK	225	114					
HS200336-ISEA17-108-010	PINK	221	107					
HS200336-ISEA17-108-011	PINK	212	96					
HS200336-ISEA17-108-012	PINK	216	106					
HS200336-ISEA17-108-013	PINK	217	92					
HS200336-ISEA17-108-014	PINK	208	86					
HS200336-ISEA18-108-001	PINK	209	87					
HS200336-ISEA18-108-002	PINK	209	83					
HS200336-ISEA18-108-003	PINK	204	83					
HS200336-ISEA18-108-004	PINK	206	80					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-ISEA18-108-005	PINK	235	129					
HS200336-ISEA18-108-006	PINK	220	95					
HS200336-ISEA18-108-007	PINK	232	118					
HS200336-ISEA18-108-008	PINK	192	64					
HS200336-ISEA18-108-009	PINK	212	93					
HS200336-ISEA18-108-010	PINK	214	89					
HS200336-ISEA18-108-011	PINK	199	75					
HS200336-ISEA18-108-012	PINK	196	65					
HS200336-ISEA18-108-013	PINK	200	82					
HS200336-ISEA18-108-014	PINK	213	97					
HS200336-ISEA18-108-015	PINK	216	97					
HS200336-ISEA18-108-016	PINK	219						
HS200336-ISEA18-108-017	PINK	202						
HS200336-ISEA18-108-018	PINK	215						
HS200336-ISEA18-108-019	PINK	201						
HS200336-ISEA18-108-020	PINK	215						
HS200336-ISEA18-108-021	PINK	205						
HS200336-ISEA18-108-022	PINK	208						
HS200336-ISEA18-108-023	PINK	217						
HS200336-ISEA18-108-024	PINK	204						
HS200336-ISEA18-108-025	PINK	205						
HS200336-ISEA18-108-026	PINK	200						
HS200336-ISEA18-108-027	PINK	197						
HS200336-ISEA18-108-028	PINK	211						
HS200336-ISEA19-108-001	PINK	227	109					
HS200336-ISEA19-108-002	PINK	221	106					
HS200336-ISEA19-108-003	PINK	221	115					
HS200336-ISEA19-108-004	PINK	222	114					
HS200336-ISEA19-108-005	PINK	215	100					
HS200336-ISEA19-108-006	PINK	220	101					
HS200336-ISEA19-108-007	PINK	216	103					
HS200336-ISEA19-108-008	PINK	209	80					
HS200336-ISEA19-108-009	PINK	210	89					
HS200336-ISEA19-108-010	PINK	228	118					
HS200336-ISEA19-108-011	PINK	214	96					
HS200336-ISEA19-108-012	PINK	217	100					
HS200336-ISEA19-108-013	PINK	248	137					
HS200336-ISEA19-108-014	PINK	220	108					
HS200336-ISEA19-108-015	PINK	237	129					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-ISEA19-108-016	PINK	244						
HS200336-ISEA19-108-017	PINK	236						
HS200336-ISEA19-108-018	PINK	222						
HS200336-ISEA19-108-019	PINK	229						
HS200336-ISEA19-108-020	PINK	218						
HS200336-ISEA19-108-021	PINK	235						
HS200336-ISEA19-108-022	PINK	205						
HS200336-ISEA19-108-023	PINK	224						
HS200336-ISEA19-108-024	PINK	234						
HS200336-ISEA19-108-025	PINK	232						
HS200336-ISEA19-108-026	PINK	227						
HS200336-ISEA19-108-027	PINK	238						
HS200336-ISEA19-108-028	PINK	226						
HS200336-ISEA19-108-029	PINK	204						
HS200336-ISEA19-108-030	PINK	217						
HS200336-ISEA19-108-031	PINK	220						
HS200336-ISEA19-108-032	PINK	208						
HS200336-ISEA20-108-001	PINK	278	210					
HS200336-ISEA20-108-002	PINK	254	183					
HS200336-ISEA20-108-003	PINK	227	121					
HS200336-ISEA20-108-004	PINK	242	153					
HS200336-ISEA20-108-005	PINK	240	136					
HS200336-ISEA20-108-006	PINK	218	109					
HS200336-ISEA20-108-007	PINK	222	122					
HS200336-ISEA21-108-001	PINK	198	67					
HS200336-ISEA21-108-002	PINK	180	59					
HS200336-ISEA21-108-003	PINK	216	95					
HS200336-ISEA21-108-004	PINK	230	129					
HS200336-ISEA21-108-005	PINK	198	69					
HS200336-ISEA23-108-001	PINK	224	113					
HS200336-ISEA23-108-002	PINK	236	137					
HS200336-ISEA23-108-003	PINK	231	127					
HS200336-ISEA23-108-004	PINK	251	163					
HS200336-ISEA24-108-001	PINK	241	149					
HS200336-ISEA24-108-002	PINK	237	135					
HS200336-ISEA24-108-003	PINK	257	182					
HS200336-ISEA24-108-004	PINK	259	177					
HS200336-ISEA24-108-005	PINK	246	163					
HS200336-ISEA24-108-006	PINK	246	157					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-ISEA24-108-007	PINK	226	112					
HS200336-ISEA24-108-008	PINK	242	147					
HS200336-ISEA24-108-009	PINK	245	156					
HS200336-ISEA24-108-010	PINK	209	80					
HS200336-ISEA24-108-011	PINK	262	190					
HS200336-ISEA25-108-001	PINK	269	215					
HS200336-ISEA25-108-002	PINK	242	153					
HS200336-ISEA25-108-003	PINK	230	124					
HS200336-ISEA25-108-004	PINK	205	84					
HS200336-ISEA25-108-005	PINK	257	196					
HS200336-ISEA25-108-006	PINK	241	136					
HS200336-ISEA25-108-007	PINK	223	119					
HS200336-ISEA25-108-008	PINK	274	241					
HS200336-ISEA25-108-009	PINK	270	214					
HS200336-ISEA25-108-010	PINK	253	195					
HS200336-ISEA25-108-011	PINK	248	158					
HS200336-ISEA25-108-012	PINK	205	93					
HS200336-ISEA25-108-013	PINK	255	179					
HS200336-ISEA25-108-014	PINK	293	309					
HS200336-ISEA25-108-015	PINK	291	249					
HS200336-ISEA25-108-016	PINK	279						
HS200336-ISEA25-108-017	PINK	249						
HS200336-ISEA25-108-018	PINK	262						
HS200336-ISEA25-108-019	PINK	269						
HS200336-ISEA25-108-020	PINK	252						
HS200336-ISEA25-108-021	PINK	269						
HS200336-ISEA25-108-022	PINK	238						
HS200336-ISEA25-108-023	PINK	246						
HS200336-ISEA25-108-024	PINK	253						
HS200336-ISEA25-108-025	PINK	271						
HS200336-ISEA25-108-026	PINK	263						
HS200336-ISEA25-108-027	PINK	212						
HS200336-ISEA25-108-028	PINK	260						
HS200336-ISEA25-108-029	PINK	274						
HS200336-ISEA25-108-030	PINK	260						
HS200336-ISEA25-108-031	PINK	207						
HS200336-ISEA25-108-032	PINK	255						
HS200336-ISEA25-108-033	PINK	261						
HS200336-ISEA25-108-034	PINK	293						

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-ISEA25-108-035	PINK	258						
HS200336-ISEA25-108-036	PINK	249						
HS200336-ISEA25-108-037	PINK	254						
HS200336-ISEA25-108-038	PINK	254						
HS200336-ISEA25-108-039	PINK	254						
HS200336-ISEA25-108-040	PINK	244						
HS200336-ISEA25-108-041	PINK	245						
HS200336-ISEA25-108-042	PINK	260						
HS200336-ISEA25-108-043	PINK	258						
HS200336-ISEA25-108-044	PINK	256						
HS200336-ISEA25-108-045	PINK	250						
HS200336-ISEA25-108-046	PINK	222						
HS200336-ISEA25-108-047	PINK	253						
HS200336-ISEA25-108-048	PINK	251						
HS200336-ISEA25-108-049	PINK	266						
HS200336-ISEA25-108-050	PINK	259						
HS200336-ISEA25-108-051	PINK	261						
HS200336-ISEA25-108-052	PINK	238						
HS200336-ISEA25-108-053	PINK	249						
HS200336-ISEA25-108-054	PINK	255						
HS200336-ISEA25-108-055	PINK	261						
HS200336-ISEA25-108-056	PINK	243						
HS200336-ISEA25-108-057	PINK	254						
HS200336-ISEA25-108-058	PINK	250						
HS200336-ISEA25-108-059	PINK	270						
HS200336-ISEA25-108-060	PINK	254						
HS200336-ISEA25-108-061	PINK	273						
HS200336-ISEA25-108-062	PINK	276						
HS200336-ISEA25-108-063	PINK	249						
HS200336-ISEA25-108-064	PINK	255						
HS200336-ISEA25-108-065	PINK	249						
HS200336-ISEA25-108-066	PINK	248						
HS200336-T01-108-001	PINK	198	65					
HS200336-T01-108-002	PINK	233	119					
HS200336-T01-108-003	PINK	196	63					
HS200336-T04-108-001	PINK	206	76					
HS200336-T05-108-001	PINK	213	87					
HS200336-VI04-108-001	PINK	198	67					
HS200336-VI04-108-002	PINK	199	68					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-VI05-108-001	PINK	206	70					
HS200336-VI05-108-002	PINK	181	55					
HS200336-VI05-108-003	PINK	205	75					
HS200336-VI05-108-004	PINK	214	82					
HS200336-VI05-108-005	PINK	205	84					
HS200336-VI06-108-001	PINK	184	56					
HS200336-VI06-108-002	PINK	198	71					
HS200336-VI06-108-003	PINK	189	57					
HS200336-VI06-108-004	PINK	207	83					
HS200336-VI06-108-005	PINK	202	75					
HS200336-VI07-108-001	PINK	244	133					
HS200336-VI07-108-002	PINK	196	71					
HS200336-DE01-118-001	Sockeye	207	92					
HS200336-DE01-118-002	Sockeye	200	84					
HS200336-DE04-118-001	Sockeye	189	70					
HS200336-DE05-118-001	Sockeye	209	89					
HS200336-HS01-118-001	Sockeye	201	90					
HS200336-HS01-118-002	Sockeye	193	74					
HS200336-HS01-118-003	Sockeye	203	90					
HS200336-HS01-118-004	Sockeye	184	62					
HS200336-HS01-118-005	Sockeye	192	72					
HS200336-HS01-118-006	Sockeye	190	73					
HS200336-HS01-118-007	Sockeye	181	61					
HS200336-HS01-118-008	Sockeye	198	80					
HS200336-HS01-118-009	Sockeye	195	75					
HS200336-HS01-118-010	Sockeye	191	66					
HS200336-HS01-118-011	Sockeye	192	62					
HS200336-HS01-118-012	Sockeye	202	85					
HS200336-HS01-118-013	Sockeye	198	79					
HS200336-HS01-118-014	Sockeye	203	80					
HS200336-HS01-118-015	Sockeye	201	80					
HS200336-HS01-118-016	Sockeye	191	66					
HS200336-HS01-118-017	Sockeye	199	84					
HS200336-HS01-118-018	Sockeye	198	80					
HS200336-HS01-118-019	Sockeye	202	87					
HS200336-HS01-118-020	Sockeye	190	72					
HS200336-HS01-118-021	Sockeye	191	75					
HS200336-HS01-118-022	Sockeye	191	74					
HS200336-HS01-118-023	Sockeye	200	75					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-HS01-118-024	SOCKEYE	200	75					
HS200336-HS01-118-025	SOCKEYE	202	81					
HS200336-HS01-118-026	SOCKEYE	195	75					
HS200336-HS01-118-027	SOCKEYE	195	72					
HS200336-HS01-118-028	SOCKEYE	203	84					
HS200336-HS01-118-029	SOCKEYE	182	60					
HS200336-HS01-118-030	SOCKEYE	188	70					
HS200336-HS02-118-001	SOCKEYE	208	91					
HS200336-HS02-118-002	SOCKEYE	207	88					
HS200336-HS03-118-001	SOCKEYE	185	61					
HS200336-IBC02-118-001	SOCKEYE	179	68					
HS200336-IBC02-118-002	SOCKEYE	206	89					
HS200336-IBC02-118-003	SOCKEYE	169	45					
HS200336-IBC02-118-004	SOCKEYE	147	34					
HS200336-IBC03-118-001	SOCKEYE	196	77					
HS200336-IBC04-118-001	SOCKEYE	194	79					
HS200336-IBC07-118-001	SOCKEYE	197	79					
HS200336-IBC08-118-001	SOCKEYE	204	95					
HS200336-IBC08-118-002	SOCKEYE	189	71					
HS200336-IBC08-118-003	SOCKEYE	193	75					
HS200336-IBC08-118-004	SOCKEYE	166	46					
HS200336-IBC11-118-001	SOCKEYE	180	62					
HS200336-IBC11-118-002	SOCKEYE	178	59					
HS200336-IBC11-118-003	SOCKEYE	173	51					
HS200336-IBC11-118-004	SOCKEYE	164	43					
HS200336-IBC11-118-005	SOCKEYE	185	67					
HS200336-IBC11-118-006	SOCKEYE	178	54					
HS200336-IBC11-118-007	SOCKEYE	155	38					
HS200336-IBC11-118-008	SOCKEYE	212	99					
HS200336-IBC11-118-009	SOCKEYE	203	89					
HS200336-IBC11-118-010	SOCKEYE	156	38					
HS200336-IBC11-118-011	SOCKEYE	198	78					
HS200336-IBC11-118-012	SOCKEYE	199	78					
HS200336-IBC11-118-013	SOCKEYE	192	74					
HS200336-IBC11-118-014	SOCKEYE	188	70					
HS200336-IBC11-118-015	SOCKEYE	183	67					
HS200336-IBC11-118-016	SOCKEYE	175						
HS200336-IBC11-118-017	SOCKEYE	185						
HS200336-IBC11-118-018	SOCKEYE	184						

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-IBC11-118-019	SOCKEYE	204						
HS200336-IBC11-118-020	SOCKEYE	149						
HS200336-IBC11-118-021	SOCKEYE	192						
HS200336-IBC11-118-022	SOCKEYE	167						
HS200336-IBC11-118-023	SOCKEYE	172						
HS200336-IBC11-118-024	SOCKEYE	208						
HS200336-IBC11-118-025	SOCKEYE	163						
HS200336-IBC11-118-026	SOCKEYE	187						
HS200336-IBC12-118-001	SOCKEYE	196	82					
HS200336-IBC12-118-002	SOCKEYE	200	86					
HS200336-IBC12-118-003	SOCKEYE	174	48					
HS200336-IBC12-118-004	SOCKEYE	189	65					
HS200336-IBC12-118-005	SOCKEYE	216	100					
HS200336-IBC19-118-001	SOCKEYE	182	64					
HS200336-IBC19-118-002	SOCKEYE	205	86					
HS200336-IBC19-118-003	SOCKEYE	200	85					
HS200336-ISEA08-118-001	SOCKEYE	205	84					
HS200336-ISEA08-118-002	SOCKEYE	200	80					
HS200336-ISEA08-118-003	SOCKEYE	192	76					
HS200336-ISEA09-118-001	SOCKEYE	214	101					
HS200336-ISEA09-118-002	SOCKEYE	204	90					
HS200336-ISEA11-118-001	SOCKEYE	203	90					
HS200336-ISEA11-118-002	SOCKEYE	186	69					
HS200336-ISEA11-118-003	SOCKEYE	199	83					
HS200336-ISEA11-118-004	SOCKEYE	206	97					
HS200336-ISEA12-118-001	SOCKEYE	216	96					
HS200336-ISEA15-118-001	SOCKEYE	188	67					
HS200336-ISEA15-118-002	SOCKEYE	209	103					
HS200336-ISEA15-118-003	SOCKEYE	226	125					
HS200336-ISEA17-118-001	SOCKEYE	220	107					
HS200336-ISEA17-118-002	SOCKEYE	198	85					
HS200336-ISEA18-118-001	SOCKEYE	219	108					
HS200336-ISEA18-118-002	SOCKEYE	206	93					
HS200336-ISEA20-118-001	SOCKEYE	220	118					
HS200336-ISEA21-118-001	SOCKEYE	235	133					
HS200336-ISEA21-118-002	SOCKEYE	220	111					
HS200336-ISEA24-118-001	SOCKEYE	196	77					
HS200336-ISEA24-118-002	SOCKEYE	218	112					
HS200336-ISEA24-118-003	SOCKEYE	222	125					

Table 2. Biological data collected for each salmon caught on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Fish Number	Species	Fork Length	Whole Body Weight (g wet)	Sex	Stomach Content Weight (g wet)	CWT age	CWT	Fin Clip
HS200336-ISEA25-118-001	SOCKEYE	201	98					
HS200336-ISEA25-118-002	SOCKEYE	230	145					
HS200336-ISEA25-118-003	SOCKEYE	226	122					
HS200336-ISEA25-118-004	SOCKEYE	240	156					
HS200336-ISEA25-118-005	SOCKEYE	230	136					
HS200336-IVI10-118-001	SOCKEYE	179	56					
HS200336-T01-118-001	SOCKEYE	175	51					
HS200336-T01-118-002	SOCKEYE	178	54					
HS200336-T01-118-003	SOCKEYE	177	56					
HS200336-T01-118-004	SOCKEYE	172	51					
HS200336-T01-118-005	SOCKEYE	175	56					
HS200336-T01-118-006	SOCKEYE	187	67					
HS200336-T01-118-007	SOCKEYE	176	52					
HS200336-T01-118-008	SOCKEYE	181	61					
HS200336-T01-118-009	SOCKEYE	163	43					
HS200336-T01-118-010	SOCKEYE	173	49					
HS200336-T01-118-011	SOCKEYE	137	24					
HS200336-T02-118-001	SOCKEYE	181	53					

Table 3. Physical oceanographic data collected on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Station ID	Station Name	Region	Date UTC	Time UTC	Latitude (°N)	Longitude (°W)	Bottom Depth (m)	SST (°C)	SSS (ppt)	NO3 umoles/L	Si umoles/L	PO4 umoles/L	Chl A ug/L
HS200336IVI01	TREVOR CH	IVI	09-Oct-03	16:55	48.869	125.128	113	10.56	31.86	28.7	43.8	2.23	1.74
HS200336IVI02	TREVOR CH	IVI	09-Oct-03	18:48	48.903	125.047	190	11.54	30.58	22.9	40.2	1.85	2.77
HS200336IVI03	IMPERIAL EAGLE CH	IVI	09-Oct-03	20:48	48.965	125.099	100	11.73	30.83	18.1	36.9	1.76	4.63
HS200336IVI04	IMPERIAL EAGLE CH	IVI	09-Oct-03	22:23	48.937	125.188	95	11.94	30.7	9.1	31.3	1.19	11.12
HS200336IVI05	IMPERIAL EAGLE CH	IVI	09-Oct-03	23:50	48.872	125.243	91	11.45	31.53	17.3	37.3	1.63	9.44
HS200336IVI06	HECATE CH	IVI	10-Oct-03	14:36	49.861	126.741	229	12.24	28.29	10.4	37.1	1.39	
HS200336IVI07	ZEBALLOS INLET	IVI	10-Oct-03	17:13	49.892	126.784	146	12.37	31.01	10.4	36.7	1.43	1.03
HS200336IVI08	ESPERANZA INLET	IVI	10-Oct-03	19:08	49.879	126.819	224	12.44	30.37	10.4	36.6	1.42	0.89
HS200336IVI09	ESPERANZA INLET	IVI	10-Oct-03	20:41	49.856	126.913	191	12.42	29.96	10.6	36.5	1.43	1.32
HS200336VI01	OFF ESPERANZA	VI	10-Oct-03	22:26	49.788	127.054	39	12.41	31.51	13.2	36	1.65	
HS200336VI02	OFF ESPERANZA	VI	10-Oct-03	23:37	49.784	127.169	35	12.2	31.68	12.9	31.1	1.56	2.11
HS200336IVI10	TAHSISH INLET	IVI	11-Oct-03	14:15	50.106	127.118	169	13.02	27.74	3.7	31.7	0.88	0.32
HS200336IVI11	KASHUTL INLET	IVI	11-Oct-03	16:09	50.095	127.247	90	13.58	29.2	6	32	1.04	0.28
HS200336IVI12	KYUQUOT CH	IVI	11-Oct-03	17:34	50.053	127.249	220	13.36	28.92	6.9	32.7	1.1	0.34
HS200336IVI13	KYUQUOT CH	IVI	11-Oct-03	19:20	50.020	127.164	98	12.23	28.01	9.5	32.6	1.32	0.21

Table 3. Physical oceanographic data collected on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Station ID	Station Name	Region	Date UTC	Time UTC	Latitude (°N)	Longitude (°W)	Bottom Depth (m)	SST (°C)	SSS (ppt)	NO3 umoles/L	Si umoles/L	PO4 umoles/L	Chl A ug/L
HS200336IVI14	KYUQUOT CH	IVI	11-Oct-03	21:39	50.011	127.172	113	12.56	29.16	8.8	33	1.29	0.38
HS200336IVI03	OFF KYUQUOT	VI	12-Oct-03	15:30	49.932	127.333	61	11.79	31.4				
HS200336IVI15	QUATSINO SD	IVI	12-Oct-03	21:54	50.470	127.939	230	12.26	29.99	7.1	19.7	1.07	1.57
HS200336IVI16	QUATSINO SD	IVI	12-Oct-03	23:24	50.487	127.864	148	11.46	28.64	9.4	25.1	1.15	1.16
HS200336IVI17	QUATSINO SD	IVI	13-Oct-03	00:45	50.494	127.771	207	11.54	29.75	10.5	25.8	1.31	0.54
HS200336IVI18	NEROUTSOS INLET	IVI	13-Oct-03	14:02	50.396	127.486	106	11.05	28.08	17.5	32.8	1.58	0.39
HS200336IVI19	NEROUTSOS INLET	IVI	13-Oct-03	16:01	50.438	127.515	185	11.04	28.75	16	33.2	1.64	0.41
HS200336IVI20	QUATSINO SD	IVI	13-Oct-03	17:50	50.497	127.687	105	11.1	29.09	15.2	32.6	1.54	0.47
HS200336IVI04	OFF QUATSINO	VI	13-Oct-03	20:03	50.420	127.981	132	12.57	30.93	7	18.7	1.14	0.77
HS200336IVI05	OFF QUATSINO	VI	13-Oct-03	21:44	50.398	128.081	78	12.47	30.7	6.7	18.6	1.07	1.26
HS200336IVI06	OFF QUATSINO	VI	13-Oct-03	23:00	50.432	128.173	91	12.63	31.26	6.6	17.9	1.01	1.74
HS200336IVI07	OFF QUATSINO	VI	14-Oct-03	00:36	50.466	128.281	123	13.06	31.69	4.9	13.7	0.96	1.24
HS200336IBC01	FITZ HUGH SD	IBC	15-Oct-03	19:19	51.682	127.916	340	10.1	28.7	18.3	35.8	1.51	1.17
HS200336IBC02	FITZ HUGH SD	IBC	15-Oct-03	22:41	51.814	127.940	314	10.02	28.77	18.5	36.5	1.64	0.77
HS200336IBC03	FITZ HUGH SD	IBC	16-Oct-03	00:56	51.953	127.934	330	10.87	25.68	12.1	27.9	1.13	1.67

Table 3. Physical oceanographic data collected on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Station ID	Station Name	Region	Date UTC	Time UTC	Latitude (°N)	Longitude (°W)	Bottom Depth (m)	SST (°C)	SSS (ppt)	NO3 umoles/L	Si umoles/L	PO4 umoles/L	Chl A ug/L
HS200336IBC04	PRINCIPE CH	IBC	16-Oct-03	17:15	53.428	129.924	270	10.54	29.03	15.1	25.4	1.27	1.17
HS200336IBC05	OGDEN CH	IBC	16-Oct-03	21:24	53.838	130.307	196	10.17	29.77	20	36.8	1.68	0.7
HS200336DE01	MCINTYRE B	DE	17-Oct-03	14:09	54.175	131.845	71	10.5	31.53	15.9	24.9	1.4	0.51
HS200336DE02	MCINTYRE B	DE	17-Oct-03	15:45	54.158	131.990	66	10.44	31.52	15.4	23.6	1.46	0.65
HS200336DE03	MCINTYRE B	DE	17-Oct-03	17:19	54.153	132.191	55	10.93	30.73	13.2	21.7	1.31	0.76
HS200336DE04	CAPE EPENSAW-DE	DE	17-Oct-03	19:00	54.160	132.416	93	10.96	30.94	13.2	21.7	1.51	0.54
HS200336DE05	KLASHWUN PT-DE	DE	17-Oct-03	20:33	54.180	132.572	93	10.95	31.7	11.2	18.4	1.27	0.92
HS200336DE06	NANKIVELL PT-DE	DE	17-Oct-03	22:08	54.180	132.732	61	12.26	31.85	3	6.4	0.69	1.11
HS200336DE07	SEATH PT-DE	DE	17-Oct-03	23:32	54.179	132.852	63	12.52	31.78	1.4	3.8	0.58	1.13
HS200336DE08	LANGARA I-DE	DE	18-Oct-03	01:20	54.238	132.918	272	12.59	31.77	1.2	4.4	0.57	1.11
HS200336FI01	FORRESTER IS	SEA	18-Oct-03	14:17	54.787	133.050	121	10.88	30.82	13.3	21.7	1.29	0.5
HS200336FI02	FORRESTER IS	SEA	18-Oct-03	15:59	54.778	133.183	209	11.3	31.78	8.1	14.3	1.02	0.94
HS200336FI03	FORRESTER IS	SEA	18-Oct-03	17:33	54.765	133.320	114	10.99	31.86	8.4	15.1	1	1.3
HS200336FI05	FORRESTER IS	SEA	18-Oct-03	19:40	54.739	133.574	197	11.22	31.91	6.8	13.1	0.93	1.01
HS200336FI06	FORRESTER IS	SEA	18-Oct-03	21:29	54.725	133.704	225	12.09	31.88	2.2	5.1	0.63	1.14

Table 3. Physical oceanographic data collected on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Station ID	Station Name	Region	Date UTC	Time UTC	Latitude (°N)	Longitude (°W)	Bottom Depth (m)	SST (°C)	SSS (ppt)	NO3 umoles/L	Si umoles/L	PO4 umoles/L	Chl A ug/L
HS200336FI07	FORRESTER IS	SEA	18-Oct-03	23:09	54.717	133.835	225	12.26	31.87	1.7	4.2	0.61	1.12
HS200336FI08	FORRESTER IS	SEA	19-Oct-03	00:59	54.704	133.966	203	12.21	31.87	1.8	4.3	0.59	1.06
HS200336FI09	FORRESTER IS	SEA	19-Oct-03	02:36	54.691	134.097	223	11.93	31.99	2	7.9	0.62	0.65
HS200336FI10	FORRESTER IS	SEA	19-Oct-03	04:26	54.666	134.363	2145	11.62	32.04	2.9	4.5	0.68	0.61
HS200336FI11	FORRESTER IS	SEA	19-Oct-03	06:21	54.639	134.636	2368	11.39	32.02	3.6	5.7	0.73	0.58
HS200336ISEA01	SUMNER ST	ISEA	19-Oct-03	15:05	55.879	134.051	230	10.82	31.39	11.1	19.7	1.2	0.77
HS200336ISEA02	SUMNER ST	ISEA	19-Oct-03	16:51	55.987	133.975	180	8.28	30.54	29.1	45.4	1.96	0.43
HS200336ISEA03	SUMNER ST	ISEA	19-Oct-03	18:31	56.053	133.909	87	8.44	30.28	26	43.7	1.9	0.62
HS200336ISEA04	SUMNER ST	ISEA	19-Oct-03	20:52	56.149	133.727	245	9.76	31.18	17	29.2	1.52	1.07
HS200336ISEA05	SUMNER ST	ISEA	19-Oct-03	22:49	56.277	133.808	290	8.95	29.25	23.1	40	1.69	1.11
HS200336ISEA06	SUMNER ST	ISEA	20-Oct-03	01:06	56.380	133.599	353	9.16	29.66	23	38.2	1.68	0.67
HS200336ISEA07	SUMNER ST	ISEA	20-Oct-03	14:03	56.364	133.429	376	9.22	29.55	23.1	38	1.69	0.5
HS200336ISEA08	SUMNER ST	ISEA	20-Oct-03	16:51	56.450	133.021	165	9.68	26.87	28.3	44	1.95	0.25
HS200336ISEA09	STIKINE ST	ISEA	20-Oct-03	19:08	56.482	132.823	116	9.32	24.71	14.7	27.1	1.21	0.79
HS200336ISEA10	STIKINE ST	ISEA	20-Oct-03	20:35	56.447	132.654	100	9.62	25.59	14.1	26.8	1.16	0.6

Table 3. Physical oceanographic data collected on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Station ID	Station Name	Region	Date UTC	Time UTC	Latitude (°N)	Longitude (°W)	Bottom Depth (m)	SST (°C)	SSS (ppt)	NO3 umoles/L	Si umoles/L	PO4 umoles/L	Chl A ug/L
HS200336ISEA11	STIKINE ST	ISEA	20-Oct-03	22:02	56.411	132.571	241	10.32	27.51	38.4	56.3	2.36	0.04
HS200336ISEA12	STIKINE ST	ISEA	20-Oct-03	23:48	56.327	132.598	290	10.13	28.01	16.7	28.7	1.28	0.55
HS200336ISEA19	CLARENCE ST	ISEA	22-Oct-03	00:52	55.819	132.440	560	10.05	29.19	18.6	31.1	1.47	0.43
HS200336ISEA20	CLARENCE ST	ISEA	22-Oct-03	14:09	55.184	131.881	445	10.41	29.62	16.2	27.2	1.4	0.75
HS200336ISEA21	CLARENCE ST	ISEA	22-Oct-03	16:07	55.066	131.927	346	10.38	29.14	15.5	26.3	1.35	0.81
HS200336ISEA22	CLARENCE ST	ISEA	22-Oct-03	18:53	54.809	131.910	417	10.63	30.21	15.2	25	1.37	0.81
HS200336ISEA23	CLARENCE ST	ISEA	22-Oct-03	21:01	54.636	132.027	156	10.81	30.82	13.2	21.3	1.31	1.32
HS200336ISEA24	CAPE CHACON-DE	ISEA	22-Oct-03	22:40	54.648	132.257	129	10.67	30.55	14.9	24	1.34	1.25
HS200336ISEA25	PT MARSH-DE	ISEA	23-Oct-03	00:23	54.671	132.482	171	10.83	31.03	13.5	21.9	1.34	0.93
HS200336HS01	BROWNING E	HS	23-Oct-03	14:02	53.869	130.982	66	11.41	31.38	11.6	20.4	1.17	0.5
HS200336HS02	BROWNING E	HS	23-Oct-03	15:47	53.795	130.802	136	11.46	31.69	10.9	18.6	1.14	1
HS200336HS03	BROWNING E	HS	23-Oct-03	17:34	53.747	130.625	98	11.5	31.61	10.5	18.6	1.12	0.98
HS200336IBC06	PRINCIPE CH	IBC	23-Oct-03	19:19	53.663	130.461	127	10.87	29.89	13.6	23.6	1.29	0.7
HS200336IBC07	PRINCIPE CH	IBC	23-Oct-03	22:40	53.468	129.992	301	10.51	28.43	13.9	23.2	1.16	1.12
HS200336IBC08	PRINCIPE CH	IBC	24-Oct-03	00:39	53.361	129.819	188	10.42	27.64	13.6	22	1.16	0.96

Table 3. Physical oceanographic data collected on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Station ID	Station Name	Region	Date UTC	Time UTC	Latitude (°N)	Longitude (°W)	Bottom Depth (m)	SST (°C)	SSS (ppt)	NO3 umoles/L	Si umoles/L	PO4 umoles/L	Chl A ug/L
HS200336IBC09	WHALE CH	IBC	24-Oct-03	14:03	53.095	129.122	490	9.81	26.08	13.1	22	1.16	0.44
HS200336IBC10	WHALE CH	IBC	24-Oct-03	15:59	53.233	129.099	490	9.74	25.2	13.7	22.3	1.29	0.32
HS200336IBC11	WRIGHT SD	IBC	24-Oct-03	18:05	53.342	129.189	430	9.34	24.43	14.5	23.1	1.21	0.79
HS200336IBC12	SQUALLY CH	IBC	24-Oct-03	21:01	53.256	129.435	520	9.92	26.22	11.6	19	1.01	0.86
HS200336IBC13	SQUALLY CH	IBC	24-Oct-03	22:51	53.143	129.393	432	10.77	28.87	12.8	22.1	1.36	0.77
HS200336IBC14	CAMPANIA SD	IBC	25-Oct-03	00:50	53.025	129.265	382	11.1	30.09	13.2	23.2	1.26	0.79
HS200336IBC15	ESTEVAN SD	IBC	25-Oct-03	14:04	53.176	129.646	154	10.68	30.54	16.1	27.1	1.39	0.53
HS200336IBC16	ESTEVAN SD	IBC	25-Oct-03	15:57	53.080	129.549	145	10.59	30.82	17.4	28.6	1.73	0.39
HS200336IBC17	CAMANO SD	IBC	25-Oct-03	18:26	52.945	129.402	170	11.02	31.16	15.1	25.6	1.36	0.41
HS200336IBC18	LAREDO CH	IBC	25-Oct-03	20:24	52.886	129.271	240	10.85	31.16	16.2	26.8	1.47	0.5
HS200336IBC19	LAREDO CH	IBC	25-Oct-03	22:21	52.777	129.140	205	10.87	30.67	15.8	27	1.41	0.83
HS200336T01	TRIANGLE ISLAND	QCSD	26-Oct-03	15:08	51.276	128.331	75	12.24	31.86	7.9	15.6	1.06	0.54
HS200336T02	TRIANGLE ISLAND	QCSD	26-Oct-03	16:50	51.209	128.464	191	12.14	31.86	8.3	15.8	1.06	0.6
HS200336T03	TRIANGLE ISLAND	QCSD	26-Oct-03	18:42	51.143	128.595	144	11.89	31.88	10.7	19.7	1.16	0.94
HS200336T04	TRIANGLE ISLAND	QCSD	26-Oct-03	20:22	51.075	128.730	63	11.95	31.82	10.8	19.7	1.48	0.58

Table 3. Physical oceanographic data collected on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Station ID	Station Name	Region	Date UTC	Time UTC	Latitude (°N)	Longitude (°W)	Bottom Depth (m)	SST (°C)	SSS (ppt)	NO3 umoles/L	Si umoles/L	PO4 umoles/L	Chl A ug/L
HS200336T05	TRIANGLE ISLAND	QCSD	26-Oct-03	21:58	51.001	128.868	62	11.82	31.85	11.4	20.3	1.25	0.54
HS200336T06	TRIANGLE ISLAND	QCSD	26-Oct-03	23:18	50.931	128.996	60	12.03	31.9	9.9	17.5	1.18	1.03
HS200336T07	TRIANGLE ISLAND	VI	27-Oct-03	01:35	50.816	129.223	110	12.23	31.88	6.3	12	0.84	1.09
HS200336T08	TRIANGLE ISLAND	VI	27-Oct-03	03:44	50.701	129.484	1922	12.17	31.9	9.2	16.7	1.08	1.09
HS200336T09	TRIANGLE ISLAND	VI	27-Oct-03	05:11	50.623	129.651	2055	12.65	31.93	5.3	9.6	0.84	0.96
HS200336T10	TRIANGLE ISLAND	VI	27-Oct-03	06:37	50.538	129.821	2160	12.7	32.12	2.7	4.3	0.65	0.82
HS200336T11	TRIANGLE ISLAND	VI	27-Oct-03	08:03	50.459	129.993	2166	12.7	32.08	2.3	3.4	0.65	0.57
HS200336T12	TRIANGLE ISLAND	VI	27-Oct-03	09:39	50.375	130.163	1800	12.61	31.98	2.6	3.8	0.78	0.57

Table 4. Zooplankton data from bongo tows collected on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Station ID	Station Name	Region	Latitude (°N)	Longitude (°W)	Date	Time	Target Depth (m)	Tow Duration	Wire Angle (°)	Volume Sieved (cu m)	Plankton Weights by Size Fraction (g dry / 1000 cu m)				
											8.0mm	1.7mm	1.0mm	0.25mm	Total
HS200336IVI01	TREVOR CH	IVI	48.869	125.127	09-Oct-03	10:09	100	00:06		30	0	39	5.72	25.55	70.27
HS200336IVI02	TREVOR CH	IVI	48.903	125.048	09-Oct-03	12:06	150	00:07		37	0	30.12	16.67	19.9	66.69
HS200336IVI03	IMPERIAL EAGLE CH	IVI	48.964	125.099	09-Oct-03	13:58	95	00:06		22	0	47.49	14.61	21.01	83.11
HS200336IVI04	IMPERIAL EAGLE CH	IVI	48.936	125.187	09-Oct-03	15:33	85	00:05		27	0	1.51	3.02	16.22	20.74
HS200336IVI05	IMPERIAL EAGLE CH	IVI	48.872	125.242	09-Oct-03	16:59	78	00:06		29	0	5.55	2.43	12.84	20.81
HS200336IVI06	HECATE CH	IVI	49.861	126.742	10-Oct-03	07:55	150	00:08		38	0	26.88	8.96	17.39	53.24
HS200336IVI07	ZEBALLOS INLET	IVI	49.891	126.779	10-Oct-03	10:25	150	00:08		38	0	16.3	3.68	7.1	27.08
HS200336IVI08	ESPERANZA INLET	IVI	49.876	126.820	10-Oct-03	12:24	150	00:08		41	0	11.24	3.42	8.31	22.98
HS200336IVI09	ESPERANZA INLET	IVI	49.855	126.914	10-Oct-03	13:55	150	00:08		37	0	22.62	10.23	16.16	49.01
HS200336VI01	OFF ESPERANZA	VI	49.788	127.056	10-Oct-03	15:34	28	00:02		14	29.17	0	2.13	24.19	55.49
HS200336VI02	OFF ESPERANZA	VI	49.784	127.171	10-Oct-03	16:45	25	00:02		16	47.62	0	0	12.7	60.31

Table 4. Zooplankton data from bongo tows collected on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Station ID	Station Name	Region	Latitude (°N)	Longitude (°W)	Date	Time	Target Depth (m)	Tow Duration	Wire Angle (°)	Volume Sieved (cu m)	Plankton Weights by Size Fraction (g dry / 1000 cu m)				
											8.0mm	1.7mm	1.0mm	0.25mm	Total
HS200336IVI10	TAHSISH INLET	IVI	50.106	127.112	11-Oct-03	07:29	150	00:08		19	0	42.06	26.42	11.86	80.34
HS200336IVI11	KASHUTL INLET	IVI	50.095	127.246	11-Oct-03	09:18	105	00:07		52	0	25.32	10.93	10.55	46.8
HS200336IVI12	KYUQUOT CH	IVI	50.054	127.247	11-Oct-03	10:48	150	00:08		42	0	37.97	11.87	9.02	58.86
HS200336IVI13	KYUQUOT CH	IVI	50.020	127.164	11-Oct-03	12:31	84	00:05		27	0	10.8	2.23	10.05	23.09
HS200336IVI14	KYUQUOT CH	IVI	50.012	127.169	11-Oct-03	14:49	96	00:06		22	0	10.49	2.74	17.33	30.55
HS200336IVI15	QUATSINO SD	IVI	50.469	127.941	12-Oct-03	15:09	150	00:09		59	0	17.4	2.87	9.46	29.74
HS200336IVI16	QUATSINO SD	IVI	50.487	127.864	12-Oct-03	16:34	134	00:07		39	0	74.42	4.86	18.41	97.69
HS200336IVI17	QUATSINO SD	IVI	50.494	127.771	12-Oct-03	17:57	150	00:09		37	0	18.47	10.05	20.91	49.43
HS200336IVI18	NEROUTSOS INLET	IVI	50.397	127.486	13-Oct-03	07:13	95	00:05		27	0	22.19	2.91	11.28	36.38
HS200336IVI19	NEROUTSOS INLET	IVI	50.437	127.513	13-Oct-03	09:13	150	00:08		73	0	57.3	10.53	12.72	80.55
HS200336IVI20	QUATSINO SD	IVI	50.496	127.688	13-Oct-03	11:00	91	00:05		32	0	5.62	2.18	18.41	26.21

Table 4. Zooplankton data from bongo tows collected on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Station ID	Station Name	Region	Latitude (°N)	Longitude (°W)	Date	Time	Target Depth (m)	Tow Duration	Wire Angle (°)	Volume Sieved (cu m)	Plankton Weights by Size Fraction (g dry / 1000 cu m)				
											8.0mm	1.7mm	1.0mm	0.25mm	Total
HS200336VI04	OFF QUATSINO	VI	50.420	127.986	13-Oct-03	13:33	121	00:09		50	0	7.58	1.99	8.38	17.95
HS200336VI05	OFF QUATSINO	VI	50.398	128.079	13-Oct-03	14:54	65	00:05		29	0	2.74	1.71	14.72	19.17
HS200336VI06	OFF QUATSINO	VI	50.431	128.173	13-Oct-03	16:08	78	00:06		30	14.49	0	2.31	10.21	27.01
HS200336VI07	OFF QUATSINO	VI	50.464	128.279	13-Oct-03	17:46	112	00:09		49	36.75	10.82	4.7	12.86	65.12
HS200336IBC01	FITZ HUGH SD	IBC	51.685	127.915	15-Oct-03	13:25	150	00:07		44	0	8.24	10.3	26.31	44.84
HS200336IBC02	FITZ HUGH SD	IBC	51.814	127.937	15-Oct-03	16:02	150	00:11		64	0	10.66	4.39	7.99	23.04
HS200336IBC03	FITZ HUGH SD	IBC	51.949	127.938	15-Oct-03	18:13	150	00:11		84	0	13.76	3.91	12.45	30.13
HS200336IBC04	PRINCIPE CH	IBC	53.429	129.923	16-Oct-03	10:32	150	00:08		77	0	5.23	3.92	15.94	25.08
HS200336IBC05	OGDEN CH	IBC	53.838	130.306	16-Oct-03	14:43	150	00:07		40	0	15.92	11.62	20.72	48.26
HS200336DE01	MCINTYRE B	DE	54.175	131.840	17-Oct-03	07:20	60	00:03		15	0	2.71	0.68	8.8	12.19
HS200336DE02	MCINTYRE B	DE	54.159	131.990	17-Oct-03	08:52	56	00:05		29					

Table 4. Zooplankton data from bongo tows collected on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Station ID	Station Name	Region	Latitude (°N)	Longitude (°W)	Date	Time	Target Depth (m)	Tow Duration	Wire Angle (°)	Volume Sieved (cu m)	Plankton Weights by Size Fraction (g dry / 1000 cu m)				
											8.0mm	1.7mm	1.0mm	0.25mm	Total
HS200336DE03	MCINTYRE B	DE	54.153	132.190	17-Oct-03	10:26	44	00:03		12	0	0	1.73	5.18	6.91
HS200336DE04	CAPE EPENSAW-DE	DE	54.160	132.416	17-Oct-03	12:11	80	00:05		22	0	1.84	0.46	6.45	8.76
HS200336DE05	KLASHWUN PT-DE	DE	54.180	132.569	17-Oct-03	13:42	83	00:05		38	0	2.64	1.58	8.71	12.94
HS200336DE06	NANKIVELL PT-DE	DE	54.179	132.726	17-Oct-03	15:16	50	00:03		24	0	4.08	1.63	4.49	10.21
HS200336DE07	SEATH PT-DE	DE	54.178	132.850	17-Oct-03	16:39	53	00:03		16	0	5.79	4.5	7.07	17.36
HS200336DE08	LANGARA I-DE	DE	54.251	132.944	17-Oct-03	19:16	150	00:10		85	0	5.65	0.71	3.65	10.01
HS200336FI01	FORRESTER IS	SEA	54.790	133.044	18-Oct-03	07:28	112	00:11		106	0	0.85	0.19	1.6	2.63
HS200336FI02	FORRESTER IS	SEA	54.780	133.180	18-Oct-03	09:12	150	00:11		70	0.14	1.73	2.01	5.61	9.49
HS200336FI03	FORRESTER IS	SEA	54.765	133.320	18-Oct-03	10:42	108	00:09		58	5.19	0.87	0.35	5.19	11.6
HS200336FI05	FORRESTER IS	SEA	54.739	133.573	18-Oct-03	12:52	150	00:17		133	0	3.24	0.38	5.13	8.74
HS200336FI06	FORRESTER IS	SEA	54.725	133.702	18-Oct-03	14:43	150	00:14		96	0	0	0.21	1.35	1.56

Table 4. Zooplankton data from bongo tows collected on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Station ID	Station Name	Region	Latitude (°N)	Longitude (°W)	Date	Time	Target Depth (m)	Tow Duration	Wire Angle (°)	Volume Sieved (cu m)	Plankton Weights by Size Fraction (g dry / 1000 cu m)				
											8.0mm	1.7mm	1.0mm	0.25mm	Total
HS200336FI07	FORRESTER IS	SEA	54.717	133.835	18-Oct-03	16:22	150	00:17		127	0	0.94	0.39	1.88	3.22
HS200336FI08	FORRESTER IS	SEA	54.706	133.963	18-Oct-03	18:10	150	00:17		127	0	1.18	0.24	1.26	2.68
HS200336FI09	FORRESTER IS	SEA	54.691	134.094	18-Oct-03	19:49	150	00:17		131	0	1.45	0.84	1.61	3.9
HS200336FI10	FORRESTER IS	SEA	54.665	134.360	18-Oct-03	21:42	150	00:15		126	2.06	1.58	0.47	2.29	6.41
HS200336FI11	FORRESTER IS	SEA	54.647	134.632	18-Oct-03	23:37	150	00:12		92	3.37	3.69	1.09	1.85	9.99
HS200336ISEA01	SUMNER ST	ISEA	55.881	134.046	19-Oct-03	08:20	150	00:14		107	0	2.05	2.8	4.38	9.23
HS200336ISEA02	SUMNER ST	ISEA	55.986	133.973	19-Oct-03	10:04	150	00:13		90	1.33	2.55	4.1	5.21	13.18
HS200336ISEA03	SUMNER ST	ISEA	56.054	133.911	19-Oct-03	12:03	65	00:06		37	0	0	1.36	4.08	5.44
HS200336ISEA04	SUMNER ST	ISEA	56.150	133.725	19-Oct-03	14:04	150	00:12		48	0	5.26	5.05	15.36	25.67
HS200336ISEA05	SUMNER ST	ISEA	56.276	133.804	19-Oct-03	16:02	150	00:11		62	3.87	4.84	3.22	10.32	22.25
HS200336ISEA06	SUMNER ST	ISEA	56.380	133.599	19-Oct-03	18:19	150	00:11		42	0	3.85	5.05	16.61	25.52

Table 4. Zooplankton data from bongo tows collected on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Station ID	Station Name	Region	Latitude (°N)	Longitude (°W)	Date	Time	Target Depth (m)	Tow Duration	Wire Angle (°)	Volume Sieved (cu m)	Plankton Weights by Size Fraction (g dry / 1000 cu m)				
											8.0mm	1.7mm	1.0mm	0.25mm	Total
HS200336ISEA07	SUMNER ST	ISEA	56.365	133.426	20-Oct-03	07:18	150	00:09		38	0	8.33	10.42	20.84	39.59
HS200336ISEA08	SUMNER ST	ISEA	56.452	133.021	20-Oct-03	10:02	135	00:06		37	1.36	11.17	10.63	30.25	53.41
HS200336ISEA09	STIKINE ST	ISEA	56.482	132.826	20-Oct-03	12:18	105	00:08		37	0	25.67	11.2	18.84	55.71
HS200336ISEA10	STIKINE ST	ISEA	56.447	132.654	20-Oct-03	13:47	90	00:07		27	0	15.46	9.2	19.14	43.8
HS200336ISEA11	STIKINE ST	ISEA	56.413	132.573	20-Oct-03	15:15	150	00:12		39	0.76	17.56	11.2	24.17	53.69
HS200336ISEA12	STIKINE ST	ISEA	56.328	132.599	20-Oct-03	17:37	150	00:11		73	0	11.34	5.74	9.43	26.52
HS200336ISEA19	CLARENCE ST	ISEA	55.820	132.439	21-Oct-03	18:06	150	00:14		47	0	11.46	2.12	3.82	17.4
HS200336ISEA20	CLARENCE ST	ISEA	55.184	131.878	22-Oct-03	07:28	150	00:07		83	2.05	3.97	1.68	3.13	10.83
HS200336ISEA21	CLARENCE ST	ISEA	55.069	131.934	22-Oct-03	09:29	150	00:08		82	0	6.56	0.85	3.04	10.45
HS200336ISEA22	CLARENCE ST	ISEA	54.811	131.913	22-Oct-03	12:06	150	00:13		66	5.64	6.4	1.98	6.09	20.11
HS200336ISEA23	CLARENCE ST	ISEA	54.632	132.034	22-Oct-03	14:11	140	00:12		94	0	4.37	0.64	5	10.01

Table 4. Zooplankton data from bongo tows collected on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Station ID	Station Name	Region	Latitude (°N)	Longitude (°W)	Date	Time	Target Depth (m)	Tow Duration	Wire Angle (°)	Volume Sieved (cu m)	Plankton Weights by Size Fraction (g dry / 1000 cu m)				
											8.0mm	1.7mm	1.0mm	0.25mm	Total
HS200336ISEA24	CAPE CHACON-DE	ISEA	54.651	132.256	22-Oct-03	15:51	113	00:09		61	0	0.33	0.82	5.56	6.71
HS200336ISEA25	PT MARSH-DE	ISEA	54.671	132.480	22-Oct-03	17:44	150	00:14		85	0	2.95	0.94	4.61	8.5
HS200336HS01	BROWNING E	HS	53.869	130.981	23-Oct-03	07:10	55	00:04		32	0	0.62	1.87	8.72	11.22
HS200336HS02	BROWNING E	HS	53.796	130.802	23-Oct-03	08:58	125	00:08		67	2.86	12.32	4.36	12.62	32.16
HS200336HS03	BROWNING E	HS	53.747	130.623	23-Oct-03	10:43	85	00:05		31	3.51	2.87	2.24	13.1	21.72
HS200336IBC06	PRINCIPE CH	IBC	53.665	130.459	23-Oct-03	12:29	115	00:10		32	3.43	9.04	6.23	21.81	40.51
HS200336IBC07	PRINCIPE CH	IBC	53.464	129.988	23-Oct-03	15:57	150	00:13		35	0	6.8	2.55	23.24	32.59
HS200336IBC08	PRINCIPE CH	IBC	53.361	129.816	23-Oct-03	17:51	150	00:14		53	0	14.98	6.26	23.52	44.76
HS200336IBC09	WHALE CH	IBC	53.096	129.118	24-Oct-03	07:18	150	00:09		50	3.22	52.4	8.06	22.98	86.67
HS200336IBC10	WHALE CH	IBC	53.233	129.098	24-Oct-03	09:28	150	00:10		43	0	15.05	5.32	7.18	27.55
HS200336IBC11	WRIGHT SD	IBC	53.345	129.193	24-Oct-03	11:19	150	00:08		49	0	15.6	4.52	9.65	29.77

Table 4. Zooplankton data from bongo tows collected on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Station ID	Station Name	Region	Latitude (°N)	Longitude (°W)	Date	Time	Target Depth (m)	Tow Duration	Wire Angle (°)	Volume Sieved (cu m)	Plankton Weights by Size Fraction (g dry / 1000 cu m)				
											8.0mm	1.7mm	1.0mm	0.25mm	Total
HS200336IBC12	SQUALLY CH	IBC	53.257	129.437	24-Oct-03	14:14	150	00:09		41	0	9.34	5.41	11.31	26.06
HS200336IBC13	SQUALLY CH	IBC	53.143	129.391	24-Oct-03	16:04	150	00:09		41	0	13.29	4.92	14.27	32.48
HS200336IBC14	CAMPANIA SD	IBC	53.022	129.261	24-Oct-03	18:03	150	00:09		91	7.04	6.38	1.87	15.29	30.59
HS200336IBC15	ESTEVAN SD	IBC	53.177	129.145	25-Oct-03	07:14	142	00:09		44					
HS200336IBC16	ESTEVAN SD	IBC	53.083	129.549	25-Oct-03	09:07	125	00:08		38	12.47	19.64	5.31	15.92	53.34
HS200336IBC17	CAMANO SD	IBC	52.946	129.394	25-Oct-03	11:56	150	00:14		94	0	1.91	1.06	6.16	9.14
HS200336IBC18	LAREDO CH	IBC	52.886	129.268	25-Oct-03	13:36	150	00:12		59	10.33	1.36	1.02	5.76	18.47
HS200336IBC19	LAREDO CH	IBC	52.778	129.137	25-Oct-03	15:31	150	00:10		45	6.68	5.79	2.45	16.03	30.94
HS200336T01	TRIANGLE ISLAND	QCSD	51.277	128.328	26-Oct-03	07:16	60	00:05		44	29.96	0.91	0.45	9.53	40.85
HS200336T02	TRIANGLE ISLAND	QCSD	51.208	128.460	26-Oct-03	09:02	150	00:13		96	0	2.29	1.35	5.62	9.26
HS200336T03	TRIANGLE ISLAND	QCSD	51.143	128.589	26-Oct-03	10:52	133	00:07		75	2.13	1.46	0.8	7.84	12.23

Table 4. Zooplankton data from bongo tows collected on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

Station ID	Station Name	Region	Latitude (°N)	Longitude (°W)	Date	Time	Target Depth (m)	Tow Duration	Wire Angle (°)	Volume Sieved (cu m)	Plankton Weights by Size Fraction (g dry / 1000 cu m)				
											8.0mm	1.7mm	1.0mm	0.25mm	Total
HS200336T04	TRIANGLE ISLAND	QCSD	51.074	128.729	26-Oct-03	12:29	50	00:05		23	0	4.82	6.57	9.63	21.02
HS200336T05	TRIANGLE ISLAND	QCSD	51.000	128.868	26-Oct-03	14:04	50	00:05		28	0	4.72	1.09	9.43	15.24
HS200336T06	TRIANGLE ISLAND	QCSD	50.927	128.996	26-Oct-03	15:26	45	00:04		34	0	3.22	2.05	13.17	18.43
HS200336T07	TRIANGLE ISLAND	VI	50.815	129.223	26-Oct-03	17:43	95	00:08		78	0	2.94	1.92	9.33	14.19
HS200336T08	TRIANGLE ISLAND	VI	50.700	129.487	26-Oct-03	19:58	150	00:13		114	0.26	11.36	1.59	7.4	20.61
HS200336T09	TRIANGLE ISLAND	VI	50.623	129.651	26-Oct-03	21:24	150	00:10		70	0	3.83	0.99	4.11	8.94
HS200336T10	TRIANGLE ISLAND	VI	50.537	129.822	26-Oct-03	22:52	150	00:11		78	5.64	4.74	1.54	3.72	15.63
HS200336T11	TRIANGLE ISLAND	VI	50.457	129.996	27-Oct-03	00:18	150	00:10		92	2.84	6.87	2.07	4.47	16.25
HS200336T12	TRIANGLE ISLAND	VI	50.378	130.161	27-Oct-03	01:23	150	00:08		81	3.46	7.65	1.98	4.07	17.16

Table 5. Coded Wire Tag (CWT) data collected on the CCGS W.E. RICKER survey to the Gulf of Alaska, 08/10/2003 - 27/10/2003.

CWT	Fish Number	Species	Recovery Date	Recovery Region	Recovery Fork Length (mm)	Release Area	Release Agency	Hatchery	Brood Year	Date of First Release	Date of Last Release	Age
T040747	HS200336-ISEA07-124-001	CHINOOK	20-Oct-03	ISEA	265	SEAK	SSRA	CRYSTAL LAKE	2001	27-May-03	27-May-03	1.0
T182334	HS200336-IVI06-124-002	CHINOOK	10-Oct-03	IVI	138	WCVI	CDFO	H-GOLD R	2002	27-May-03	27-May-03	0.0
T183945	HS200336-IBC03-124-009	CHINOOK	15-Oct-03	IBC	312	JNST	CDFO	H-QUINSAM R	2001	08-May-03	14-May-03	1.0
T184721	HS200336-IVI18-124-001	CHINOOK	13-Oct-03	IVI	180	WCVI	CDFO	H-MARBLE R	2002	13-Jun-03	13-Jun-03	0.0
T184721	HS200336-IVI17-124-009	CHINOOK	12-Oct-03	IVI	184	WCVI	CDFO	H-MARBLE R	2002	13-Jun-03	13-Jun-03	0.0
T185136	HS200336-IVI09-124-016	CHINOOK	10-Oct-03	IVI	164	WCVI	CDFO	H-ROBERTSON CR	2002	28-May-03	03-Jun-03	0.0
T185410	HS200336-IVI09-124-011	CHINOOK	10-Oct-03	IVI	165	WCVI	CDFO	H-CONUMA R	2002	03-Jun-03	13-Jun-03	0.0
T185410	HS200336-IVI09-124-004	CHINOOK	10-Oct-03	IVI	185	WCVI	CDFO	H-CONUMA R	2002	03-Jun-03	13-Jun-03	0.0
T185410	HS200336-IVI06-124-001	CHINOOK	10-Oct-03	IVI	163	WCVI	CDFO	H-CONUMA R	2002	03-Jun-03	13-Jun-03	0.0
T631550	HS200336-IBC03-124-011	CHINOOK	15-Oct-03	IBC	284	UPCR	WDFW	SIMILKAMEEN H	2001	28-Apr-03	29-Apr-03	1.0
T050284	HS200336-IBC14-115-005	COHO	24-Oct-03	IBC	390	NWC	FWS	QUINAULT NFH -COOK C	2001	15-Apr-03	23-Apr-03	1.0
T210401	HS200336-IBC03-115-001	COHO	15-Oct-03	IBC	350	SPS	SUQ	SOUTH SOUND NET PENS	2001	01-May-03	01-May-03	1.0




Figure 1. Fishing stations on the CCGS W. E. Ricker survey to the Gulf of Alaska from October 8 - 27, 2003




Figure 2. Oceanographic stations on the CCGS W. E. Ricker survey to the Gulf of Alaska from October 8 - 27, 2003.




Figure 3. Plankton stations on the CCGS W. E. Ricker survey to the Gulf of Alaska from October 8 - 27, 2003.




Figure 4. Distribution of juvenile (age 0.0) pink salmon catches. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).




Figure 5. Distribution of adult (age 0.1) pink salmon catches. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).




Figure 6. Distribution of juvenile (age 0.0) chum salmon catches. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+)




Figure 7. Distribution of adult chum salmon catches. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).




Figure 8. Distribution of juvenile (age X.0) sockeye salmon catches. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).




Figure 9. Distribution of adult sockeye salmon catches. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).




Figure 10. Distribution of juvenile (age X.0) coho salmon catches. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).




Figure 11. Distribution of adult (age X.1) coho salmon catches. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).




Figure 12. Distribution of catches of chinook salmon less than 100mm. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).




Figure 13. Distribution of catches of chinook salmon from 100 to 199mm. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).




Figure 14. Distribution of catches of chinook salmon from 200 to 299mm. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).




Figure 15. Distribution of catches of chinook salmon from 300 to 349 mm. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).




Figure 16. Distribution of catches of chinook salmon from 350 to 399mm. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).




Figure 17. Distribution of catches of chinook salmon from 400 to 499mm. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).




Figure 18. Distribution of chinook salmon greater than or equal to 500mm. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).




Figure 19. Distribution of catches of chinook from all size classes. Symbol size (●) is proportional to catch per tow; zero catches are shown by a (+).




Figure 20. Size distribution (fork length; mm) of Pacific salmon caught on the CCGS W. E. Ricker survey to the Gulf of Alaska from October 8-27, 2003.